

**January 2023**

**Test Results for Hardware Write Blocker Device:**

Tableau Forensic Universal Bridge T356789iu-R2 (Digital Intelligence  
UltraBay 4) Firmware Version 22.3.0

Federated Testing Suite for Hardware Write Blocking

## Contents

Introduction.....	1
How to Read This Report .....	2
1 Tool Description .....	3
2 Testing Organization.....	3
3 Results Summary .....	3
4 Test Environment.....	3
5 Test Result Details by Case .....	4
5.1 FT-HWB-SATA (SATA Gen3 data connector).....	4
5.1.1 Test Case Description .....	4
5.1.2 Test Drive Description.....	4
5.1.3 Test Evaluation Criteria .....	4
5.1.4 Test Case Results .....	4
5.1.5 Case Summary .....	4
5.2 FT-HWB-SATA (SAS/SATA data connector).....	5
5.2.1 Test Case Description .....	5
5.2.2 Test Drive Description.....	5
5.2.3 Test Evaluation Criteria .....	5
5.2.4 Test Case Results .....	5
5.2.5 Case Summary .....	5
5.3 FT-HWB-SATA (USB 3.0 data connector).....	5
5.3.1 Test Case Description .....	5
5.3.2 Test Drive Description.....	6
5.3.3 Test Evaluation Criteria .....	6
5.3.4 Test Case Results .....	6
5.3.5 Case Summary .....	6
5.4 FT-HWB-PCIe (PCIe data connector – PCIe card adapter) .....	6
5.4.1 Test Case Description .....	6
5.4.2 Test Drive Description.....	6
5.4.3 Test Evaluation Criteria .....	7
5.4.4 Test Case Results .....	7
5.4.5 Case Summary .....	7
5.5 FT-HWB-PCIe (PCIe data connector – PCIe M.2 adapter).....	7
5.5.1 Test Case Description .....	7

5.5.2	Test Drive Description .....	7
5.5.3	Test Evaluation Criteria .....	7
5.5.4	Test Case Results .....	7
5.5.5	Case Summary .....	8
6	Appendix: Additional Details .....	9
6.1	Hardware Write Blocker Interfaces and Adapters .....	9
6.2	FT-HWB-SATA (SATA Gen3 data connector).....	10
6.2.1	USB 3.....	10
6.3	FT-HWB-SATA (SAS/SATA data connector).....	11
6.3.1	USB 3.....	11
6.4	FT-HWB-SATA (USB 3.0 data connector).....	12
6.4.1	USB 3.....	12
6.5	FT-HWB-PCIe (PCIe data connector – PCIe card adapter) .....	14
6.5.1	USB 3.....	14
6.6	FT-HWB-PCIe (PCIe data connector – PCIe M.2 adapter).....	15
6.6.1	USB 3.....	15
6.7	Test Setup & Analysis Tool Versions .....	16

## Introduction

The Computer Forensics Tool Testing (CFTT) program is a joint project of the Department of Homeland Security's (DHS) Science and Technology Directorate, the National Institute of Justice, and the National Institute of Standards and Technology's (NIST) Special Programs Office and Information Technology Laboratory. CFTT is supported by other organizations, including the Federal Bureau of Investigation, the U.S. Department of Defense Cyber Crime Center, U.S. Internal Revenue Service's Criminal Investigation Division Electronic Crimes Program, and U.S. Immigration and Customs Enforcement, U.S. Customs and Border Protection and U.S. Secret Service. The objective of the CFTT program is to provide measurable assurance to practitioners, researchers, and other applicable users that the tools used in computer forensics investigations provide accurate results. Accomplishing this requires the development of specifications and test methods for computer forensics tools and subsequent testing of specific tools against those specifications.

Test results provide the information necessary for developers to improve tools, users to make informed choices, and the legal community and others to understand the tools' capabilities. The CFTT approach to testing computer forensics tools is based on well-recognized methodologies for conformance and quality testing. Interested parties in the computer forensics community can review and comment on the specifications and test methods posted on the CFTT website (<https://www.cftt.nist.gov/>).

This document reports the results from testing the read-only function of the Tableau Forensic Universal Bridge T356789iu-R2 (Digital Intelligence UltraBay 4) Firmware Version 22.3.0 using the CFTT Federated Testing Test Suite for Hardware Write Blocking, Version 5.

Federated Testing is an expansion of the CFTT program to provide forensic investigators and labs with test materials for tool testing and to support shared test reports. The goal of Federated Testing is to help forensic investigators to test the tools they use in their labs and to enable sharing of tool test results. CFTT's Federated Testing Forensic Tool Testing Environment and included test suites can be downloaded from <https://www.cftt.nist.gov/federated-testing.html> and used to test forensic tools. The results can be optionally shared with CFTT, reviewed by CFTT staff, and then shared with the community.

Test results from this and other tools can be found on DHS's computer forensics webpage, <https://www.dhs.gov/science-and-technology/nist-cftt-reports>.

## How to Read This Report

This report is organized into the following sections:

1. **Tested Tool Description.** The tool name, version and vendor information are listed.
2. **Testing Organization.** Contact information and approvals.
3. **Results Summary.** This section identifies any significant anomalies observed in the test runs. This section provides a narrative of key findings identifying where the tool meets expectations and provides a summary of any ways the tool did not meet expectations. The section also provides any observations of interest about the tool or about testing the tool including any observed limitations or organization-imposed restrictions on tool use.
4. **Test Environment.** Description of hardware and software used in tool testing in sufficient detail to satisfy the testing organization's policy and requirements.
5. **Test Result Details by Case.** Automatically generated test results that identify anomalies.
6. **Appendix:** Additional details. Additional details for each test case.

# Test Results for Hardware Write Blocker Tool: Tableau Forensic Universal Bridge T356789iu-R2 (Digital Intelligence UltraBay 4) Firmware Version 22.3.0

## 1 Tool Description

**Tool Name:** Tableau Forensic Universal Bridge T356789iu-R2 (Digital Intelligence UltraBay 4)

**Firmware Version:** 22.3.0

**Tool Manufacturer:** OpenText

**File Name:** setup\_tableau\_firmware\_update\_22.3.msi

**Hash value:** SHA1 9d49a742fe8aace7584acf000ab10e113718d6be

**Full Version Number:** 22.3.0.1.5001cc549b

**Vendor Name:** OpenText

**Vendor Contact:** 275 Frank Tompa Drive, Waterloo ON N2L 0A1, Canada

## 2 Testing Organization

**Organization conducting test:**

US Food and Drug Administration (FDA)

Office of Criminal Investigations (OCI) - Digital Forensics Unit (DFU)

**Authored by:** Chad Parks

**Contact:** chad.parks@fda.hhs.gov

**Report date:** 12/09/2022

**Reviewed by:** Stephan Reimers

**Contact:** stephan.reimers@fda.hhs.gov

**Reviewed by date:** 01/03/2023

This test report was generated using CFTT's Federated Testing Forensic Tool Testing Environment, see [Federated Testing Home Page](#).

## 3 Results Summary

The hardware write blocker tool met expectations for the various scenarios tested.

## 4 Test Environment

**Hardware:** Sumuri Talino Forensic Workstation "TALINO1" | S/N: 2015-00420-701-0015

## 5 Test Result Details by Case

This section presents test results grouped by case.

### 5.1 FT-HWB-SATA (SATA Gen3 data connector)

#### 5.1.1 Test Case Description

Test a write blocker's ability to write protect a SATA drive. This test can be repeated to test multiple types of connections (interfaces) between a computer and the write blocker. Test the ability of the write blocker to block write commands from the ATA and SCSI command sets issued from a test computer from modifying a SATA drive.

#### 5.1.2 Test Drive Description

Manufacturer, model & size of the test drive used for this test:

Samsung SSD 840 PRO (SATA)  
128 GB (128,035,676,160 bytes)  
S/N: S1ANNSAF205823E  
MDL: MZ-7PD128  
P/N: MZ7PD128HCFV

#### 5.1.3 Test Evaluation Criteria

For each computer to blocker connection tested, the number of 'writes not blocked' should be 0.

#### 5.1.4 Test Case Results

The following table presents results for the test case.

##### *Test Results for FT-HWB-SATA (SATA Gen3 data connector)*

Computer to Drive Connection	Write Commands Sent	Writes Not Blocked
USB 3	36	0

#### 5.1.5 Case Summary

Test drive unchanged.

## 5.2 FT-HWB-SATA (SAS/SATA data connector)

### 5.2.1 Test Case Description

Test a write blocker's ability to write protect a SATA drive. This test can be repeated to test multiple types of connections (interfaces) between a computer and the write blocker. Test the ability of the write blocker to block write commands from the ATA and SCSI command sets issued from a test computer from modifying a SATA drive.

### 5.2.2 Test Drive Description

Manufacturer, model and size of the test drive used for this test:

Samsung SSD 840 PRO (SATA)  
128 GB (128,035,676,160 bytes)  
S/N: S1ANNSAF205823E  
MDL: MZ-7PD128  
P/N: MZ7PD128HCFV

### 5.2.3 Test Evaluation Criteria

For each computer to blocker connection tested, the number of 'writes not blocked' should be 0.

### 5.2.4 Test Case Results

The following table presents results for the test case.

#### *Test Results for FT-HWB-SATA (SAS/SATA data connector)*

Computer to Drive Connection	Write Commands Sent	Writes Not Blocked
USB 3	36	0

### 5.2.5 Case Summary

Test drive unchanged.

## 5.3 FT-HWB-SATA (USB 3.0 data connector)

### 5.3.1 Test Case Description

Test a write blocker's ability to write protect a USB drive. This test can be repeated to test multiple types of connections (interfaces) between a computer and the write blocker. Test the ability of the write blocker to block write commands from the ATA and SCSI command sets issued from a test computer from modifying a USB drive.



### 5.3.2 Test Drive Description

Manufacturer, model and size of the test drive used for this test:

Kingston HyperX Savage (USB 3.0)  
126 GB (125,896,228,864 bytes)  
S/N: 1831BF28243BE36152BA04D3

### 5.3.3 Test Evaluation Criteria

For each computer to blocker connection tested, the number of ‘writes not blocked’ should be 0.

### 5.3.4 Test Case Results

The following table presents results for the test case.

#### *Test Results for FT-HWB-USB (USB 3.0 data connector)*

Computer to Drive Connection	Write Commands Sent	Writes Not Blocked
USB 3	36	0

### 5.3.5 Case Summary

Test drive unchanged.

## 5.4 FT-HWB-PCIe (PCIe data connector – PCIe card adapter)

### 5.4.1 Test Case Description

Test a write blocker’s ability to write protect a PCIe drive. This test can be repeated to test multiple types of connections (interfaces) between a computer and the write blocker. Test the ability of the write blocker to block write commands from the ATA and SCSI command sets issued from a test computer from modifying a PCIe drive.

### 5.4.2 Test Drive Description

Manufacturer, model and size of the test drive used for this test:

Intel SSD DC P3700 Series (PCIe)  
400GB (400,088,457,216 bytes)  
MDL: SSDPEDMD400G4  
S/N: CVFT516400DJ400BGN

### 5.4.3 Test Evaluation Criteria

For each computer to blocker connection tested, the number of ‘writes not blocked’ should be 0.

### 5.4.4 Test Case Results

The following table presents results for the test case.

#### *Test Results for FT-HWB-PCIe (PCIe data connector – PCIe card adapter)*

<b>Computer to Drive Connection</b>	<b>Write Commands Sent</b>	<b>Writes Not Blocked</b>
<b>USB 3</b>	<b>36</b>	<b>0</b>

### 5.4.5 Case Summary

Test drive unchanged.

## 5.5 FT-HWB-PCIe (PCIe data connector – PCIe M.2 adapter)

### 5.5.1 Test Case Description

Test a write blocker’s ability to write protect a PCIe drive. This test can be repeated to test multiple types of connections (interfaces) between a computer and the write blocker. Test the ability of the write blocker to block write commands from the ATA and SCSI command sets issued from a test computer from modifying a PCIe drive.

### 5.5.2 Test Drive Description

Manufacturer, model and size of the test drive used for this test:

Samsung M.2 SSD (PCIe)  
512GB (512,110,190,592 bytes)  
S/N: S1X1NYAG504323  
MDL: MZ-HPV5120  
P/N: MZHPV512HDGL-00000

### 5.5.3 Test Evaluation Criteria

For each computer to blocker connection tested, the number of ‘writes not blocked’ should be 0.

### 5.5.4 Test Case Results

The following table presents results for the test case.

*Test Results for FT-HWB-PCIe (PCIe data connector – PCIe M.2 adapter)*

<b>Computer to Drive Connection</b>	<b>Write Commands Sent</b>	<b>Writes Not Blocked</b>
<b>USB 3</b>	<b>36</b>	<b>0</b>

**5.5.5 Case Summary**

Test drive unchanged.

## 6 Appendix: Additional Details

### 6.1 Hardware Write Blocker Interfaces and Adapters



PCIe Card adapter (TDA7-1):



PCIe M.2 adapter (TDA7-2):



## 6.2 FT-HWB-SATA (SATA Gen3 data connector)

### 6.2.1 USB 3

```

/usr/lib/cgi-bin/test-hwb Fri Nov 4 10:41:03 2022
@(#) test-hwb.c Linux Version 1.4 created 06/27/18 at 10:56:14
compiled Jun 27 2018 10:56:31 with gcc Version 5.4.0 20160609
@(#) wrapper.c Linux Version 1.5 support lib created 08/03/17 at 13:05:44
@(#) ataraw.c Linux Version 1.3 support lib created 08/03/17 at 13:05:44
@(#) ataraw.h Linux Version 1.3 created 08/03/17 at 13:06:12
cmd: /usr/lib/cgi-bin/test-hwb -bh -p /media/cftt/FT-LOGS/FT-HWB-sata/ Chad_Parks
Talino1_2015-00420-701-0015 FT-HWB-sata usb3 sata /dev/sdf
operator: Chad Parks
host: Talino1_2015-00420-701-0015
test case: FT-HWB-sata
connection type: usb3
drive/media type: sata
device: /dev/sdf

```

Opcode	Command Name	Status	Lba/Sector	Result
30h	(ATA) WRITE SECTOR(S)	Sent	12288	Unchanged
CAh	(ATA) WRITE DMA	Sent	51712	Unchanged
CCh	(ATA) WRITE DMA QUEUED	Sent	52224	Unchanged
C5h	(ATA) WRITE MULTIPLE	Sent	50432	Unchanged
31h	(ATA) WRITE SECTOR(S) w/o retries	Sent	12544	Unchanged
CBh	(ATA) WRITE DMA w/o retries	Sent	51968	Unchanged
3Ch	(ATA) WRITE VERIFY	Sent	15360	Unchanged
34h	(ATA) WRITE SECTOR(S) EXT	Sent	13312	Unchanged
39h	(ATA) WRITE MULTIPLE EXT	Sent	14592	Unchanged
CEh	(ATA) WRITE MULTIPLE FUA EXT	Sent	52736	Unchanged
3Bh	(ATA) WRITE STREAM EXT	Sent	15104	Unchanged
35h	(ATA) WRITE DMA EXT	Sent	13568	Unchanged
3Dh	(ATA) WRITE DMA FUA EXT	Sent	15616	Unchanged
36h	(ATA) WRITE DMA QUEUED EXT	Sent	13824	Unchanged
3Eh	(ATA) WRITE DMA QUEUED FUA EXT	Sent	15872	Unchanged
3Ah	(ATA) WRITE STREAM DMA EXT	Sent	14848	Unchanged
38h	(ATA) CFA WRITE SECTORS W/O ERASE	Sent	14336	Unchanged
CDh	(ATA) CFA WRITE MULTIPLE W/O ERASE	Sent	52480	Unchanged
C0h	(ATA) CFA ERASE SECTORS	Sent	49152	Unchanged
0Ah	(SCSI) WRITE 6	Sent	2576	Unchanged
2Ah	(SCSI) WRITE 10	Sent	10768	Unchanged
AAh	(SCSI) WRITE 12	Sent	43536	Unchanged
8Ah	(SCSI) WRITE 16	Sent	35344	Unchanged
7Fh	(SCSI) WRITE 32	Sent	32528	Unchanged
2Eh	(SCSI) WRITE AND VERIFY 10	Sent	11792	Unchanged
AEh	(SCSI) WRITE AND VERIFY 12	Sent	44560	Unchanged
8Eh	(SCSI) WRITE AND VERIFY 16	Sent	36368	Unchanged
7Fh	(SCSI) WRITE AND VERIFY 32	Sent	32529	Unchanged
41h	(SCSI) WRITE SAME 10	Sent	16656	Unchanged
93h	(SCSI) WRITE SAME 16	Sent	37648	Unchanged
7Fh	(SCSI) WRITE SAME 32	Sent	32530	Unchanged
3Fh	(SCSI) WRITE LONG 10	Sent	16144	Unchanged
9Fh	(SCSI) WRITE LONG 16	Sent	40720	Unchanged
32h	(ATA) WRITE LONG	Sent	12800	Unchanged
33h	(ATA) WRITE LONG w/o retries	Sent	13056	Unchanged
45h	(ATA) WRITE UNCORRECTABLE EXT	Sent	17664	Unchanged

36 writes sent, 0 write(s) not blocked, 0 write commands unsupported.

RESULTS: test drive unchanged

run start Fri Nov 4 10:41:03 2022  
run finish Fri Nov 4 10:41:03 2022  
elapsed time 0:0:0  
Normal exit

Status Key:

Sent - the ioctl used to send this command returned without error and the ATA error bit (if applicable) was not set.  
Not supported - the ioctl used to send this command return with an error status or the command completed with the ATA error bit set.  
Test terminated - the test was terminated for dangerous commands because 3 or more previous commands were not blocked.

Result Key:

Unchanged - no changes to the test drive were detected.  
Not Blocked - sending this command resulted in a change to the test drive. This command was NOT blocked!  
n/a - Not applicable.

## 6.3 FT-HWB-SATA (SAS/SATA data connector)

### 6.3.1 USB 3

```
/usr/lib/cgi-bin/test-hwb Fri Nov 4 10:54:37 2022
@(#) test-hwb.c Linux Version 1.4 created 06/27/18 at 10:56:14
compiled Jun 27 2018 10:56:31 with gcc Version 5.4.0 20160609
@(#) wrapper.c Linux Version 1.5 support lib created 08/03/17 at 13:05:44
@(#) ataraw.c Linux Version 1.3 support lib created 08/03/17 at 13:05:44
@(#) ataraw.h Linux Version 1.3 created 08/03/17 at 13:06:12
cmd: /usr/lib/cgi-bin/test-hwb -bh -p /media/cftt/FT-LOGS/FT-HWB-sata/ Chad_Parks
Talino1_2015-00420-701-0015 FT-HWB-sata usb3 sata /dev/sdf
operator: Chad Parks
host: Talino1_2015-00420-701-0015
test case: FT-HWB-sata
connection type: usb3
drive/media type: sata
device: /dev/sdf
```

Opcode	Command Name	Status	Lba/Sector	Result
30h	(ATA) WRITE SECTOR(S)	Sent	12288	Unchanged
CAh	(ATA) WRITE DMA	Sent	51712	Unchanged
CCh	(ATA) WRITE DMA QUEUED	Sent	52224	Unchanged
C5h	(ATA) WRITE MULTIPLE	Sent	50432	Unchanged
31h	(ATA) WRITE SECTOR(S) w/o retries	Sent	12544	Unchanged
CBh	(ATA) WRITE DMA w/o retries	Sent	51968	Unchanged
3Ch	(ATA) WRITE VERIFY	Sent	15360	Unchanged
34h	(ATA) WRITE SECTOR(S) EXT	Sent	13312	Unchanged
39h	(ATA) WRITE MULTIPLE EXT	Sent	14592	Unchanged
CEh	(ATA) WRITE MULTIPLE FUA EXT	Sent	52736	Unchanged
3Bh	(ATA) WRITE STREAM EXT	Sent	15104	Unchanged
35h	(ATA) WRITE DMA EXT	Sent	13568	Unchanged
3Dh	(ATA) WRITE DMA FUA EXT	Sent	15616	Unchanged
36h	(ATA) WRITE DMA QUEUED EXT	Sent	13824	Unchanged
3Eh	(ATA) WRITE DMA QUEUED FUA EXT	Sent	15872	Unchanged
3Ah	(ATA) WRITE STREAM DMA EXT	Sent	14848	Unchanged
38h	(ATA) CFA WRITE SECTORS W/O ERASE	Sent	14336	Unchanged
CDh	(ATA) CFA WRITE MULTIPLE W/O ERASE	Sent	52480	Unchanged

Opcode	Command Name	Status	Lba/Sector	Result
C0h	(ATA) CFA ERASE SECTORS	Sent	49152	Unchanged
0Ah	(SCSI) WRITE 6	Sent	2576	Unchanged
2Ah	(SCSI) WRITE 10	Sent	10768	Unchanged
AAh	(SCSI) WRITE 12	Sent	43536	Unchanged
8Ah	(SCSI) WRITE 16	Sent	35344	Unchanged
7Fh	(SCSI) WRITE 32	Sent	32528	Unchanged
2Eh	(SCSI) WRITE AND VERIFY 10	Sent	11792	Unchanged
AEh	(SCSI) WRITE AND VERIFY 12	Sent	44560	Unchanged
8Eh	(SCSI) WRITE AND VERIFY 16	Sent	36368	Unchanged
7Fh	(SCSI) WRITE AND VERIFY 32	Sent	32529	Unchanged
41h	(SCSI) WRITE SAME 10	Sent	16656	Unchanged
93h	(SCSI) WRITE SAME 16	Sent	37648	Unchanged
7Fh	(SCSI) WRITE SAME 32	Sent	32530	Unchanged
3Fh	(SCSI) WRITE LONG 10	Sent	16144	Unchanged
9Fh	(SCSI) WRITE LONG 16	Sent	40720	Unchanged
32h	(ATA) WRITE LONG	Sent	12800	Unchanged
33h	(ATA) WRITE LONG w/o retries	Sent	13056	Unchanged
45h	(ATA) WRITE UNCORRECTABLE EXT	Sent	17664	Unchanged

36 writes sent, 0 write(s) not blocked, 0 write commands unsupported.

RESULTS: test drive unchanged

```
run start Fri Nov 4 10:54:37 2022
run finish Fri Nov 4 10:54:37 2022
elapsed time 0:0:0
Normal exit
```

Status Key:

Sent - the ioctl used to send this command returned without error and the ATA error bit (if applicable) was not set.

Not supported - the ioctl used to send this command return with an error status or the command completed with the ATA error bit set.

Test terminated - the test was terminated for dangerous commands because 3 or more previous commands were not blocked.

Result Key:

Unchanged - no changes to the test drive were detected.

Not Blocked - sending this command resulted in a change to the test drive. This command was NOT blocked!

n/a - Not applicable.

## 6.4 FT-HWB-SATA (USB 3.0 data connector)

### 6.4.1 USB 3

```
/usr/lib/cgi-bin/test-hwb Fri Nov 4 10:42:00 2022
@(#) test-hwb.c Linux Version 1.4 created 06/27/18 at 10:56:14
compiled Jun 27 2018 10:56:31 with gcc Version 5.4.0 20160609
@(#) wrapper.c Linux Version 1.5 support lib created 08/03/17 at 13:05:44
@(#) ataraw.c Linux Version 1.3 support lib created 08/03/17 at 13:05:44
@(#) ataraw.h Linux Version 1.3 created 08/03/17 at 13:06:12
cmd: /usr/lib/cgi-bin/test-hwb -bh -p /media/cftt/FT-LOGS/FT-HWB-usb/ Chad_Parks
Talino1_2015-00420-701-0015 FT-HWB-usb usb3 usb /dev/sdf
operator: Chad Parks
host: Talino1_2015-00420-701-0015
test case: FT-HWB-usb
connection type: usb3
drive/media type: usb
```

device: /dev/sdf

Opcode	Command Name	Status	Lba/Sector	Result
30h	(ATA) WRITE SECTOR(S)	Sent	12288	Unchanged
CAh	(ATA) WRITE DMA	Sent	51712	Unchanged
CCh	(ATA) WRITE DMA QUEUED	Sent	52224	Unchanged
C5h	(ATA) WRITE MULTIPLE	Sent	50432	Unchanged
31h	(ATA) WRITE SECTOR(S) w/o retries	Sent	12544	Unchanged
CBh	(ATA) WRITE DMA w/o retries	Sent	51968	Unchanged
3Ch	(ATA) WRITE VERIFY	Sent	15360	Unchanged
34h	(ATA) WRITE SECTOR(S) EXT	Sent	13312	Unchanged
39h	(ATA) WRITE MULTIPLE EXT	Sent	14592	Unchanged
CEh	(ATA) WRITE MULTIPLE FUA EXT	Sent	52736	Unchanged
3Bh	(ATA) WRITE STREAM EXT	Sent	15104	Unchanged
35h	(ATA) WRITE DMA EXT	Sent	13568	Unchanged
3Dh	(ATA) WRITE DMA FUA EXT	Sent	15616	Unchanged
36h	(ATA) WRITE DMA QUEUED EXT	Sent	13824	Unchanged
3Eh	(ATA) WRITE DMA QUEUED FUA EXT	Sent	15872	Unchanged
3Ah	(ATA) WRITE STREAM DMA EXT	Sent	14848	Unchanged
38h	(ATA) CFA WRITE SECTORS W/O ERASE	Sent	14336	Unchanged
CDh	(ATA) CFA WRITE MULTIPLE W/O ERASE	Sent	52480	Unchanged
C0h	(ATA) CFA ERASE SECTORS	Sent	49152	Unchanged
0Ah	(SCSI) WRITE 6	Sent	2576	Unchanged
2Ah	(SCSI) WRITE 10	Sent	10768	Unchanged
AAh	(SCSI) WRITE 12	Sent	43536	Unchanged
8Ah	(SCSI) WRITE 16	Sent	35344	Unchanged
7Fh	(SCSI) WRITE 32	Sent	32528	Unchanged
2Eh	(SCSI) WRITE AND VERIFY 10	Sent	11792	Unchanged
AEh	(SCSI) WRITE AND VERIFY 12	Sent	44560	Unchanged
8Eh	(SCSI) WRITE AND VERIFY 16	Sent	36368	Unchanged
7Fh	(SCSI) WRITE AND VERIFY 32	Sent	32529	Unchanged
41h	(SCSI) WRITE SAME 10	Sent	16656	Unchanged
93h	(SCSI) WRITE SAME 16	Sent	37648	Unchanged
7Fh	(SCSI) WRITE SAME 32	Sent	32530	Unchanged
3Fh	(SCSI) WRITE LONG 10	Sent	16144	Unchanged
9Fh	(SCSI) WRITE LONG 16	Sent	40720	Unchanged
32h	(ATA) WRITE LONG	Sent	12800	Unchanged
33h	(ATA) WRITE LONG w/o retries	Sent	13056	Unchanged
45h	(ATA) WRITE UNCORRECTABLE EXT	Sent	17664	Unchanged

36 writes sent, 0 write(s) not blocked, 0 write commands unsupported.

RESULTS: test drive unchanged

run start Fri Nov 4 10:42:00 2022  
run finish Fri Nov 4 10:42:00 2022  
elapsed time 0:0:0  
Normal exit

Status Key:

Sent - the ioctl used to send this command returned without error and the ATA error bit (if applicable) was not set.  
Not supported - the ioctl used to send this command return with an error status or the command completed with the ATA error bit set.  
Test terminated - the test was terminated for dangerous commands because 3 or more previous commands were not blocked.

Result Key:

Unchanged - no changes to the test drive were detected.  
Not Blocked - sending this command resulted in a change to the test drive. This command was NOT blocked!



n/a - Not applicable.

## 6.5 FT-HWB-PCIe (PCIe data connector – PCIe card adapter)

### 6.5.1 USB 3

```

/usr/lib/cgi-bin/test-hwb Thu Dec 8 10:37:01 2022
@(#) test-hwb.c Linux Version 1.4 created 06/27/18 at 10:56:14
compiled Jun 27 2018 10:56:31 with gcc Version 5.4.0 20160609
@(#) wrapper.c Linux Version 1.5 support lib created 08/03/17 at 13:05:44
@(#) ataraw.c Linux Version 1.3 support lib created 08/03/17 at 13:05:44
@(#) ataraw.h Linux Version 1.3 created 08/03/17 at 13:06:12
cmd: /usr/lib/cgi-bin/test-hwb -bh -p /media/cftt/FT-LOGS/FT-HWB-pcie/ Chad_Parks
Talinol_2015-00420-701-0015 FT-HWB-pcie usb3 pcie /dev/sde
operator: Chad Parks
host: Talinol_2015-00420-701-0015
test case: FT-HWB-pcie
connection type: usb3
drive/media type: pcie
device: /dev/sde

```

Opcode	Command Name	Status	Lba/Sector	Result
30h	(ATA) WRITE SECTOR(S)	Sent	12288	Unchanged
CAh	(ATA) WRITE DMA	Sent	51712	Unchanged
CCh	(ATA) WRITE DMA QUEUED	Sent	52224	Unchanged
C5h	(ATA) WRITE MULTIPLE	Sent	50432	Unchanged
31h	(ATA) WRITE SECTOR(S) w/o retries	Sent	12544	Unchanged
CBh	(ATA) WRITE DMA w/o retries	Sent	51968	Unchanged
3Ch	(ATA) WRITE VERIFY	Sent	15360	Unchanged
34h	(ATA) WRITE SECTOR(S) EXT	Sent	13312	Unchanged
39h	(ATA) WRITE MULTIPLE EXT	Sent	14592	Unchanged
CEh	(ATA) WRITE MULTIPLE FUA EXT	Sent	52736	Unchanged
3Bh	(ATA) WRITE STREAM EXT	Sent	15104	Unchanged
35h	(ATA) WRITE DMA EXT	Sent	13568	Unchanged
3Dh	(ATA) WRITE DMA FUA EXT	Sent	15616	Unchanged
36h	(ATA) WRITE DMA QUEUED EXT	Sent	13824	Unchanged
3Eh	(ATA) WRITE DMA QUEUED FUA EXT	Sent	15872	Unchanged
3Ah	(ATA) WRITE STREAM DMA EXT	Sent	14848	Unchanged
38h	(ATA) CFA WRITE SECTORS W/O ERASE	Sent	14336	Unchanged
CDh	(ATA) CFA WRITE MULTIPLE W/O ERASE	Sent	52480	Unchanged
C0h	(ATA) CFA ERASE SECTORS	Sent	49152	Unchanged
0Ah	(SCSI) WRITE 6	Sent	2576	Unchanged
2Ah	(SCSI) WRITE 10	Sent	10768	Unchanged
AAh	(SCSI) WRITE 12	Sent	43536	Unchanged
8Ah	(SCSI) WRITE 16	Sent	35344	Unchanged
7Fh	(SCSI) WRITE 32	Sent	32528	Unchanged
2Eh	(SCSI) WRITE AND VERIFY 10	Sent	11792	Unchanged
AEh	(SCSI) WRITE AND VERIFY 12	Sent	44560	Unchanged
8Eh	(SCSI) WRITE AND VERIFY 16	Sent	36368	Unchanged
7Fh	(SCSI) WRITE AND VERIFY 32	Sent	32529	Unchanged
41h	(SCSI) WRITE SAME 10	Sent	16656	Unchanged
93h	(SCSI) WRITE SAME 16	Sent	37648	Unchanged
7Fh	(SCSI) WRITE SAME 32	Sent	32530	Unchanged
3Fh	(SCSI) WRITE LONG 10	Sent	16144	Unchanged
9Fh	(SCSI) WRITE LONG 16	Sent	40720	Unchanged
32h	(ATA) WRITE LONG	Sent	12800	Unchanged
33h	(ATA) WRITE LONG w/o retries	Sent	13056	Unchanged
45h	(ATA) WRITE UNCORRECTABLE EXT	Sent	17664	Unchanged

36 writes sent, 0 write(s) not blocked, 0 write commands unsupported.

RESULTS: test drive unchanged

run start Thu Dec 8 10:37:01 2022  
run finish Thu Dec 8 10:37:01 2022  
elapsed time 0:0:0  
Normal exit

Status Key:

Sent - the ioctl used to send this command returned without error and the ATA error bit (if applicable) was not set.  
Not supported - the ioctl used to send this command return with an error status or the command completed with the ATA error bit set.  
Test terminated - the test was terminated for dangerous commands because 3 or more previous commands were not blocked.

Result Key:

Unchanged - no changes to the test drive were detected.  
Not Blocked - sending this command resulted in a change to the test drive. This command was NOT blocked!  
n/a - Not applicable.

## 6.6 FT-HWB-PCIe (PCIe data connector – PCIe M.2 adapter)

### 6.6.1 USB 3

```
/usr/lib/cgi-bin/test-hwb Thu Dec 8 10:30:54 2022
@(#) test-hwb.c Linux Version 1.4 created 06/27/18 at 10:56:14
compiled Jun 27 2018 10:56:31 with gcc Version 5.4.0 20160609
@(#) wrapper.c Linux Version 1.5 support lib created 08/03/17 at 13:05:44
@(#) ataraw.c Linux Version 1.3 support lib created 08/03/17 at 13:05:44
@(#) ataraw.h Linux Version 1.3 created 08/03/17 at 13:06:12
cmd: /usr/lib/cgi-bin/test-hwb -bh -p /media/cftt/FT-LOGS/FT-HWB-pcie/ Chad_Parks
Talinol_2015-00420-701-0015 FT-HWB-pcie usb3 pcie /dev/sde
operator: Chad Parks
host: Talinol_2015-00420-701-0015
test case: FT-HWB-pcie
connection type: usb3
drive/media type: pcie
device: /dev/sde
```

Opcode	Command Name	Status	Lba/Sector	Result
30h	(ATA) WRITE SECTOR(S)	Sent	12288	Unchanged
CAh	(ATA) WRITE DMA	Sent	51712	Unchanged
CCh	(ATA) WRITE DMA QUEUED	Sent	52224	Unchanged
C5h	(ATA) WRITE MULTIPLE	Sent	50432	Unchanged
31h	(ATA) WRITE SECTOR(S) w/o retries	Sent	12544	Unchanged
CBh	(ATA) WRITE DMA w/o retries	Sent	51968	Unchanged
3Ch	(ATA) WRITE VERIFY	Sent	15360	Unchanged
34h	(ATA) WRITE SECTOR(S) EXT	Sent	13312	Unchanged
39h	(ATA) WRITE MULTIPLE EXT	Sent	14592	Unchanged
CEh	(ATA) WRITE MULTIPLE FUA EXT	Sent	52736	Unchanged
3Bh	(ATA) WRITE STREAM EXT	Sent	15104	Unchanged
35h	(ATA) WRITE DMA EXT	Sent	13568	Unchanged
3Dh	(ATA) WRITE DMA FUA EXT	Sent	15616	Unchanged
36h	(ATA) WRITE DMA QUEUED EXT	Sent	13824	Unchanged
3Eh	(ATA) WRITE DMA QUEUED FUA EXT	Sent	15872	Unchanged
3Ah	(ATA) WRITE STREAM DMA EXT	Sent	14848	Unchanged
38h	(ATA) CFA WRITE SECTORS W/O ERASE	Sent	14336	Unchanged
CDh	(ATA) CFA WRITE MULTIPLE W/O ERASE	Sent	52480	Unchanged
C0h	(ATA) CFA ERASE SECTORS	Sent	49152	Unchanged

Opcode	Command Name	Status	Lba/Sector	Result
0Ah	(SCSI) WRITE 6	Sent	2576	Unchanged
2Ah	(SCSI) WRITE 10	Sent	10768	Unchanged
AAh	(SCSI) WRITE 12	Sent	43536	Unchanged
8Ah	(SCSI) WRITE 16	Sent	35344	Unchanged
7Fh	(SCSI) WRITE 32	Sent	32528	Unchanged
2Eh	(SCSI) WRITE AND VERIFY 10	Sent	11792	Unchanged
AEh	(SCSI) WRITE AND VERIFY 12	Sent	44560	Unchanged
8Eh	(SCSI) WRITE AND VERIFY 16	Sent	36368	Unchanged
7Fh	(SCSI) WRITE AND VERIFY 32	Sent	32529	Unchanged
41h	(SCSI) WRITE SAME 10	Sent	16656	Unchanged
93h	(SCSI) WRITE SAME 16	Sent	37648	Unchanged
7Fh	(SCSI) WRITE SAME 32	Sent	32530	Unchanged
3Fh	(SCSI) WRITE LONG 10	Sent	16144	Unchanged
9Fh	(SCSI) WRITE LONG 16	Sent	40720	Unchanged
32h	(ATA) WRITE LONG	Sent	12800	Unchanged
33h	(ATA) WRITE LONG w/o retries	Sent	13056	Unchanged
45h	(ATA) WRITE UNCORRECTABLE EXT	Sent	17664	Unchanged

36 writes sent, 0 write(s) not blocked, 0 write commands unsupported.

RESULTS: test drive unchanged

run start Thu Dec 8 10:30:54 2022  
run finish Thu Dec 8 10:30:54 2022  
elapsed time 0:0:0  
Normal exit

Status Key:

Sent - the ioctl used to send this command returned without error and the ATA error bit (if applicable) was not set.

Not supported - the ioctl used to send this command return with an error status or the command completed with the ATA error bit set.

Test terminated - the test was terminated for dangerous commands because 3 or more previous commands were not blocked.

Result Key:

Unchanged - no changes to the test drive were detected.

Not Blocked - sending this command resulted in a change to the test drive. This command was NOT blocked!

n/a - Not applicable.

## 6.7 Test Setup and Analysis Tool Versions

Version numbers of tools used are listed.

### Setup and Analysis Tool Versions

cfft-di Version 1.25 created 05/23/18 at 15:58:45
diskwipe.c Linux Version 1.5 Created 03/20/13 at 14:23:34

Tool: @(#) ft-di-prt\_test\_report.py Version 1.24 created 05/23/18 at 16:08:06

OS: Linux Version 4.13.0-37-generic

Federated Testing Version 5, released 3/12/2020