



# FTK Imager v3.4.2.6

Test Results for Disk Imaging Tool

*October 14, 2016*



Homeland  
Security

---

Science and Technology

This report was prepared for the Department of Homeland Security Science and Technology Directorate Cyber Security Division by the Office of Law Enforcement Standards of the National Institute of Standards and Technology.

For additional information about the Cyber Security Division and ongoing projects, please visit

[DHS Science and Technology Cyber Security Division home page](#).

**October 2016**

**Test Results for Disk Imaging Tool:**  
Access Data FTK Imager Version 3.4.2.6

Federated Testing Test Suite for Disk Imaging

## Contents

Introduction.....	iii
How to Read This Report .....	iv
Tool Description .....	1
Testing Organization.....	1
Results Summary .....	1
Test Environment & Selected Cases .....	2
Selected Test Cases .....	2
Test Result Details by Case .....	3
FT-DI-01 .....	3
Test Case Description .....	3
Test Evaluation Criteria .....	4
Test Case Results .....	4
Case Summary .....	4
FT-DI-03 .....	4
Test Case Description .....	4
Test Evaluation Criteria .....	5
Test Case Results .....	5
Case Summary .....	5
FT-DI-15 .....	6
Test Case Description .....	6
Test Evaluation Criteria .....	6
Test Case Results .....	6
Case Summary .....	7
Appendix: Additional Details .....	7
Test drives and Partitions.....	7
Test Case Admin Details .....	8
Test Setup & Analysis Tool Versions.....	9

## Introduction

The Computer Forensics Tool Testing (CFTT) program is a joint project of the Department of Homeland Security (DHS), the National Institute of Justice (NIJ), and the National Institute of Standards and Technology (NIST) Special Programs Office and Information Technology Laboratory (ITL). CFTT is supported by other organizations, including the Federal Bureau of Investigation, the U.S. Department of Defense Cyber Crime Center, U.S. Internal Revenue Service Criminal Investigation Division Electronic Crimes Program, and the U.S. Department of Homeland Security's Bureau of Immigration and Customs Enforcement, U.S. Customs and Border Protection and U.S. Secret Service. The objective of the CFTT program is to provide measurable assurance to practitioners, researchers, and other applicable users that the tools used in computer forensics investigations provide accurate results. Accomplishing this requires the development of specifications and test methods for computer forensics tools and subsequent testing of specific tools against those specifications.

Test results provide the information necessary for developers to improve tools, users to make informed choices, and the legal community and others to understand the tools' capabilities. The CFTT approach to testing computer forensics tools is based on well-recognized methodologies for conformance and quality testing. Interested parties in the computer forensics community can review and comment on the specifications and test methods posted on the [CFTT Web site](#).

Federated Testing is an expansion of the CFTT program to provide forensic investigators and labs with test materials for tool testing and to support shared test reports. The goal of Federated Testing is to help forensic investigators to test the tools that they use in their labs and to enable sharing of tool test results. CFTT's Federated Testing Forensic Tool Testing Environment and included test suites can be downloaded from the [Federated Testing Home Page](#) and used to test forensic tools. The results can be optionally shared with CFTT, reviewed by CFTT staff, and then shared with the community.

This document reports the results from testing the disk imaging function of FTK Imager 3.4.2.6 using the CFTT Federated Testing Test Suite for Disk Imaging, Version 1.1.

The Federated Testing Test Suite for Disk Imaging is flexible to allow a forensic lab to trade-off the time required to test every tool feature versus testing just the imaging tool features used by a specific lab. This report reflects testing the features that some forensic labs are likely to use on a day-to-day basis.

Test results from other tools can be found on [DHS's computer forensics web page](#).

## How to Read This Report

This report is organized into the following sections:

1. **Tested Tool Description.** The tool name, version, vendor information, support environment (e.g., operating system version, device firmware version, etc.) version are listed.
2. **Testing Organization.** Contact information and approvals.
3. **Results Summary.** This section identifies any significant anomalies observed in the test runs. This section provides a narrative of key findings identifying where the tool meets expectations and provides a summary of any ways the tool did not meet expectations. The section also provides any observations of interest about the tool or about testing the tool including any observed limitations or organization imposed restrictions on tool use.
4. **Test Environment.** Description of hardware and software used in tool testing in sufficient detail to satisfy the testing organization's policy and requirements.
5. **Test Result Details by Case.** Automatically generated test results that identify anomalies.
6. **Appendix: Additional Details.** Additional administrative details for each test case such as, who ran the test, when the test was run, computer used, etc.

## **Federated Testing Test Results for Disk Imaging Tool: Access Data FTK Imager Version 3.4.2.6**

Tests were configured for the Following Write Block Scenarios:

Small (< 138GB) ATA drive with WiebeTech Forensic ComboDock FCDv5.5 connected to PC by USB interface

Large (> 138GB) ATA drive with Tableau T35u connected to PC by USB interface

Small (< 138GB) SATA drive with WiebeTech Forensic ComboDock FCDv5.5 connected to PC by FireWire interface

Large (> 138GB) SATA drive with WiebeTech Forensic ComboDock FCDv5.5 connected to PC by FireWire interface

SD drive with Digital Intelligence USB 3.0 Forensic Card Reader connected to PC by USB interface

### **Tool Description**

Tool Name: FTK Imager

Tool Version: 3.4.2.6

Operating System: Microsoft Windows Version 7 & Microsoft Windows Version 8

Vendor Contact:

Vendor name:	AccessData
Address:	588 West 400 South Suite 350 Lindon, Utah 84042
Phone:	801.377.5410
Web:	<a href="#">AccessData Web site</a>

### **Testing Organization**

This test report was generated using CFTT's Federated Testing Forensic Tool Testing Environment, see [Federated Testing Home Page](#).

### **Results Summary**

The tested tool functioned as expected with no anomalies.

## Test Environment & Selected Cases

PC labeled as Seven:

Hardware: Dell Optiplex 980 PC with USB 2 and FireWire 400 ports.

Operating system: Microsoft Windows 7

PC labeled as Eight:

Hardware: Toshiba Satellite laptop with USB 3 port.

Operating system: Microsoft Windows 8

### Write Blockers Used in Testing

Blocker Model	Firmware Version
WiebeTech Forensic ComboDock FCDv5.5	d3.01.0030.000
Tableau T35u	Apr 2 2013 16:47:07
Digital Intelligence USB 3.0 Forensic Card Reader	Unknown

### Selected Test Cases

This table presents a brief description of each test case that was performed.

### Test Case Status

Case	Description	Status
FT-DI-01-ATA28	Acquire drive of a given type using a given write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given drive type accurately and correctly hash the data while creating an image file.	completed
FT-DI-01-ATA48	Acquire drive of a given type using a given write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given drive type accurately and correctly hash the data while creating an image file.	completed
FT-DI-01-SATA28	Acquire drive of a given type using a given write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given drive type accurately and correctly hash the data while creating an image file.	completed



### Test Case Status

Case	Description	Status
FT-DI-01-SATA48	Acquire drive of a given type using a given write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given drive type accurately and correctly hash the data while creating an image file.	completed
FT-DI-03-SD	Acquire removable media of a given type using a given media reader or write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given removable media type accurately and correctly hash the data while creating an image file.	completed
FT-DI-05-NTFS	Acquire partition of a given type to an image file and compute selected hashes for the acquired data. Test the ability to read a given partition type accurately and correctly hash the data while creating an image file.	completed
FT-DI-15	Acquire a drive with faulty sectors to a destination clone. Characterize the behavior of the imaging tool if faulty sectors are encountered.	completed

## Test Result Details by Case

This section presents test results grouped by function.

### FT-DI-01

#### Test Case Description

Acquire drive of a given type using a given write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given drive type accurately and correctly hash the data while creating an image file.

This test can be repeated to test acquisition of multiple drive types. This test tests the ability of the tool to acquire a specific type of drive (the drive type tested is included in the test case name) to an image file using a specific write blocker (applies only to tools that are used with hardware write blockers) and a certain interface connection between the test computer and the write blocker. The write blocker used and the interface connection between the test computer and the write blocker are listed for each test case in the table below. Two tests are required to test ATA or SATA drives, one to test drives smaller than 138GB (ATA28 & SATA28: 28-bit addressing) and one to test larger drives (ATA48 & SATA48: 48-bit addressing).

## Test Evaluation Criteria

The hash values computed by the tool should match the reference hash values computed for the source drive.

## Test Case Results

The following table presents results for individual test cases

**Test Results for FT-DI-01 cases**

Case	Src	Blocker (interface)	Reference Hash vs Tool Hash	
			MD5	SHA1
FT-DI-01-ATA28	a1	WiebeTech Forensic ComboDock FCDv5.5 (USB3)	match	match
FT-DI-01-ATA48	a3	Tableau T35u (USB3)	match	match
FT-DI-01-SATA28	a2	WiebeTech Forensic ComboDock FCDv5.5 (FireWire)	match	match
FT-DI-01-SATA48	a4	WiebeTech Forensic ComboDock FCDv5.5 (FireWire)	match	match

## Case Summary

Results are as expected.

## FT-DI-03

### Test Case Description

Acquire removable media of a given type using a given media reader or write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given removable media type accurately and correctly hash the data while creating an image file.

This test can be repeated to test acquisition of multiple removable media types. This test tests the ability of the tool to acquire a specific type of removable media (the removable media type tested is included in the test case name) to an image file using a specific media reader that may also be a write blocker and a certain interface connection between the test computer and the media reader. The media reader used and the interface

connection between the test computer and the media reader are listed for each test case in the table below.

### Test Evaluation Criteria

The hash values computed by the tool should match the reference hash values computed for the source drive.

### Test Case Results

The following table presents results for individual test cases

**Test Results for FT-DI-03 cases**

Case	Src	Blocker (interface)	Reference Hash vs Tool Hash	
			MD5	SHA1
FT-DI-03-SD	a5	Digital Intelligence USB 3.0 Forensic Card Reader (USB)	match	match

### Case Summary

Results are as expected.

## FT-DI-05

### Test Case Description

Acquire partition of a given type to an image file and compute selected hashes for the acquired data. Test the ability to read a given partition type accurately and correctly hash the data while creating an image file.

### Test Evaluation Criteria

The hash values computed by the tool should match the reference hash values computed for the source drive.

### Test Case Results

The following table presents results for individual test cases

#### Test Results for FT-DI-05 cases

Case	Src	Reference Hash vs Tool Hash	
		MD5	SHA1
FT-DI-05-NTFS	a2+1	match	match

#### Case Summary

Results are as expected.

#### FT-DI-15

##### Test Case Description

Acquire a drive with faulty sectors to a destination clone. Characterize the behavior of the imaging tool if faulty sectors are encountered.

##### Test Evaluation Criteria

The results of the compare between the destination drive and the reference drive indicates the tool behavior when a drive with a faulty sector is acquired.

#### Bad Sector Drives for FT-DI-15 cases

Case	Drive	Bad Sectors
FT-DI-15	ee-bad	32768 65537 98307 131079 163855 196639 229439 262271 295167 328191 360459 360460 393228 393230 425997 426000 458766 458770 491535 491540

#### Test Case Results

The following table presents results for individual test cases

#### Test Results for FT-DI-15 cases

Case	Src	Compared	Differ
FT-DI-15	ee-bad	944304	20

#### Anomalies

The following table lists any observed anomalies and provides additional details.

### Test Anomalies for FT-DI-15 cases

Case	Anomaly
FT-DI-15	<p>20 sectors of the clone are different from the original</p> <p>Runs of differences:</p> <p>32768 (1) Zero fill</p> <p>65537 (1) Zero fill</p> <p>98307 (1) Zero fill</p> <p>131079 (1) Zero fill</p> <p>163855 (1) Zero fill</p> <p>196639 (1) Zero fill</p> <p>229439 (1) Zero fill</p> <p>262271 (1) Zero fill</p> <p>295167 (1) Zero fill</p> <p>328191 (1) Zero fill</p> <p>360459-360460 (2) Zero fill</p> <p>393228 (1) Zero fill</p> <p>393230 (1) Zero fill</p> <p>425997 (1) Zero fill</p> <p>426000 (1) Zero fill</p> <p>458766 (1) Zero fill</p> <p>458770 (1) Zero fill</p> <p>491535 (1) Zero fill</p> <p>491540 (1) Zero fill</p>

### Case Summary

Results are as expected. The 20 sectors that differ from the original source drive are the 20 faulty sectors that cannot be acquired.

## Appendix: Additional Details

### Test drives and Partitions

The following table presents the state of each source object, drive or partition, including reference hashes and known content.

Both drives and partitions are described in the table. Partitions are indicated in the *Drive* column by the notation **[drive]+[partition number]**. Where **[drive]** is the drive label and **[partition number]** is the partition number. For example, the first partition on drive A3 would be A3+1. The type column records either the drive type, e.g. SATA, USB, etc., or the partition type, e.g., NTFS, FAT32, etc., depending on whether a drive or a partition is being described.

### Test Drives

Drive	Type	Content	Sectors	MD5	SHA1	SHA256	SHA512
a1	ata	known	156301488 (74GiB)	921C6 ...	1072D ...	94853 ...	E7C14 ...
a2	sata	known	117231408 (55GiB)	83253 ...	59C5C ...	932DB ...	6933D ...
a2+1	ntfs	known	39104480 (18GiB)	E9076 ...	A4F0B ...	0859B ...	EAF3C ...
a2+1	NTFS- FS	known	39104472 (18GiB)	EA8AD ..	A4943 ..	3A284 ..	9D6D2 ..
a3	ata	known	312581808 (149GiB)*	E2FED ...	A4389 ...	A2661 ...	21C54 ...
a4	sata	known	312581808 (149GiB)*	FD3E7 ...	8D1B1 ...	27C15 ...	16BF2 ...
a5	sd	known	1998848 (976MiB)	28D5C ...	98ED5 ...	2B93E ...	4E9FD ...

\* Large 48-bit address drive

### Test Case Admin Details

For each test run, the test computer, the tester, the source drive, the image file drive, the destination drive, and the date the test was run are listed.

### Test Case Admin Details

Case	User	Host	Blocker (PC interface)	Src	Image	Dst	Date
ft-di-01-ata28	JRL	Eight	WiebeTech Forensic ComboDock FCDv5.5 (USB)	a1	92	none	Fri July 8 15:54:52 2016
ft-di-01-ata48	JRL	Eight	Tableau T35u (USB)	a3	92	none	Fri July 8 17:43:14 2016
ft-di-01-sata28	JRL	Seven	WiebeTech Forensic ComboDock FCDv5.5 (FireWire)	a2	91	none	Fri July 8 18:52:52 2016
ft-di-01-sata48	JRL	Seven	WiebeTech Forensic ComboDock FCDv5.5 (FireWire)	a4	91	none	Fri July 8 20:30:14 2016
ft-di-03-sd	JRL	Seven	Digital Intelligence USB 3.0 Forensic Card Reader (USB)	a5	91	none	Fri July 8 18:12:44 2016

Case	User	Host	Blocker (PC interface)	Src	Image	Dst	Date
ft-di-05-ntfs	JRL	Seven	WiebeTech Forensic ComboDock FCDv5.5 (FireWire)	a2	91	none	Fri July 8 18:21:19 2016
ft-di-15	JRL	Seven	Tableau T3u (USB)	ee-bad	91	de	Fri July 8 18:29:07 2016

## Test Setup & Analysis Tool Versions

Version numbers of tools used are listed.

### Setup & Analysis Tool Versions

cfft-di Version 1.16 created 11/24/15 at 11:10:20
cfft-di Version 1.20 created 07/05/16 at 14:56:34
diskcmp.c Linux Version 1.3 Created 03/20/13 at 14:23:34
diskwipe.c Linux Version 1.5 Created 03/20/13 at 14:23:34
zbios.c Linux Version 1.8 Created 07/14/13 at 20:49:31
zbios.h Linux Version 1.2 Created 03/20/13 at 14:23:33

Tool: @(#) ft-di-prt\_test\_report.py Version 1.20 created 07/05/16 at 14:57:20

OS: Linux Version 3.2.0-51-generic

Federated Testing Version 1.1-1, released 7/8/2016