

# Paladin v6.08

Test Results for Disk Imaging Tool *October 14, 2016* 





## **Test Results for Disk Imaging Tool:** Paladin Version 6.08 (DC3DD 7.1.614)

Federated Testing Test Suite for Disk Imaging

## Contents

Introduction	iii
How to Read This Report	iv
Tool Description	1
Testing Organization	1
Results Summary	1
Test Environment & Selected Cases	2
Selected Test Cases	2
Test Result Details by Case	3
FT-DI-01	3
Test Case Description	3
Test Evaluation Criteria	3
Test Case Results	4
Case Summary	4
FT-DI-03	4
Test Case Description	4
Test Evaluation Criteria	4
Test Case Results	4
Case Summary	5
FT-DI-05	5
Test Case Description	5
Test Evaluation Criteria	5
Test Case Results	5
Case Summary	5
Appendix: Additional Details	6
Test drives and Partitions	
Test Case Admin Details	6
Test Setup & Analysis Tool Versions	7

#### Introduction

The Computer Forensics Tool Testing (CFTT) program is a joint project of the Department of Homeland Security (DHS), the National Institute of Justice (NIJ), and the National Institute of Standards and Technology (NIST) Special Programs Office and Information Technology Laboratory (ITL). CFTT is supported by other organizations, including the Federal Bureau of Investigation, the U.S. Department of Defense Cyber Crime Center, U.S. Internal Revenue Service Criminal Investigation Division Electronic Crimes Program, and the U.S. Department of Homeland Security's Bureau of Immigration and Customs Enforcement, U.S. Customs and Border Protection and U.S. Secret Service. The objective of the CFTT program is to provide measurable assurance to practitioners, researchers, and other applicable users that the tools used in computer forensics investigations provide accurate results. Accomplishing this requires the development of specifications and test methods for computer forensics tools and subsequent testing of specific tools against those specifications.

Test results provide the information necessary for developers to improve tools, users to make informed choices, and the legal community and others to understand the tools' capabilities. The CFTT approach to testing computer forensics tools is based on well-recognized methodologies for conformance and quality testing. Interested parties in the computer forensics community can review and comment on the specifications and test methods posted on the CFTT website.

Federated Testing is an expansion of the CFTT program to provide forensic investigators and labs with test materials for tool testing and to support shared test reports. The goal of Federated Testing is to help forensic investigators to test the tools that they use in their labs and to enable sharing of tool test results. CFTT's Federated Testing Forensic Tool Testing Environment and included test suites can be downloaded from the CFTT website and used to test forensic tools. The results can be optionally shared with CFTT, reviewed by CFTT staff, and then shared with the community.

This document reports the results from testing the disk imaging function of the Paladin Toolbox included in Paladin 6.08 using the CFTT Federated Testing Test Suite for Disk Imaging, Version 1.0. The Paladin Toolbox is a GUI interface to DC3DD 7.1.614.

The Federated Testing Test Suite for Disk Imaging is flexible to allow a forensic lab to trade-off the time required to test every tool feature versus testing just the imaging tool features used by a specific lab. This report reflects testing the features that some forensic labs are likely to use on a day-to-day basis.

Test results from other tools can be found on DHS's computer forensics web page.

## **How to Read This Report**

This report is organized into the following sections:

- 1. Tested Tool Description. The tool name, version, vendor information, support environment (e.g., operating system version, device firmware version, etc.) version are listed.
- 2. Testing Organization. Contact information and approvals.
- 3. Results Summary. This section identifies any significant anomalies observed in the test runs. This section provides a narrative of key findings identifying where the tool meets expectations and provides a summary of any ways the tool did not meet expectations. The section also provides any observations of interest about the tool or about testing the tool including any observed limitations or organization imposed restrictions on tool use.
- 4. Test Environment. Description of hardware and software used in tool testing in sufficient detail to satisfy the testing organization's policy and requirements.
- 5. Test Result Details by Case. Automatically generated test results that identify anomalies.
- 6. Appendix: Additional Details. Additional administrative details for each test case such as, who ran the test, when the test was run, computer used, etc.

## Federated Testing Test Results for Disk Imaging Tool: Paladin Version 6.08 (DC3DD 7.1.614)

Tests were Configured for the Following Write Block Scenarios:

Small (< 138GB) ATA drive with WiebeTech ComboDock connected to PC by USB interface

Large (> 138GB) ATA drive with Tableau Model T35es-R2 connected to PC by FireWire interface

Small (< 138GB) SATA drive with Tableau Model T3U connected to PC by FireWire interface

Large (> 138GB) SATA drive with Tableau Model T3U connected to PC by FireWire interface

SD drive with Digital Intelligence UltraBlock USB 3.0 Card Reader connected to PC by USB interface

## **Tool Description**

Tool Name: Paladin Toolbox GUI interface to DC3DD

Tool Version: Paladin 6.08/DC3DD 7.1.614

Operating System: Paladin DVD (bootable custom forensic Linux distribution)

**Vendor Contact:** 

Vendor name: Sumuri LLC Address: P.O. Box 252

Wyoming, Delaware 19934

**USA** 

Phone: (302) 570-0015 Web: https://sumuri.com/

## **Testing Organization**

This test report was generated using CFTT's Federated Testing Forensic Tool Testing Environment, see Federated Testing Home Page.

## **Results Summary**

The tested tool functioned as expected with no anomalies.

## **Test Environment & Selected Cases**

Hardware: Dell Optiplex 980 PC with USB 2 and FireWire 400 ports.

Operating system: Paladin DVD (bootable custom forensic Linux distribution).

### Write Blockers Used in Testing

Blocker Model	Firmware Version
WiebeTech ComboDock	N/A
Tableau Model T35es-R2	Jan 23 2013 12:20:26
Tableau Model T3U	Apr 11 2006 18:47:46
Digital Intelligence UltraBlock USB 3.0 Card Reader	N/A

#### **Selected Test Cases**

This table presents a brief description of each test case that was performed.

#### **Test Case Status**

Case	Description	Status
FT-DI-01- ATA28	Acquire drive of a given type using a given write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given drive type accurately and correctly hash the data while creating an image file.	completed
FT-DI-01- ATA48	Acquire drive of a given type using a given write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given drive type accurately and correctly hash the data while creating an image file.	completed
FT-DI-01- SATA28	Acquire drive of a given type using a given write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given drive type accurately and correctly hash the data while creating an image file.	completed
FT-DI-01- SATA48	Acquire drive of a given type using a given write blocker connected to a computer with a given interface to an image file	completed

	and compute selected hashes for the acquired data. Test the ability to read a given drive type accurately and correctly hash the data while creating an image file.	
	Acquire removable media of a given type using a given media reader or write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given removable media type accurately and correctly hash the data while creating an image file.	completed
FT-DI-05- NTFS	Acquire partition of a given type to an image file and compute selected hashes for the acquired data. Test the ability to read a given partition type accurately and correctly hash the data while creating an image file.	completed

## **Test Result Details by Case**

This section presents test results grouped by function.

#### FT-DI-01

#### **Test Case Description**

Acquire drive of a given type using a given write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given drive type accurately and correctly hash the data while creating an image file.

This test can be repeated to test acquisition of multiple drive types. This test tests the ability of the tool to acquire a specific type of drive (the drive type tested is included in the test case name) to an image file using a specific write blocker (applies only to tools that are used with hardware write blockers) and a certain interface connection between the test computer and the write blocker used and the interface connection between the test computer and the write blocker are listed for each test case in the table below. Two tests are required to test ATA or SATA drives, one to test drives smaller than 138GB (ATA28 & SATA28: 28-bit addressing) and one to test larger drives (ATA48 & SATA48: 48-bit addressing).

#### **Test Evaluation Criteria**

The hash values computed by the tool should match the reference hash values computed for the source drive.

#### **Test Case Results**

The following table presents results for individual test cases

**Test Results for FT-DI-01 cases** 

Case	Src		Reference Hash vs Tool Hash
			MD5
FT-DI-01-ATA28	a1	WiebeTech ComboDock (USB)	match
FT-DI-01-ATA48	a3	Tableau Model T35es-R2 (FireWire)	match
FT-DI-01-SATA28	a2	Tableau Model T3U (FireWire)	match
FT-DI-01-SATA48	a4	Tableau Model T3U (FireWire)	match

#### **Case Summary**

Results are as expected.

#### FT-DI-03

#### **Test Case Description**

Acquire removable media of a given type using a given media reader or write blocker connected to a computer with a given interface to an image file and compute selected hashes for the acquired data. Test the ability to read a given removable media type accurately and correctly hash the data while creating an image file.

This test can be repeated to test acquisition of multiple removable media types. This test tests the ability of the tool to acquire a specific type of removable media (the removable media type tested is included in the test case name) to an image file using a specific media reader that may also be a write blocker and a certain interface connection between the test computer and the media reader. The media reader used and the interface connection between the test computer and the media reader are listed for each test case in the table below.

#### **Test Evaluation Criteria**

The hash values computed by the tool should match the reference hash values computed for the source drive.

#### **Test Case Results**

The following table presents results for individual test cases

**Test Results for FT-DI-03 cases** 

Case	Src	Blocker (interface)	Reference Hash vs Tool Hash
			MD5
FT-DI-03- SD		Digital Intelligence UltraBlock USB 3.0 Card Reader (usb)	match

#### **Case Summary**

Results are as expected.

#### **FT-DI-05**

#### **Test Case Description**

Acquire partition of a given type to an image file and compute selected hashes for the acquired data. Test the ability to read a given partition type accurately and correctly hash the data while creating an image file.

#### **Test Evaluation Criteria**

The hash values computed by the tool should match the reference hash values computed for the source drive.

#### **Test Case Results**

The following table presents results for individual test cases

**Test Results for FT-DI-05 cases** 

Case	Src	Reference Hash vs Tool Hash		
Case	Src	MD5		
FT-DI-05-NTFS	a2+1	match		

#### **Case Summary**

Results are as expected.

## **Appendix: Additional Details**

#### **Test drives and Partitions**

The following table presents the state of each source object, drive or partition, including reference hashes and known content.

Both drives and partitions are described in the table. Partitions are indicated in the *Drive* column by the notation [drive]+[partition number]. Where [drive] is the drive label and [partition number] is the partition number. For example, the first partition on drive A3 would be A3+1. The type column records either the drive type, e.g. SATA, USB, etc., or the partition type, e.g., NTFS, FAT32, etc., depending on whether a drive or a partition is being described.

**Test Drives** 

Drive	Type	Content	Sectors	MD5	SHA1	SHA256	SHA512
a1	ata	known	156301488 (74GiB)		1072D	94853	E7C14
a2	sata	known	117231408 (55GiB)	83253	59C5C	932DB	6933D
a2+1	ntfs	known	39104480 (18GiB)	E9076	A4F0B	0859B	EAF3C
a2+1	NTFS- FS	known	39104472 (18GiB)	EA8AD	A4943	3A284	9D6D2
a3	ata	known	312581808 (149GiB)*		A4389	A2661	21C54
a4	sata	known	312581808 (149GiB)*	_	8D1B1	27C15	16BF2
a5	sd	known	1998848 (976MiB)		98ED5	2B93E	4E9FD

<sup>\*</sup> Large 48-bit address drive

#### **Test Case Admin Details**

For each test run, the test computer, the tester, the source drive, the image file drive, the destination drive, and the date the test was run are listed.

Case	Host	Blocker (PC interface)	Src	Image	Dst	Date
ft-di-01- ata28	Seven	WiebeTech ComboDock (USB)	a1	11	none	Thu Apr 21 08:39:04 2016

ft-di-01- ata48	Seven	Tableau Model T35es-R2 (FireWire)	a3	11	none	Thu Apr 21 08:41:15 2016
ft-di-01- sata28	Seven	Tableau Model T3U (FireWire)	a2	11	none	Thu Apr 21 08:42:10 2016
ft-di-01- sata48	Seven	Tableau Model T3U (FireWire)	a4	11		Thu Apr 21 08:43:09 2016
ft-di-03- sd	Seven	Digital Intelligence UltraBlock USB 3.0 Card Reader (usb)	a5	11	none	Thu Apr 21 08:44:40 2016
ft-di-05- ntfs	Seven		a2	11		Thu Apr 21 08:45:23 2016

## **Test Setup & Analysis Tool Versions**

Version numbers of tools used are listed.

### **Setup & Analysis Tool Versions**

cftt-di Version 1.16 created 11/24/15 at 11:10:20
diskwipe.c Linux Version 1.5 Created 03/20/13 at 14:23:34

Tool: @(#) ft-di-prt\_test\_report.py Version 1.18 created 05/03/16 at 13:25:45

OS: Darwin Version 12.6.0