



**NIJ**

Special **REPORT**

# Test Results for Software Write Block Tools: RCMP HDL V0.5

**U.S. Department of Justice**  
**Office of Justice Programs**  
810 Seventh Street N.W.  
Washington, DC 20531

**John Ashcroft**  
*Attorney General*

**Deborah J. Daniels**  
*Assistant Attorney General*

**Sarah V. Hart**  
*Director, National Institute of Justice*

This and other publications and products of the U.S. Department of Justice, Office of Justice Programs, National Institute of Justice can be found on the World Wide Web at the following site:

**Office of Justice Programs**  
**National Institute of Justice**  
<http://www.ojp.usdoj.gov/nij>

**AUG. 04**

**Test Results for Software Write Block  
Tools: RCMP HDL VO.5**

**NCJ 206232**



**Sarah V. Hart**  
*Director*

This report was prepared for the National Institute of Justice, U.S. Department of Justice, by the Office of Law Enforcement Standards of the National Institute of Standards and Technology under Interagency Agreement 94-IJ-R-004.

The National Institute of Justice is a component of the Office of Justice Programs, which also includes the Bureau of Justice Assistance, the Bureau of Justice Statistics, the Office of Juvenile Justice and Delinquency Prevention, and the Office for Victims of Crime.

# **Test Results for Software Write Block Tools: RCMP HDL V0.5**

August 2004

**NIST**

**National Institute of Standards and Technology**  
Technology Administration, U.S. Department of Commerce

# Contents

<a href="#">1.0 Results Summary by Requirements</a>	<a href="#">4</a>
<a href="#">2.0 Anomalies</a>	<a href="#">4</a>
<a href="#">3.0 Test Case Selection</a>	<a href="#">5</a>
<a href="#">4.0 Test Results by Assertion</a>	<a href="#">5</a>
<a href="#">4.1 Mandatory Assertions</a>	<a href="#">5</a>
<a href="#">4.2 Optional Assertions</a>	<a href="#">6</a>
<a href="#">5.0 Testing Environment</a>	<a href="#">8</a>
<a href="#">5.1 Test Computers</a>	<a href="#">8</a>
<a href="#">5.2 Hard Disk Drives</a>	<a href="#">9</a>
<a href="#">5.3 Support Software</a>	<a href="#">11</a>
<a href="#">5.4 Run Protocol Selection</a>	<a href="#">12</a>
<a href="#">6.0 Interpretation of Test Results</a>	<a href="#">13</a>
<a href="#">6.1 Test Assertion Verification</a>	<a href="#">13</a>
<a href="#">6.2 Test Results Summary Key</a>	<a href="#">17</a>
<a href="#">7.0 Test Results Summaries</a>	<a href="#">19</a>

## Introduction

The Computer Forensics Tool Testing (CFTT) program is a joint project of the National Institute of Justice (NIJ), the research and development organization of the U.S. Department of Justice, and the National Institute of Standards and Technology's (NIST's) Office of Law Enforcement Standards (OLES) and Information Technology Laboratory (ITL); The program is supported by other organizations, including the Federal Bureau of Investigation, the U.S. Department of Defense Cyber Crime Center, the U.S. Department of Homeland Security's Bureau of Immigration and Customs Enforcement and the U.S. Secret Service. The objective of the CFTT project is to provide measurable assurance for practitioners, researchers, and other applicable users that the tools used in computer forensics investigations provide accurate results. Accomplishing this requires the development of specifications and testing methods for computer forensics tools and subsequent testing of specific tools against those specifications.

Test results provide the information necessary for developers to improve tools, users to make informed choices, and the legal community and others to understand the tools' capabilities. This approach to testing computer forensic tools is based on well-recognized methodologies for conformance and quality testing. The specifications and test methods are posted on the CFTT Web site (<http://www.cftt.nist.gov>) for both comment and review by the computer forensics community.

This document reports the results from testing the Royal Canadian Mounted Police Hard-Disk Write Lock V0.5 (RCMP HDL) against the *Software Write Block Tool Specification & Test Plan Version 3.0*, available from the CFTT Web site. This specification identifies the top-level tool requirements as:

- The tool shall not allow a protected drive to be changed.
- The tool shall not prevent obtaining any information from or about any drive.
- The tool shall not prevent any operations to a drive that is not protected.

Test results from RCMP HDL V0.4, V0.7 and V0.8 are posted on NIJ's CFTT Web page (<http://www.ojp.usdoj.gov/nij/sciencetech/cftt.htm>). Test results from other software packages and the CFTT testing methodology are also posted on this page.

# Test Results for Software Write Block Tools

Tool Tested: RCMP HDL V0.5 971202 ©GKH 1993, 1994, 1997

Operating System: MS DOS (Windows 98 DOS) Version 4.10.2222

Supplier: Royal Canadian Mounted Police  
Technological Crime Branch  
Technical Operations Directorate

Address: 1426 St. Joseph Boulevard  
Ottawa, ON K1A 0R2

## 1.0 Results Summary by Requirements

**The tool shall not allow a protected drive to be changed.**

For some test cases run, the tool did not block all commands that could change protected drives.

**The tool shall not prevent obtaining any information from or about any drive.**

For all test cases run, the tool always allowed commands to obtain information from any protected drives.

**The tool shall not prevent any operations to a drive that is not protected.**

For all test cases run, the tool always allowed any command to access any unprotected drives.

## 2.0 Anomalies

The tool blocked the commands that were listed in the documentation as commands that would be blocked. However, the tool did not block some commands that could change the contents or accessibility of a protected drive. The tool did not block four commands in the configuration category that could change the contents or accessibility of a protected drive. The commands not blocked were the Initialize Drive Parameters (0x09), an EDSI Diagnostic command (0x0E), the Controller RAM Diagnostic command (0x12), and the Controller Internal Diagnostic command (0x14). The tool blocked only two commands in the miscellaneous category.

Test cases: SWB-03, SWB-04, SWB-05, SWB-06, SWB-15, SWB-16, SWB-17, and SWB-18.



## 3.0 Test Case Selection

The test cases were selected from the *Software Write Block Tool Specification & Test Plan Version 3.0*. All 40 test cases listed in the specification were applied to HDL V0.5.

## 4.0 Test Results by Assertion

This section groups the test results by assertion. The assertions were taken from the *Software Write Block Tool Specification & Test Plan Version 3.0*.

### 4.1 Mandatory Assertions

**SWB-AM-01. If a drive is protected and a command from the write category is issued for the protected drive then the tool shall block the command.**

Each command in the write category was sent to all protected drives. HDL blocked every command sent from the write category to a protected drive.

Test cases: SWB-01 and SWB-02.

**SWB-AM-02. If a drive is protected and a command from the configuration category is issued for the protected drive then the tool shall block the command.**

Each command in the configuration category was sent to all protected drives. Except for four commands, HDL blocked every command sent from the configuration category to a protected drive. The commands not blocked by the tool were the Initialize Drive Parameters (0x09), PS/2 ESDI Diagnostic (0x0E), PC/XT Controller Ram Diagnostic (0x12), and Controller Internal Diagnostic (0x14) commands.

Test cases: SWB-03 and SWB-04.

**SWB-AM-03. If a drive is protected and a command from the miscellaneous category is issued for the protected drive then the tool shall block the command.**

Each command in the miscellaneous category was sent to all protected drives. HDL blocked only two of the commands sent from the miscellaneous category to a protected drive.

Test cases: SWB-05 and SWB-06.

**SWB-AM-04. If a drive is protected and a command from the read category is issued for the protected drive then the tool shall not block the command.**

Each command in the read category was sent to all protected drives. HDL never blocked any command sent from the read category to a protected drive.

**SWB-AM-05. If a drive is protected and a command from the control category is issued for the protected drive then the tool shall not block the command.**

Each command in the control category was sent to all protected drives. HDL never blocked any commands sent from the control category to a protected drive.

**SWB-AM-06. If a drive is protected and a command from the information category is issued for the protected drive then the tool shall not block the command.**

Each command in the information category was sent to all protected drives. HDL never blocked any command sent from the information category to a protected drive.

**SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.**

HDL always issued the message `Write Lock successfully installed` to indicate that the tool was active.

**SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.**

HDL always issued the message `N Hard-Disks reported by Int_13h` to indicate that N drives were accessible by the interface.

**SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.**

HDL always issued either the message `Hard-Disk N Locked!` or the message `Hard-Disk N Not Locked!` to indicate the protection status of each covered drive.

**SWB-AM-10. If the tool is configured to return *success* on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.**

If HDL was configured to return *success* on blocked commands, all blocked commands returned *success*.

**SWB-AM-11. If the tool is configured to return *fail* on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.**

If HDL was configured to return *fail* on blocked commands, all blocked commands returned *fail*.

## ***4.2 Optional Assertions***

**SWB-AO-01. If a subset of all covered drives is specified for protection, then commands from the write category shall be blocked for drives in the selected subset.**

When a subset of covered drives was selected and each command in the write category was sent to all protected drives, HDL blocked every command sent from the write category to a protected drive.

**SWB-AO-02. If a subset of all covered drives is specified for protection, then commands from the configuration category shall be blocked for drives in the selected subset.**

When a subset of covered drives was selected and each command in the configuration category was sent to all protected drives, except for four commands, HDL blocked every command sent from the configuration category to a protected drive. The commands not blocked by the tool were the Initialize Drive Parameters (0x09), PS/2 ESDI Diagnostic (0x0E), PC/XT Controller Ram Diagnostic (0x12), and Controller Internal Diagnostic (0x14) commands.

Test Cases: SWB-15 and SWB-16.

**SWB-AO-03. If a subset of all covered drives is specified for protection, then commands from the miscellaneous category shall be blocked for drives in the selected subset.**

When a subset of covered drives was selected and each command in the miscellaneous category was sent to all protected drives, HDL blocked only two of the commands sent from the miscellaneous category to a protected drive.

Test Cases: SWB-17 and SWB-18.

**SWB-AO-04. If a subset of all covered drives is specified for protection, then commands from the read category shall not be blocked for drives in the selected subset.**

When a subset of covered drives was selected and each command in the read category was sent to all protected drives, HDL never blocked any command sent from the read category to a protected drive.

**SWB-AO-05. If a subset of all covered drives is specified for protection, then commands from the control category shall not be blocked for drives in the selected subset.**

When a subset of covered drives was selected and each command in the control category was sent to all protected drives, HDL never blocked any command sent from the control category to a protected drive.

**SWB-AO-06. If a subset of all covered drives is specified for protection, then commands from the information category shall not be blocked for drives in the selected subset.**

When a subset of covered drives was selected and each command in the information category was sent to all protected drives, HDL never blocked any command sent from the information category to a protected drive.

**SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.**

When a subset of covered drives was selected and each command in every category was sent to all unprotected drives, HDL never blocked any command sent to an unprotected drive.

**SWB-AO-08. If the tool is active during the operating system boot and shutdown processes then no changes are made to any protected drives.**

The system was booted with the test harness and HDL was started from the AUTOEXEC.BAT file. Each command in the write category was sent to every protected drive to show that the tool was active. Finally, the system was shut down. The test harness reported that the Extended Write (0x43) command was not blocked while the test harness was active. To ensure that nothing was written to the disks after the harness was no longer active, a posttest SHA1<sup>1</sup> hash value was compared to a pretest SHA1 hash value for each drive used in the test. The SHA1 hash values computed after the test were the same as the values computed before the test, indicating that no changes to the drives occurred during the test.

**SWB-AO-09. If the tool is active and the tool is then deactivated then no commands to any drive shall be blocked.**

With the tool activated, each command in the write category was sent to each protected drive. The tool was then deactivated. When all commands in every category were sent to each protected drive, HDL did not block any commands sent.

**SWB-AO-10. If the tool blocks a command then the tool shall issue either an audio or a visual signal.**

This optional feature is not supported by HDL.

## 5.0 Testing Environment

The tests were run in the NIST CFTT lab. This section describes the hardware (test computers and hard drives) available for testing. Not all components were used in testing. The following host computers were used for execution of test cases: HecRamsey, McCloud, McMillan, AndWife, Cadfael, Rumpole, Wimsey, and JudgeDee. Ten hard drives (eight different models and three different brands) were used for the tests (Table 5-3).

### 5.1 Test Computers

Four host computers, Cadfael, Rumpole, Wimsey, and JudgeDee, have the hardware components listed in common:

---

<sup>1</sup> The Secure Hash Algorithm (SHA1), developed by NIST and the National Security Agency for use with the Digital Signature Standard (DSS), is specified within the Secure Hash Standard (SHS) (National Institute of Standards and Technology, *FIPS Publication 180: Secure Hash Standard*, May 1993, SHA-1).

**Table 5-1. Extended BIOS Host Computer Hardware Components**

ASUS CUSL2 Motherboard BIOS: Award Medallion v6.0 Intel Pentium III (Coppermine) 933Mhz 512672k Memory Adaptec 29160N SCSI Adapter card Plextor CR-RW PX-W124TS Rev: 1.06 Iomega 2GB Jaz drive Rev: E.17 LS-120 Super floppy Two slots for removable IDE hard disk drives Two slots for removable SCSI hard disk drive
---

The computer Rumpole also had a 30GB OnStream SC30 tape drive (not used in the test procedures). The computer JudgeDee had a third slot for a removable IDE hard disk drive.

The computers HecRamsey, McCloud, McMillan, and AndWife have the hardware components listed in Table 5-2 in common.

**Table 5-2. Alternate Extended BIOS Host Computer Hardware Components**

Intel D845WNL Motherboard BIOS: HV84510A.86A.0022.P05 Intel Pentium IV 2.0Ghz 512672k Memory Adaptec 29160 SCSI Adapter card Tekram DC-390U3W SCSI Adapter card Plextor CR-RW PX-W124TS Rev: 1.06 LG 52X CDROM floppy drive Three slots for removable IDE hard disk drives Two slots for removable SCSI hard disk drive
---

## **5.2 Hard Disk Drives**

The hard disk drives that were used in testing were selected from the drives listed in Table 5-3. These hard drives were mounted in removable storage modules. Any combination of up to three IDE hard drives and two SCSI hard drives can be installed in HecRamsey, McCloud, McMillan, and AndWife. Any combination of up to two IDE hard drives and two SCSI hard drives can be installed in Cadfael, Rumpole, Wimsey, or JudgeDee as required for a test. The IDE disks used had jumpers set for *cabl select*. The SCSI ID for the SCSI disks was set to either 0 or 1 as required by the test case.

The hard drives used in testing are described in Table 5-3. The **Label** column shows an external identification for the hard drive. The **Model** column shows the model identification string obtained from the drive. The **Interface** column identifies the type of interface used to connect the drive to the computer. The **Usable Sectors** column documents the size of the drive in sectors. The **GB** column shows the size of the drive in gigabytes.

**Table 5-3. Hard Drives Used in Testing**

Label	Model	Interface	Usable Sectors	GB
1F	QUANTUM_ATLAS10K3_18_SCA	SCSI	35916547	18.38
2B	QUANTUM_QM39100TD-SCA	SCSI	17783248	9.10
64	WDCWD64AA	IDE	12594960	6.44
6F	Maxtor 6Y060L0	IDE	120103200	61.49
8A	WDC WD200EB-00CSF0	IDE	39102336	20.02
90	WDC WD300BB-00CAA0	IDE	58633344	30.02
E4	QUANTUM_ATLAS10K2-TY092J	SCSI	17938985	9.18
F6	IBM-DTLA-307020	IDE	40188960	20.57

The drives are set up in a variety of ways with the common partition types (FAT16, FAT32, FAT32X, NTFS, and Linux ext2) represented. Table 5.4 documents the setup of each drive. The **Drive Label** column shows an external identification for the hard drive. The **Partition Table** column describes the partition table for the drive. The **N** column is a sequence number. The unlabeled column identifies a primary partition (P), a primary extended partition (X), a secondary partition within an extended partition (S), or an extended partition within an extended partition (x). The **Start LBA** column identifies the starting logical block address (LBA) of the partition. The **Length** column shows the length of the partition in sectors. The **Boot** column indicates the boot partition. The **Partition Type** column contains the two-digit hexadecimal partition type code and name of the partition type for common partition types.

**Table 5-4. Drive Partition Setup**

Drive Label	Partition Table				
1F	<b>N</b>	<b>Start LBA</b>	<b>Length</b>	<b>boot</b>	<b>Partition type</b>
	1 P	000000063	001236942	Boot	0B Fat32
	2 X	001429785	033865020		0F extended
	3 S	000000063	000208782		83 Linux
	4 x	000208845	000144585		05 extended
	5 S	000000063	000144522		0B Fat32
	6 x	000771120	000192780		05 extended
	7 S	000000063	000192717		16 other
	8 S	000000000	000000000		00 empty entry
9 P	035294805	000064260		83 Linux	
2B	No partition table				
64	No partition table				
6F	No partition table				
8A	No partition table				
90	No partition table				
E4	<b>N</b>	<b>Start LBA</b>	<b>Length</b>	<b>boot</b>	<b>Partition type</b>
	1 P	000000063	006152832	Boot	0B Fat32
	2 X	008193150	009735390		0F extended
	3 S	000000000	000000000		00 empty entry
	4 x	002056320	001237005		05 extended
	5 S	000000063	001236942		07 NTFS
	6 x	005349645	001638630		05 extended
	7 S	000000063	001638567		17 other
	8 x	008498385	001237005		05 extended
9 S	000000063	001236942		1B other	
F6	<b>N</b>	<b>Start LBA</b>	<b>Length</b>	<b>boot</b>	<b>Partition type</b>
	1 P	000000063	006152832	Boot	0B Fat32
	2 X	008193150	031985415		0F extended
	3 S	000000000	000000000		00 empty entry
	4 x	002056320	001237005		05 extended
5 S	000000063	001236942		07 NTFS	

Drive Label	Partition Table
	6 x 005349645 001638630 05 extended
	7 S 000000063 001638567 17 other
	8 x 030748410 001237005 05 extended
	9 S 000000063 001236942 1B other

After the drives were created, a SHA1 hash value was computed for the entire drive (Table 5-4). After testing was finished, a SHA1 hash value was computed again (Table 5-5). The lack of change in the SHA1 hash values indicates that no changes were made to the drives during testing.

**Table 5-4. Drive SHA1 Values Before Testing**

Drive	SHA1 Hash Value
1F	7DB8B538BC38907FC22B1CA79996D97F77421418
2B	2A7810E851B7392C3D4836A5DFFB5E73E8295C6F
64	8F52C49579C70407FE6D0EDCBE3FD7C42972823A
6F	7C2F5F4FB0D04E5F1B51D0888753A1B125A503EA
8A	891444D852E0C48C4713952B3BDAD89E03C205FD
90	08B4905B4D012401656248C39C904F6072476293
E4	25BF8AF6B2D3E0BD1909C96E368DB27F51C49CBF
F6	8034683D5D55BA51409AC7B5CB0845CA2CF6B235

**Table 5-5. Drive SHA1 Values After Testing**

Drive	SHA1 Hash Value
1F	7DB8B538BC38907FC22B1CA79996D97F77421418
2B	2A7810E851B7392C3D4836A5DFFB5E73E8295C6F
64	8F52C49579C70407FE6D0EDCBE3FD7C42972823A
6F	7C2F5F4FB0D04E5F1B51D0888753A1B125A503EA
8A	891444D852E0C48C4713952B3BDAD89E03C205FD
90	08B4905B4D012401656248C39C904F6072476293
E4	25BF8AF6B2D3E0BD1909C96E368DB27F51C49CBF
F6	8034683D5D55BA51409AC7B5CB0845CA2CF6B235

### 5.3 Support Software

Support software, Software Write Block Test Harness (SWBT) Release 1.0, was developed to support the testing of interrupt 13h based software write block tools. The program DISKWIPE from the FS-TST Release 1.0 package was used in the drive setup procedure. Both FS-TST Release 1.0 and SWBT Release 1.0 can be obtained from the Web site <http://www.cfft.nist.gov>. The support software has components to monitor interrupt 13 activity (TALLY13.COM) and to issue each of the 256 possible interrupt 13 commands (TEST-HDL.EXE). The TEST-HDL program was written in ANSI C and compiled with the Borland C++ compiler version 4.5. The TALLY13 program was written in assembler language and compiled with Borland Turbo Assembler version 5.0.

The programs listed in Table 5-6 are required for testing.

**Table 5-6. Software Required for Testing**

<b>Program</b>	<b>Description</b>
<a href="#">SWB Tool</a>	The software write block tool to be tested.
TALLY13	The interrupt 0x13 monitor program. The monitor program blocks all interrupt 0x13 command functions, counts the number of times each function is requested for each drive, and provides an interface for retrieving the count of the number of times each command function was requested for each drive.
TEST-HDL	The test harness issues (requests) all interrupt 0x13 command functions for a specified command category, queries the monitor program to determine if the function was blocked or allowed and then logs the results to a file.
T-OFF	Deactivate TALLY13.

## **5.4 Run Protocol Selection**

Most test cases follow the same test procedures. However, some test cases require a special procedure.

Set up a selection of hard drives for use in testing as follows:

1. Select a hard drive.
2. Use the FS-TST diskwipe program to initialize the drive.
3. Create and format partitions on the drive (optional step).
4. Compute a reference SHA1 hash of the drive.

Execute a test case using general procedures as follows:

1. Select a test case to execute.
2. Install the number of hard drives called for by the test case.
3. Boot the test computer into DOS.
4. Follow the run protocol for the selected test case.
5. Save test case results to a permanent location.

The **run protocol** specifies the actual procedures to follow for the test case. Some test cases require different setup procedures and methods to measure results. The values for test parameters such as **return type**, **command category**, **N drives**, and **protection pattern** can be found in *Software Write Block Tool Specification & Test Plan Version 3.0*. The following protocols are defined:

- Typical
  1. Execute the interrupt 0x13 monitor (TALLY13).
  2. Execute the SWB tool under test with the specified **return type**.
  3. Execute TEST-HDL for the specified **command category**.
- Uninstall



1. Execute the interrupt 0x13 monitor (TALLY13).
  2. Execute the SWB tool under test with the specified **return type**.
  3. Execute TEST-HDL for the **write command category**.
  4. Execute T-OFF to deactivate TALLY13.
  5. Uninstall the SWB tool.
  6. Execute TEST-HDL for each **command category**.
- Boot
    1. Install the SWB tool. (For DOS systems, include the tool and monitor in the AUTOEXEC.BAT file.)
    2. Boot the system.
    3. Execute TEST-HDL for the **write command category**.
    4. Shut down the system.

The **typical** protocol applies to cases 01–36, the **boot** protocol applies to test cases 37 and 38, and the **uninstall** protocol applies to cases 39 and 40.

## 6.0 Interpretation of Test Results

The main item of interest when interpreting the test results is the tool's conformance to the test assertions. This section lists each test assertion and identifies the information in the log files relevant to conformance with the assertion. Conformance of each assertion tested by a given test case is evaluated by examination of the Commands Executed and the Log File Highlights boxes of the test report summary.

### 6.1 Test Assertion Verification

This section describes where to find the information needed to verify each test assertion in the test case report.

**SWB-AM-01. If a drive is protected and a command from the write category is issued for the protected drive then the tool shall block the command.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Blocked* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AM-02. If a drive is protected and a command from the configuration category is issued for the protected drive then the tool shall block the command.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Blocked* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AM-03. If a drive is protected and a command from the miscellaneous category is issued for the protected drive then the tool shall block the command.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Blocked* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AM-04. If a drive is protected and a command from the read category is issued for the protected drive then the tool shall not block the command.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Allowed* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AM-05. If a drive is protected and a command from the control category is issued for the protected drive then the tool shall not block the command.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Allowed* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AM-06. If a drive is protected and a command from the information category is issued for the protected drive then the tool shall not block the command.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Allowed* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.**

If the Install HDL Log contains the text **Write Lock successfully installed**, the test case conforms to the test assertion.

**SWB-AM-08. If the tool is executed, then the tool shall issue a message indicating all drives accessible by the covered interfaces.**

HDL always issued the message **N Hard-Disks reported by Int\_13h** to indicate that N drives were accessible by the interface. If N is the same as the number of drives specified on the TEST-HDL command line in the Commands Executed box, the test case conforms to the test assertion.

**SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.**

HDL always issued for each covered drive either the message **Hard-Disk N Locked!** or the message **Hard-Disk N Not Locked!** to indicate the protection status of each drive. If

drive **N** is listed on the command line to HDL and the Install HDL log reports drive **N** as locked, the test case conforms to the test assertion.

**SWB-AM-10. If the tool is configured to return *success* on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.**

HDL was configured to return *success* on blocked commands if an **S** flag was used on the HDL command line. The return value of blocked commands is *success* if in the Test Harness Log the value of the stat column is *0000* and the value of the Cry column is *Off*.

**SWB-AM-11. If the tool is configured to return *fail* on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.**

HDL was configured to return *fail* on blocked commands if no **S** flag was used on the HDL command line. The return value of blocked commands is *fails* if in the Test Harness Log the value of the stat column is *0300* and the value of the Cry column is *On*.

**SWB-AO-01. If a subset of all covered drives is specified for protection, then commands from the write category shall be blocked for drives in the selected subset.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Blocked* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AO-02. If a subset of all covered drives is specified for protection, then commands from the configuration category shall be blocked for drives in the selected subset.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Blocked* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AO-03. If a subset of all covered drives is specified for protection, then commands from the miscellaneous category shall be blocked for drives in the selected subset.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Blocked* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AO-04. If a subset of all covered drives is specified for protection, then commands from the read category shall not be blocked for drives in the selected subset.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Allowed* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AO-05. If a subset of all covered drives is specified for protection, then commands from the control category shall not be blocked for drives in the selected subset.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Allowed* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AO-06. If a subset of all covered drives is specified for protection, then commands from the information category shall not be blocked for drives in the selected subset.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Allowed* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.**

The protected drives are identified on the HDL command line in the Commands Executed box. The unprotected drives are the drives not listed on the HDL command line. The Test Harness Log lists each command sent to each drive. If the action column contains *Allowed* for each command sent to a unprotected drive, the test case conforms to the assertion.

**SWB-AO-08. If the tool is active during the operating system boot and shutdown processes then no changes are made to any protected drives.**

The protected drives are identified on the HDL command line in the Commands Executed box. The Test Harness Log lists each command sent to each drive. If the action column contains *Blocked* for each command sent to a protected drive, the test case conforms to the assertion.

**SWB-AO-09. If the tool is active and the tool is then deactivated then no commands to any drive shall be blocked.**

This assertion requires a special test protocol. First the tool is activated, and some write commands are blocked. Then the tool is deactivated and each command is sent. There are two log files for the tool and two log files for the test harness. The tool is allowed to refuse to deactivate. The tool refuses to deactivate if it has been configured to return *success* for blocked commands, because deactivation might allow a buffered write to take place. If the tool is in compliance with the assertion and is successfully deactivated, all commands are allowed to all drives. If the tool does not deactivate, no change occurs to the protection status of the drives.

A warning message appears in the second instance of the test harness log file. This is normal for test cases SWB-39 and SWB-40. The warning message notes that write commands were allowed to unprotected drives while the tool was active during the first part of the test, before the tool was deactivated.

**SWB-AO-10. If the tool blocks a command then the tool shall issue either an audio or a visual signal.**

This assertion does not apply to HDL.

## 6.2 Test Results Summary Key

A summary of the actual test results is presented in this report. Table 6-1 describes each section of the test report summary.

**Table 6-1. Description of Test Report Summary**

Heading	Description
First Line	Test case ID, Name and version of software tested.
Case Summary:	Test case summary from <i>Software Write Block Tool Specification &amp; Test Plan Version 3.0</i> .
Assertions tested:	The test assertions tested by the test case from <i>Software Write Block Tool Specification &amp; Test Plan Version 3.0</i> .
Tester Name:	Name or initials of person executing test procedure.
Test Date:	Time and date that test was started.
Test PC:	Name of computer where the tool under test was executed.
Test Software:	The name and version of the test software.
Hard Drives Used:	Description of the hard drives used in the test.
Commands Executed:	<p>Documentation of each command executed during the test.</p> <p>The protected drives are identified on the HDL command line. HDL identifies the drives starting at 0.</p>
Log File Highlights:	<p>Selected entries from the test case log files. There are three logfiles that may appear. The logfile created for TALLY13 is labeled <i>Monitor Execution</i>. The logfile created for HDL is labeled <i>Install HDL Log</i>. The logfile created by TEST-HDL is labeled <i>Test Harness Log</i>.</p> <p>For test cases SWB-39 and SWB-40, there are two separate logs for HDL and also for TEST-HDL since these cases require execution of HDL twice.</p> <p>The monitor execution logfile records the program version and the date that the TALLY13 program was executed.</p> <p>The HDL logfile is obtained by output redirection of the execution of HDL. The logfile contains the version of HDL used (V0.4), the number of drives identified and the protection status of each drive.</p> <p>The test harness log is the record of commands sent to HDL and the action taken by HDL to either block or allow each command sent. The format of the file is as follows:</p> <ol style="list-style-type: none"> <li>1. Command line. The command line used to execute TEST-HDL. This line begins with the string CMD.</li> <li>2. Case number.</li> <li>3. Interrupt 0x13 Functions. The category of interrupt 0x13 functions tested by this case.</li> </ol>

Heading	Description
	<p>4. Date.</p> <p>5. Version. Version information about TEST-HDL and components. The creation date, creation time and version of each source code component are listed. The compile time and date for the executable program are listed.</p> <p>6. Operator. The operator running the test.</p> <p>7. Host. The host computer running the test.</p> <p>8. Drives. The number of drives and the external drive label for each drive.</p> <p>The next two items are repeated for each installed drive.</p> <p>9. List of commands sent. Each line of the list has 9 columns: sequence number, test case number, command code in hex (Cmd), drive number in hex (Drv), action taken by HDL (either <i>Blocked</i> or <i>Allowed</i>), return status (0000 means success, 0300 means fail), carry flag value (labeled <i>Cry</i> with values of either <i>On</i> indicating failure status, or <i>Off</i> indicating success status), count of the number of times the command was allowed by HDL and the command name (or undefined for commands in the miscellaneous category).</p> <p>10. Summary of commands for the drive. The message indicates the number of commands blocked out of the number of commands sent.</p> <p>11. The last item is a summary of all the commands sent to all drives, the number of commands sent, the number blocked and the number allowed (not blocked).</p>
Results:	Expected and actual results for each assertion tested.
Analysis:	Whether or not the expected results were achieved.

## 7.0 Test Results Summaries

<b>Case SWB-01 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997</b>	
Case summary:	SWB-01 Install all drives, configure return code to failure, protect all drives, execute write commands.
Assertions Tested:	<p>SWB-AM-01. If a drive is protected and a command from the write category is issued for the protected drive then the tool shall block the command.</p> <p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p>
Tester Name:	Blive
Test Date:	Thu Sep 25 13:23:03 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors</p> <p>Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p> <p>Drive 83, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors</p>
Commands executed:	<p>Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hdl5 0123</p> <p>test-hdl SWB-01 Rumpole Blive w 6F 8A E4 2B</p> <p>Shutdown Test PC</p>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:23:00) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       4 Hard-Disks reported by Int_13h       Hard-Disk 0      Locked!       Hard-Disk 1      Locked!       Hard-Disk 2      Locked!       Hard-Disk 3      Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-01 Rumpole Blive w 6F 8A E4 2B Case: SWB-01 Command set: Write Date: Thu Sep 25 13:23:03 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51         @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19         Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 4, Drives: 6F 8A E4 2B       Case  Cmd  Drv  Action  Stat  Cry  Count  Cmd Name       0  SWB-01  &lt;03&gt;  80  Blocked  0300  On      0  WriteSectors       1  SWB-01  &lt;0B&gt;  80  Blocked  0300  On      0  WriteLong       2  SWB-01  &lt;43&gt;  80  Blocked  0300  On      0  ExtWrite Results for SWB-01 category w on drive 80 All commands blocked (3 of 3)       0  SWB-01  &lt;03&gt;  81  Blocked  0300  On      0  WriteSectors       1  SWB-01  &lt;0B&gt;  81  Blocked  0300  On      0  WriteLong       2  SWB-01  &lt;43&gt;  81  Blocked  0300  On      0  ExtWrite Results for SWB-01 category w on drive 81 All commands blocked (3 of 3)       0  SWB-01  &lt;03&gt;  82  Blocked  0300  On      0  WriteSectors       1  SWB-01  &lt;0B&gt;  82  Blocked  0300  On      0  WriteLong       2  SWB-01  &lt;43&gt;  82  Blocked  0300  On      0  ExtWrite </pre>

Case SWB-01 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	Results for SWB-01 category w on drive 82 All commands blocked (3 of 3) 0 SWB-01 <03> 83 Blocked 0300 On 0 WriteSectors 1 SWB-01 <0B> 83 Blocked 0300 On 0 WriteLong 2 SWB-01 <43> 83 Blocked 0300 On 0 ExtWrite Results for SWB-01 category w on drive 83 All commands blocked (3 of 3) Summary: 12 sent, 12 blocked, 0 not blocked		
Results:	Assertion	Expected Results	Actual Results
	AM-01	All cmds to drive 80 blocked	All cmds to drive 80 blocked
	AM-01	All cmds to drive 81 blocked	All cmds to drive 81 blocked
	AM-01	All cmds to drive 82 blocked	All cmds to drive 82 blocked
	AM-01	All cmds to drive 83 blocked	All cmds to drive 83 blocked
	AM-07	Tool active message	Tool active message
	AM-08	4 drives identified	4 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-09	Drive 83 is protected	Drive 83 is protected
	AM-11	12 Commands return fail	12 Commands return fail
Analysis:	SWB-01 Expected results achieved		

Case SWB-02 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-02 Install two drives, configure return code to success, protect all drives, execute write commands.
Assertions Tested:	SWB-AM-01. If a drive is protected and a command from the write category is issued for the protected drive then the tool shall block the command. SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces. SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface. SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.
Tester Name:	JRL
Test Date:	Thu Sep 25 13:46:25 2003
Test PC:	Wimsey
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors Drive 81, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hd15 S01 test-hdl SWB-02 Wimsey JRL w 6F E4 Shutdown Test PC
Log File Highlights:	***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:46:23) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 2 Hard-Disks reported by Int_13h Hard-Disk 0 Locked! Hard-Disk 1 Locked! H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-02 Wimsey JRL w 6F E4 Case: SWB-02 Command set: Write Date: Thu Sep 25 13:46:25 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: JRL



Case SWB-02 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997																											
Host: Wimsey Number of drives 2, Drives: 6F E4 Case Cmd Drv Action Stat Cry Count Cmd Name 0 SWB-02 <03> 80 Blocked 0000 Off 0 WriteSectors 1 SWB-02 <0B> 80 Blocked 0000 Off 0 WriteLong 2 SWB-02 <43> 80 Blocked 0000 Off 0 ExtWrite Results for SWB-02 category w on drive 80 All commands blocked (3 of 3) 0 SWB-02 <03> 81 Blocked 0000 Off 0 WriteSectors 1 SWB-02 <0B> 81 Blocked 0000 Off 0 WriteLong 2 SWB-02 <43> 81 Blocked 0000 Off 0 ExtWrite Results for SWB-02 category w on drive 81 All commands blocked (3 of 3) Summary: 6 sent, 6 blocked, 0 not blocked																											
Results:	<table border="1"> <thead> <tr> <th>Assertion</th> <th>Expected Results</th> <th>Actual Results</th> </tr> </thead> <tbody> <tr> <td>AM-01</td> <td>All cmds to drive 80 blocked</td> <td>All cmds to drive 80 blocked</td> </tr> <tr> <td>AM-01</td> <td>All cmds to drive 81 blocked</td> <td>All cmds to drive 81 blocked</td> </tr> <tr> <td>AM-07</td> <td>Tool active message</td> <td>Tool active message</td> </tr> <tr> <td>AM-08</td> <td>2 drives identified</td> <td>2 drives identified</td> </tr> <tr> <td>AM-09</td> <td>Drive 80 is protected</td> <td>Drive 80 is protected</td> </tr> <tr> <td>AM-09</td> <td>Drive 81 is protected</td> <td>Drive 81 is protected</td> </tr> <tr> <td>AM-10</td> <td>6 Commands return success</td> <td>6 Commands return success</td> </tr> </tbody> </table>	Assertion	Expected Results	Actual Results	AM-01	All cmds to drive 80 blocked	All cmds to drive 80 blocked	AM-01	All cmds to drive 81 blocked	All cmds to drive 81 blocked	AM-07	Tool active message	Tool active message	AM-08	2 drives identified	2 drives identified	AM-09	Drive 80 is protected	Drive 80 is protected	AM-09	Drive 81 is protected	Drive 81 is protected	AM-10	6 Commands return success	6 Commands return success		
Assertion	Expected Results	Actual Results																									
AM-01	All cmds to drive 80 blocked	All cmds to drive 80 blocked																									
AM-01	All cmds to drive 81 blocked	All cmds to drive 81 blocked																									
AM-07	Tool active message	Tool active message																									
AM-08	2 drives identified	2 drives identified																									
AM-09	Drive 80 is protected	Drive 80 is protected																									
AM-09	Drive 81 is protected	Drive 81 is protected																									
AM-10	6 Commands return success	6 Commands return success																									
Analysis:	SWB-02 Expected results achieved																										

Case SWB-03 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-03 Install one drive, configure return code to failure, protect all drives, execute configuration commands.
Assertions Tested:	SWB-AM-02. If a drive is protected and a command from the configuration category is issued for the protected drive then the tool shall block the command. SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces. SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface. SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.
Tester Name:	JRL
Test Date:	Thu Sep 25 14:44:29 2003
Test PC:	McCloud
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 0 test-hdl SWB-03 McCloud JRL x 8A Shutdown Test PC
Log File Highlights:	***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 14:44:23) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 1 Hard-Disks reported by Int_13h Hard-Disk 0 Locked! H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-03 McCloud JRL x 8A Case: SWB-03 Command set: Configure Date: Thu Sep 25 14:44:29 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: JRL

Case SWB-03 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
Host: McCloud Number of drives 1, Drives: 8A Case Cmd Drv Action Stat Cry Count Cmd Name 0 SWB-03 <05> 80 Blocked 0300 On 0 FormatTrack 1 SWB-03 <06> 80 Blocked 0300 On 0 FormatBadSectors 2 SWB-03 <07> 80 Blocked 0300 On 0 FormatCyl 3 SWB-03 <09> 80 Allowed 0000 Off 1 InitDriveParms 4 SWB-03 <0E> 80 Allowed 0000 Off 1 DiagnosticESDI 5 SWB-03 <0F> 80 Blocked 0300 On 0 DiagnosticESDI 6 SWB-03 <12> 80 Allowed 0000 Off 1 DiagnosticRAM 7 SWB-03 <13> 80 Blocked 0300 On 0 DiagnosticDrive 8 SWB-03 <14> 80 Allowed 0000 Off 1 DiagnosticCTL Results for SWB-03 category x on drive 80 Not all commands blocked (5 of 9) Summary: 9 sent, 5 blocked, 4 not blocked			
Results:	Assertion	Expected Results	Actual Results
	AM-02	All cmds to drive 80 blocked	Not all cmds to drive 80 blocked
	AM-07	Tool active message	Tool active message
	AM-08	1 drives identified	1 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-11	5 Commands return fail	5 Commands return fail
Analysis:	SWB-03 Expected results not achieved for assertions: AM-02		

Case SWB-04 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-04 Install all drives, configure return code to success, protect all drives, execute configuration commands.
Assertions Tested:	SWB-AM-02. If a drive is protected and a command from the configuration category is issued for the protected drive then the tool shall block the command. SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces. SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface. SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.
Tester Name:	Blive
Test Date:	Thu Sep 25 13:25:22 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors Drive 83, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 S0123 test-hdl SWB-04 Rumpole Blive x 6F 8A E4 2B Shutdown Test PC
Log File Highlights:	***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:25:19) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 4 Hard-Disks reported by Int_13h Hard-Disk 0 Locked! Hard-Disk 1 Locked! Hard-Disk 2 Locked! Hard-Disk 3 Locked! H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-04 Rumpole Blive x 6F 8A E4 2B Case: SWB-04

Case SWB-04 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997																																																																																																																																																																																																																																																																																																																																																																							
Command set: Configure Date: Thu Sep 25 13:25:22 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 4, Drives: 6F 8A E4 2B <table border="1"> <thead> <tr> <th>Case</th> <th>Cmd</th> <th>Drv</th> <th>Action</th> <th>Stat</th> <th>Cry</th> <th>Count</th> <th>Cmd Name</th> </tr> </thead> <tbody> <tr><td>0</td><td>SWB-04</td><td>&lt;05&gt;</td><td>80</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>FormatTrack</td></tr> <tr><td>1</td><td>SWB-04</td><td>&lt;06&gt;</td><td>80</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>FormatBadSectors</td></tr> <tr><td>2</td><td>SWB-04</td><td>&lt;07&gt;</td><td>80</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>FormatCyl</td></tr> <tr><td>3</td><td>SWB-04</td><td>&lt;09&gt;</td><td>80</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>InitDriveParms</td></tr> <tr><td>4</td><td>SWB-04</td><td>&lt;0E&gt;</td><td>80</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>DiagnosticESDI</td></tr> <tr><td>5</td><td>SWB-04</td><td>&lt;0F&gt;</td><td>80</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>DiagnosticESDI</td></tr> <tr><td>6</td><td>SWB-04</td><td>&lt;12&gt;</td><td>80</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>DiagnosticRAM</td></tr> <tr><td>7</td><td>SWB-04</td><td>&lt;13&gt;</td><td>80</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>DiagnosticDrive</td></tr> <tr><td>8</td><td>SWB-04</td><td>&lt;14&gt;</td><td>80</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>DiagnosticCTL</td></tr> </tbody> </table> Results for SWB-04 category x on drive 80 Not all commands blocked (5 of 9) <table border="1"> <thead> <tr> <th>Case</th> <th>Cmd</th> <th>Drv</th> <th>Action</th> <th>Stat</th> <th>Cry</th> <th>Count</th> <th>Cmd Name</th> </tr> </thead> <tbody> <tr><td>0</td><td>SWB-04</td><td>&lt;05&gt;</td><td>81</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>FormatTrack</td></tr> <tr><td>1</td><td>SWB-04</td><td>&lt;06&gt;</td><td>81</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>FormatBadSectors</td></tr> <tr><td>2</td><td>SWB-04</td><td>&lt;07&gt;</td><td>81</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>FormatCyl</td></tr> <tr><td>3</td><td>SWB-04</td><td>&lt;09&gt;</td><td>81</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>InitDriveParms</td></tr> <tr><td>4</td><td>SWB-04</td><td>&lt;0E&gt;</td><td>81</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>DiagnosticESDI</td></tr> <tr><td>5</td><td>SWB-04</td><td>&lt;0F&gt;</td><td>81</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>DiagnosticESDI</td></tr> <tr><td>6</td><td>SWB-04</td><td>&lt;12&gt;</td><td>81</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>DiagnosticRAM</td></tr> <tr><td>7</td><td>SWB-04</td><td>&lt;13&gt;</td><td>81</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>DiagnosticDrive</td></tr> <tr><td>8</td><td>SWB-04</td><td>&lt;14&gt;</td><td>81</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>DiagnosticCTL</td></tr> </tbody> </table> Results for SWB-04 category x on drive 81 Not all commands blocked (5 of 9) <table border="1"> <thead> <tr> <th>Case</th> <th>Cmd</th> <th>Drv</th> <th>Action</th> <th>Stat</th> <th>Cry</th> <th>Count</th> <th>Cmd Name</th> </tr> </thead> <tbody> <tr><td>0</td><td>SWB-04</td><td>&lt;05&gt;</td><td>82</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>FormatTrack</td></tr> <tr><td>1</td><td>SWB-04</td><td>&lt;06&gt;</td><td>82</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>FormatBadSectors</td></tr> <tr><td>2</td><td>SWB-04</td><td>&lt;07&gt;</td><td>82</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>FormatCyl</td></tr> <tr><td>3</td><td>SWB-04</td><td>&lt;09&gt;</td><td>82</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>InitDriveParms</td></tr> <tr><td>4</td><td>SWB-04</td><td>&lt;0E&gt;</td><td>82</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>DiagnosticESDI</td></tr> <tr><td>5</td><td>SWB-04</td><td>&lt;0F&gt;</td><td>82</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>DiagnosticESDI</td></tr> <tr><td>6</td><td>SWB-04</td><td>&lt;12&gt;</td><td>82</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>DiagnosticRAM</td></tr> <tr><td>7</td><td>SWB-04</td><td>&lt;13&gt;</td><td>82</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>DiagnosticDrive</td></tr> <tr><td>8</td><td>SWB-04</td><td>&lt;14&gt;</td><td>82</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>DiagnosticCTL</td></tr> </tbody> </table> Results for SWB-04 category x on drive 82 Not all commands blocked (5 of 9) <table border="1"> <thead> <tr> <th>Case</th> <th>Cmd</th> <th>Drv</th> <th>Action</th> <th>Stat</th> <th>Cry</th> <th>Count</th> <th>Cmd Name</th> </tr> </thead> <tbody> <tr><td>0</td><td>SWB-04</td><td>&lt;05&gt;</td><td>83</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>FormatTrack</td></tr> <tr><td>1</td><td>SWB-04</td><td>&lt;06&gt;</td><td>83</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>FormatBadSectors</td></tr> <tr><td>2</td><td>SWB-04</td><td>&lt;07&gt;</td><td>83</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>FormatCyl</td></tr> <tr><td>3</td><td>SWB-04</td><td>&lt;09&gt;</td><td>83</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>InitDriveParms</td></tr> <tr><td>4</td><td>SWB-04</td><td>&lt;0E&gt;</td><td>83</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>DiagnosticESDI</td></tr> <tr><td>5</td><td>SWB-04</td><td>&lt;0F&gt;</td><td>83</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>DiagnosticESDI</td></tr> <tr><td>6</td><td>SWB-04</td><td>&lt;12&gt;</td><td>83</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>DiagnosticRAM</td></tr> <tr><td>7</td><td>SWB-04</td><td>&lt;13&gt;</td><td>83</td><td>Blocked</td><td>0000</td><td>Off</td><td>0</td><td>DiagnosticDrive</td></tr> <tr><td>8</td><td>SWB-04</td><td>&lt;14&gt;</td><td>83</td><td>Allowed</td><td>0000</td><td>Off</td><td>1</td><td>DiagnosticCTL</td></tr> </tbody> </table> Results for SWB-04 category x on drive 83 Not all commands blocked (5 of 9) Summary: 36 sent, 20 blocked, 16 not blocked				Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name	0	SWB-04	<05>	80	Blocked	0000	Off	0	FormatTrack	1	SWB-04	<06>	80	Blocked	0000	Off	0	FormatBadSectors	2	SWB-04	<07>	80	Blocked	0000	Off	0	FormatCyl	3	SWB-04	<09>	80	Allowed	0000	Off	1	InitDriveParms	4	SWB-04	<0E>	80	Allowed	0000	Off	1	DiagnosticESDI	5	SWB-04	<0F>	80	Blocked	0000	Off	0	DiagnosticESDI	6	SWB-04	<12>	80	Allowed	0000	Off	1	DiagnosticRAM	7	SWB-04	<13>	80	Blocked	0000	Off	0	DiagnosticDrive	8	SWB-04	<14>	80	Allowed	0000	Off	1	DiagnosticCTL	Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name	0	SWB-04	<05>	81	Blocked	0000	Off	0	FormatTrack	1	SWB-04	<06>	81	Blocked	0000	Off	0	FormatBadSectors	2	SWB-04	<07>	81	Blocked	0000	Off	0	FormatCyl	3	SWB-04	<09>	81	Allowed	0000	Off	1	InitDriveParms	4	SWB-04	<0E>	81	Allowed	0000	Off	1	DiagnosticESDI	5	SWB-04	<0F>	81	Blocked	0000	Off	0	DiagnosticESDI	6	SWB-04	<12>	81	Allowed	0000	Off	1	DiagnosticRAM	7	SWB-04	<13>	81	Blocked	0000	Off	0	DiagnosticDrive	8	SWB-04	<14>	81	Allowed	0000	Off	1	DiagnosticCTL	Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name	0	SWB-04	<05>	82	Blocked	0000	Off	0	FormatTrack	1	SWB-04	<06>	82	Blocked	0000	Off	0	FormatBadSectors	2	SWB-04	<07>	82	Blocked	0000	Off	0	FormatCyl	3	SWB-04	<09>	82	Allowed	0000	Off	1	InitDriveParms	4	SWB-04	<0E>	82	Allowed	0000	Off	1	DiagnosticESDI	5	SWB-04	<0F>	82	Blocked	0000	Off	0	DiagnosticESDI	6	SWB-04	<12>	82	Allowed	0000	Off	1	DiagnosticRAM	7	SWB-04	<13>	82	Blocked	0000	Off	0	DiagnosticDrive	8	SWB-04	<14>	82	Allowed	0000	Off	1	DiagnosticCTL	Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name	0	SWB-04	<05>	83	Blocked	0000	Off	0	FormatTrack	1	SWB-04	<06>	83	Blocked	0000	Off	0	FormatBadSectors	2	SWB-04	<07>	83	Blocked	0000	Off	0	FormatCyl	3	SWB-04	<09>	83	Allowed	0000	Off	1	InitDriveParms	4	SWB-04	<0E>	83	Allowed	0000	Off	1	DiagnosticESDI	5	SWB-04	<0F>	83	Blocked	0000	Off	0	DiagnosticESDI	6	SWB-04	<12>	83	Allowed	0000	Off	1	DiagnosticRAM	7	SWB-04	<13>	83	Blocked	0000	Off	0	DiagnosticDrive	8	SWB-04	<14>	83	Allowed	0000	Off	1	DiagnosticCTL
Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name																																																																																																																																																																																																																																																																																																																																																																
0	SWB-04	<05>	80	Blocked	0000	Off	0	FormatTrack																																																																																																																																																																																																																																																																																																																																																															
1	SWB-04	<06>	80	Blocked	0000	Off	0	FormatBadSectors																																																																																																																																																																																																																																																																																																																																																															
2	SWB-04	<07>	80	Blocked	0000	Off	0	FormatCyl																																																																																																																																																																																																																																																																																																																																																															
3	SWB-04	<09>	80	Allowed	0000	Off	1	InitDriveParms																																																																																																																																																																																																																																																																																																																																																															
4	SWB-04	<0E>	80	Allowed	0000	Off	1	DiagnosticESDI																																																																																																																																																																																																																																																																																																																																																															
5	SWB-04	<0F>	80	Blocked	0000	Off	0	DiagnosticESDI																																																																																																																																																																																																																																																																																																																																																															
6	SWB-04	<12>	80	Allowed	0000	Off	1	DiagnosticRAM																																																																																																																																																																																																																																																																																																																																																															
7	SWB-04	<13>	80	Blocked	0000	Off	0	DiagnosticDrive																																																																																																																																																																																																																																																																																																																																																															
8	SWB-04	<14>	80	Allowed	0000	Off	1	DiagnosticCTL																																																																																																																																																																																																																																																																																																																																																															
Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name																																																																																																																																																																																																																																																																																																																																																																
0	SWB-04	<05>	81	Blocked	0000	Off	0	FormatTrack																																																																																																																																																																																																																																																																																																																																																															
1	SWB-04	<06>	81	Blocked	0000	Off	0	FormatBadSectors																																																																																																																																																																																																																																																																																																																																																															
2	SWB-04	<07>	81	Blocked	0000	Off	0	FormatCyl																																																																																																																																																																																																																																																																																																																																																															
3	SWB-04	<09>	81	Allowed	0000	Off	1	InitDriveParms																																																																																																																																																																																																																																																																																																																																																															
4	SWB-04	<0E>	81	Allowed	0000	Off	1	DiagnosticESDI																																																																																																																																																																																																																																																																																																																																																															
5	SWB-04	<0F>	81	Blocked	0000	Off	0	DiagnosticESDI																																																																																																																																																																																																																																																																																																																																																															
6	SWB-04	<12>	81	Allowed	0000	Off	1	DiagnosticRAM																																																																																																																																																																																																																																																																																																																																																															
7	SWB-04	<13>	81	Blocked	0000	Off	0	DiagnosticDrive																																																																																																																																																																																																																																																																																																																																																															
8	SWB-04	<14>	81	Allowed	0000	Off	1	DiagnosticCTL																																																																																																																																																																																																																																																																																																																																																															
Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name																																																																																																																																																																																																																																																																																																																																																																
0	SWB-04	<05>	82	Blocked	0000	Off	0	FormatTrack																																																																																																																																																																																																																																																																																																																																																															
1	SWB-04	<06>	82	Blocked	0000	Off	0	FormatBadSectors																																																																																																																																																																																																																																																																																																																																																															
2	SWB-04	<07>	82	Blocked	0000	Off	0	FormatCyl																																																																																																																																																																																																																																																																																																																																																															
3	SWB-04	<09>	82	Allowed	0000	Off	1	InitDriveParms																																																																																																																																																																																																																																																																																																																																																															
4	SWB-04	<0E>	82	Allowed	0000	Off	1	DiagnosticESDI																																																																																																																																																																																																																																																																																																																																																															
5	SWB-04	<0F>	82	Blocked	0000	Off	0	DiagnosticESDI																																																																																																																																																																																																																																																																																																																																																															
6	SWB-04	<12>	82	Allowed	0000	Off	1	DiagnosticRAM																																																																																																																																																																																																																																																																																																																																																															
7	SWB-04	<13>	82	Blocked	0000	Off	0	DiagnosticDrive																																																																																																																																																																																																																																																																																																																																																															
8	SWB-04	<14>	82	Allowed	0000	Off	1	DiagnosticCTL																																																																																																																																																																																																																																																																																																																																																															
Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name																																																																																																																																																																																																																																																																																																																																																																
0	SWB-04	<05>	83	Blocked	0000	Off	0	FormatTrack																																																																																																																																																																																																																																																																																																																																																															
1	SWB-04	<06>	83	Blocked	0000	Off	0	FormatBadSectors																																																																																																																																																																																																																																																																																																																																																															
2	SWB-04	<07>	83	Blocked	0000	Off	0	FormatCyl																																																																																																																																																																																																																																																																																																																																																															
3	SWB-04	<09>	83	Allowed	0000	Off	1	InitDriveParms																																																																																																																																																																																																																																																																																																																																																															
4	SWB-04	<0E>	83	Allowed	0000	Off	1	DiagnosticESDI																																																																																																																																																																																																																																																																																																																																																															
5	SWB-04	<0F>	83	Blocked	0000	Off	0	DiagnosticESDI																																																																																																																																																																																																																																																																																																																																																															
6	SWB-04	<12>	83	Allowed	0000	Off	1	DiagnosticRAM																																																																																																																																																																																																																																																																																																																																																															
7	SWB-04	<13>	83	Blocked	0000	Off	0	DiagnosticDrive																																																																																																																																																																																																																																																																																																																																																															
8	SWB-04	<14>	83	Allowed	0000	Off	1	DiagnosticCTL																																																																																																																																																																																																																																																																																																																																																															
Results:	Assertion	Expected Results	Actual Results																																																																																																																																																																																																																																																																																																																																																																				
	AM-02	All cmds to drive 80 blocked	Not all cmds to drive 80 blocked																																																																																																																																																																																																																																																																																																																																																																				
	AM-02	All cmds to drive 81 blocked	Not all cmds to drive 81 blocked																																																																																																																																																																																																																																																																																																																																																																				
	AM-02	All cmds to drive 82 blocked	Not all cmds to drive 82 blocked																																																																																																																																																																																																																																																																																																																																																																				
	AM-02	All cmds to drive 83 blocked	Not all cmds to drive 83 blocked																																																																																																																																																																																																																																																																																																																																																																				
	AM-07	Tool active message	Tool active message																																																																																																																																																																																																																																																																																																																																																																				
	AM-08	4 drives identified	4 drives identified																																																																																																																																																																																																																																																																																																																																																																				
	AM-09	Drive 80 is protected	Drive 80 is protected																																																																																																																																																																																																																																																																																																																																																																				
	AM-09	Drive 81 is protected	Drive 81 is protected																																																																																																																																																																																																																																																																																																																																																																				
	AM-09	Drive 82 is protected	Drive 82 is protected																																																																																																																																																																																																																																																																																																																																																																				
	AM-09	Drive 83 is protected	Drive 83 is protected																																																																																																																																																																																																																																																																																																																																																																				

<b>Case SWB-04 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997</b>			
	<b>AM-10</b>	<b>20 Commands return success</b>	<b>20 Commands return success</b>
Analysis:	SWB-04 Expected results not achieved for assertions: AM-02		

<b>Case SWB-05 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997</b>	
Case summary:	SWB-05 Install two drives, configure return code to failure, protect all drives, execute miscellaneous commands.
Assertions Tested:	<p>SWB-AM-03. If a drive is protected and a command from the miscellaneous category is issued for the protected drive then the tool shall block the command.</p> <p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p>
Tester Name:	Blive
Test Date:	Thu Sep 25 13:52:51 2003
Test PC:	Wimsey
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors</p> <p>Drive 81, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p>
Commands executed:	<p>Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hdl5 01</p> <p>test-hdl SWB-05 Wimsey Blive m 6F E4</p> <p>Shutdown Test PC</p>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:52:48) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       2 Hard-Disks reported by Int_13h       Hard-Disk 0      Locked!       Hard-Disk 1      Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-05 Wimsey Blive m 6F E4 Case: SWB-05 Command set: Misc Date: Thu Sep 25 13:52:51 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Wimsey Number of drives 2, Drives: 6F E4       Case Cmd Drv Action Stat Cry Count Cmd Name       0 SWB-05 &lt;16&gt; 80 Allowed 0000 Off      1 Undefined       ...        misc commands 17-FD results omitted        see log files for full results        ...  226 SWB-05 &lt;FE&gt; 80 Allowed 0000 Off      1 Undefined 227 SWB-05 &lt;FF&gt; 80 Allowed 0000 Off      1 Undefined Results for SWB-05 category m on drive 80 Not all commands blocked (2 of 228)       0 SWB-05 &lt;16&gt; 81 Allowed 0000 Off      1 Undefined       ...        misc commands 17-FD results omitted </pre>

Case SWB-05 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	<pre> see log files for full results  ...  226 SWB-05 &lt;FE&gt; 81 Allowed 0000 Off      1 Undefined 227 SWB-05 &lt;FF&gt; 81 Allowed 0000 Off      1 Undefined Results for SWB-05 category m on drive 81 Not all commands blocked (2 of 228) Summary: 456 sent, 4 blocked, 452 not blocked </pre>		
Results:	Assertion	Expected Results	Actual Results
	AM-03	All cmds to drive 80 blocked	Not all cmds to drive 80 blocked
	AM-03	All cmds to drive 81 blocked	Not all cmds to drive 81 blocked
	AM-07	Tool active message	Tool active message
	AM-08	2 drives identified	2 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-11	4 Commands return fail	4 Commands return fail
Analysis:	SWB-05 Expected results not achieved for assertions: AM-03		

Case SWB-06 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-06 Install one drive, configure return code to success, protect all drives, execute miscellaneous commands.
Assertions Tested:	<p>SWB-AM-03. If a drive is protected and a command from the miscellaneous category is issued for the protected drive then the tool shall block the command.</p> <p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p>
Tester Name:	JRL
Test Date:	Thu Sep 25 14:57:01 2003
Test PC:	McCloud
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors
Commands executed:	<pre> Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 S0 test-hdl SWB-06 McCloud JRL m 8A Shutdown Test PC </pre>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 14:56:54) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       1 Hard-Disks reported by Int_13h       Hard-Disk 0 Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-06 McCloud JRL m 8A Case: SWB-06 Command set: Misc Date: Thu Sep 25 14:57:01 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: JRL </pre>

Case SWB-06 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
Host: McCloud Number of drives 1, Drives: 8A Case Cmd Drv Action Stat Cry Count Cmd Name 0 SWB-06 <16> 80 Allowed 0000 Off 1 Undefined ... misc commands 17-FD results omitted see log files for full results ... 226 SWB-06 <FE> 80 Allowed 0000 Off 1 Undefined 227 SWB-06 <FF> 80 Allowed 0000 Off 1 Undefined Results for SWB-06 category m on drive 80 Not all commands blocked (2 of 228) Summary: 228 sent, 2 blocked, 226 not blocked			
Results:	Assertion	Expected Results	Actual Results
	AM-03	All cmds to drive 80 blocked	Not all cmds to drive 80 blocked
	AM-07	Tool active message	Tool active message
	AM-08	1 drives identified	1 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-10	2 Commands return success	2 Commands return success
Analysis:	SWB-06 Expected results not achieved for assertions: AM-03		

Case SWB-07 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-07 Install all drives, configure return code to failure, protect all drives, execute read commands.
Assertions Tested:	SWB-AM-04. If a drive is protected and a command from the read category is issued for the protected drive then the tool shall not block the command. SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces. SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface. SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.
Tester Name:	Blive
Test Date:	Thu Sep 25 13:27:39 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors Drive 83, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 0123 test-hdl SWB-07 Rumpole Blive r 6F 8A E4 2B Shutdown Test PC
Log File Highlights:	***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:27:37) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 4 Hard-Disks reported by Int_13h Hard-Disk 0 Locked! Hard-Disk 1 Locked! Hard-Disk 2 Locked! Hard-Disk 3 Locked! H-D Write Lock successfully installed. ***** Test Harness Log *****

Case SWB-07 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
CMD: A:\TEST-HDL.EXE SWB-07 Rumpole Blive r 6F 8A E4 2B Case: SWB-07 Command set: Read Date: Thu Sep 25 13:27:39 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 4, Drives: 6F 8A E4 2B Case  Cmd  Drv  Action  Stat  Cry  Count  Cmd  Name 0  SWB-07  <02>  80  Allowed  0000  Off    1  ReadSectors 1  SWB-07  <0A>  80  Allowed  0000  Off    1  ReadLong 2  SWB-07  <42>  80  Allowed  0000  Off    1  ExtRead Results for SWB-07 category r on drive 80 No commands blocked (0 of 3) 0  SWB-07  <02>  81  Allowed  0000  Off    1  ReadSectors 1  SWB-07  <0A>  81  Allowed  0000  Off    1  ReadLong 2  SWB-07  <42>  81  Allowed  0000  Off    1  ExtRead Results for SWB-07 category r on drive 81 No commands blocked (0 of 3) 0  SWB-07  <02>  82  Allowed  0000  Off    1  ReadSectors 1  SWB-07  <0A>  82  Allowed  0000  Off    1  ReadLong 2  SWB-07  <42>  82  Allowed  0000  Off    1  ExtRead Results for SWB-07 category r on drive 82 No commands blocked (0 of 3) 0  SWB-07  <02>  83  Allowed  0000  Off    1  ReadSectors 1  SWB-07  <0A>  83  Allowed  0000  Off    1  ReadLong 2  SWB-07  <42>  83  Allowed  0000  Off    1  ExtRead Results for SWB-07 category r on drive 83 No commands blocked (0 of 3) Summary: 12 sent, 0 blocked, 12 not blocked			
Results:	Assertion	Expected Results	Actual Results
	AM-04	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AM-04	No cmds to drive 81 blocked	No cmds to drive 81 blocked
	AM-04	No cmds to drive 82 blocked	No cmds to drive 82 blocked
	AM-04	No cmds to drive 83 blocked	No cmds to drive 83 blocked
	AM-07	Tool active message	Tool active message
	AM-08	4 drives identified	4 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-09	Drive 83 is protected	Drive 83 is protected
	AM-11	0 Commands return fail	0 Commands return fail
Analysis:	SWB-07 Expected results achieved		

Case SWB-08 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-08 Install two drives, configure return code to success, protect all drives, execute read commands.
Assertions Tested:	SWB-AM-04. If a drive is protected and a command from the read category is issued for the protected drive then the tool shall not block the command. SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces. SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface. SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.
Tester Name:	Blive
Test Date:	Thu Sep 25 13:59:35 2003
Test PC:	Wimsey
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors Drive 81, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hd15 S01

Case SWB-08 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997																											
	test-hdl SWB-08 Wimsey Blive r 6F E4 Shutdown Test PC																										
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:59:33) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       2 Hard-Disks reported by Int_13h       Hard-Disk 0      Locked!       Hard-Disk 1      Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-08 Wimsey Blive r 6F E4 Case: SWB-08 Command set: Read Date: Thu Sep 25 13:59:35 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51           @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19           Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Wimsey Number of drives 2, Drives: 6F E4       Case Cmd Drv Action Stat Cry Count Cmd Name       0 SWB-08 &lt;02&gt; 80 Allowed 0000 Off      1  ReadSectors       1 SWB-08 &lt;0A&gt; 80 Allowed 0000 Off      1  ReadLong       2 SWB-08 &lt;42&gt; 80 Allowed 0000 Off      1  ExtRead Results for SWB-08 category r on drive 80 No commands blocked (0 of 3)       0 SWB-08 &lt;02&gt; 81 Allowed 0000 Off      1  ReadSectors       1 SWB-08 &lt;0A&gt; 81 Allowed 0000 Off      1  ReadLong       2 SWB-08 &lt;42&gt; 81 Allowed 0000 Off      1  ExtRead Results for SWB-08 category r on drive 81 No commands blocked (0 of 3) Summary: 6 sent, 0 blocked, 6 not blocked </pre>																										
Results:	<table border="1"> <thead> <tr> <th>Assertion</th> <th>Expected Results</th> <th>Actual Results</th> </tr> </thead> <tbody> <tr> <td>AM-04</td> <td>No cmds to drive 80 blocked</td> <td>No cmds to drive 80 blocked</td> </tr> <tr> <td>AM-04</td> <td>No cmds to drive 81 blocked</td> <td>No cmds to drive 81 blocked</td> </tr> <tr> <td>AM-07</td> <td>Tool active message</td> <td>Tool active message</td> </tr> <tr> <td>AM-08</td> <td>2 drives identified</td> <td>2 drives identified</td> </tr> <tr> <td>AM-09</td> <td>Drive 80 is protected</td> <td>Drive 80 is protected</td> </tr> <tr> <td>AM-09</td> <td>Drive 81 is protected</td> <td>Drive 81 is protected</td> </tr> <tr> <td>AM-10</td> <td>0 Commands return success</td> <td>0 Commands return success</td> </tr> </tbody> </table>	Assertion	Expected Results	Actual Results	AM-04	No cmds to drive 80 blocked	No cmds to drive 80 blocked	AM-04	No cmds to drive 81 blocked	No cmds to drive 81 blocked	AM-07	Tool active message	Tool active message	AM-08	2 drives identified	2 drives identified	AM-09	Drive 80 is protected	Drive 80 is protected	AM-09	Drive 81 is protected	Drive 81 is protected	AM-10	0 Commands return success	0 Commands return success		
Assertion	Expected Results	Actual Results																									
AM-04	No cmds to drive 80 blocked	No cmds to drive 80 blocked																									
AM-04	No cmds to drive 81 blocked	No cmds to drive 81 blocked																									
AM-07	Tool active message	Tool active message																									
AM-08	2 drives identified	2 drives identified																									
AM-09	Drive 80 is protected	Drive 80 is protected																									
AM-09	Drive 81 is protected	Drive 81 is protected																									
AM-10	0 Commands return success	0 Commands return success																									
Analysis:	SWB-08 Expected results achieved																										

Case SWB-09 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-09 Install one drive, configure return code to failure, protect all drives, execute information commands.
Assertions Tested:	<p>SWB-AM-06. If a drive is protected and a command from the information category is issued for the protected drive then the tool shall not block the command.</p> <p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p>
Tester Name:	Blive
Test Date:	Thu Sep 25 15:04:52 2003
Test PC:	McCloud
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13



Case SWB-09 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997																					
	hdl5 0 test-hdl SWB-09 McCloud Blive i 8A Shutdown Test PC																				
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 15:04:45) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       1 Hard-Disks reported by Int_13h       Hard-Disk 0      Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-09 McCloud Blive i 8A Case: SWB-09 Command set: Information Date: Thu Sep 25 15:04:52 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51           @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19           Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: McCloud Number of drives 1, Drives: 8A       Case Cmd Drv Action Stat Cry Count Cmd Name       0 SWB-09 &lt;01&gt; 80 Allowed 0000 Off      1  GetLastStatus       1 SWB-09 &lt;04&gt; 80 Allowed 0000 Off      1  VerifySectors       2 SWB-09 &lt;08&gt; 80 Allowed 0000 Off      1  ReadDriveParms       3 SWB-09 &lt;10&gt; 80 Allowed 0000 Off      1  TestDriveReady       4 SWB-09 &lt;15&gt; 80 Allowed 0000 Off      1  ReadDriveType       5 SWB-09 &lt;41&gt; 80 Allowed 0000 Off      1  CheckForExtensions       6 SWB-09 &lt;44&gt; 80 Allowed 0000 Off      1  VerifySectors       7 SWB-09 &lt;48&gt; 80 Allowed 0000 Off      1  GetDriveParms Results for SWB-09 category i on drive 80 No commands blocked (0 of 8) Summary: 8 sent, 0 blocked, 8 not blocked           </pre>																				
Results:	<table border="1"> <thead> <tr> <th>Assertion</th> <th>Expected Results</th> <th>Actual Results</th> </tr> </thead> <tbody> <tr> <td>AM-06</td> <td>No cmds to drive 80 blocked</td> <td>No cmds to drive 80 blocked</td> </tr> <tr> <td>AM-07</td> <td>Tool active message</td> <td>Tool active message</td> </tr> <tr> <td>AM-08</td> <td>1 drives identified</td> <td>1 drives identified</td> </tr> <tr> <td>AM-09</td> <td>Drive 80 is protected</td> <td>Drive 80 is protected</td> </tr> <tr> <td>AM-11</td> <td>0 Commands return fail</td> <td>0 Commands return fail</td> </tr> </tbody> </table>	Assertion	Expected Results	Actual Results	AM-06	No cmds to drive 80 blocked	No cmds to drive 80 blocked	AM-07	Tool active message	Tool active message	AM-08	1 drives identified	1 drives identified	AM-09	Drive 80 is protected	Drive 80 is protected	AM-11	0 Commands return fail	0 Commands return fail		
Assertion	Expected Results	Actual Results																			
AM-06	No cmds to drive 80 blocked	No cmds to drive 80 blocked																			
AM-07	Tool active message	Tool active message																			
AM-08	1 drives identified	1 drives identified																			
AM-09	Drive 80 is protected	Drive 80 is protected																			
AM-11	0 Commands return fail	0 Commands return fail																			
Analysis:	SWB-09 Expected results achieved																				

Case SWB-10 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-10 Install all drives, configure return code to success, protect all drives, execute information commands.
Assertions Tested:	SWB-AM-06. If a drive is protected and a command from the information category is issued for the protected drive then the tool shall not block the command. SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces. SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface. SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.
Tester Name:	Blive
Test Date:	Thu Sep 25 13:30:34 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors Drive 83, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors
Commands	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222]

Case SWB-10 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
executed:	tally13 hdl5 S0123 test-hdl SWB-10 Rumpole Blive i 6F 8A E4 2B Shutdown Test PC		
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:30:31) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997   4 Hard-Disks reported by Int_13h   Hard-Disk 0    Locked!   Hard-Disk 1    Locked!   Hard-Disk 2    Locked!   Hard-Disk 3    Locked!   H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-10 Rumpole Blive i 6F 8A E4 2B Case: SWB-10 Command set: Information Date: Thu Sep 25 13:30:34 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51           @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19           Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 4, Drives: 6F 8A E4 2B   Case Cmd Drv Action Stat Cry Count Cmd Name   0 SWB-10 &lt;01&gt; 80 Allowed 0000 Off 1 GetLastStatus   1 SWB-10 &lt;04&gt; 80 Allowed 0000 Off 1 VerifySectors   2 SWB-10 &lt;08&gt; 80 Allowed 0000 Off 1 ReadDriveParms   3 SWB-10 &lt;10&gt; 80 Allowed 0000 Off 1 TestDriveReady   4 SWB-10 &lt;15&gt; 80 Allowed 0000 Off 1 ReadDriveType   5 SWB-10 &lt;41&gt; 80 Allowed 0000 Off 1 CheckForExtensions   6 SWB-10 &lt;44&gt; 80 Allowed 0000 Off 1 VerifySectors   7 SWB-10 &lt;48&gt; 80 Allowed 0000 Off 1 GetDriveParms Results for SWB-10 category i on drive 80 No commands blocked (0 of 8)   0 SWB-10 &lt;01&gt; 81 Allowed 0000 Off 1 GetLastStatus   1 SWB-10 &lt;04&gt; 81 Allowed 0000 Off 1 VerifySectors   2 SWB-10 &lt;08&gt; 81 Allowed 0000 Off 1 ReadDriveParms   3 SWB-10 &lt;10&gt; 81 Allowed 0000 Off 1 TestDriveReady   4 SWB-10 &lt;15&gt; 81 Allowed 0000 Off 1 ReadDriveType   5 SWB-10 &lt;41&gt; 81 Allowed 0000 Off 1 CheckForExtensions   6 SWB-10 &lt;44&gt; 81 Allowed 0000 Off 1 VerifySectors   7 SWB-10 &lt;48&gt; 81 Allowed 0000 Off 1 GetDriveParms Results for SWB-10 category i on drive 81 No commands blocked (0 of 8)   0 SWB-10 &lt;01&gt; 82 Allowed 0000 Off 1 GetLastStatus   1 SWB-10 &lt;04&gt; 82 Allowed 0000 Off 1 VerifySectors   2 SWB-10 &lt;08&gt; 82 Allowed 0000 Off 1 ReadDriveParms   3 SWB-10 &lt;10&gt; 82 Allowed 0000 Off 1 TestDriveReady   4 SWB-10 &lt;15&gt; 82 Allowed 0000 Off 1 ReadDriveType   5 SWB-10 &lt;41&gt; 82 Allowed 0000 Off 1 CheckForExtensions   6 SWB-10 &lt;44&gt; 82 Allowed 0000 Off 1 VerifySectors   7 SWB-10 &lt;48&gt; 82 Allowed 0000 Off 1 GetDriveParms Results for SWB-10 category i on drive 82 No commands blocked (0 of 8)   0 SWB-10 &lt;01&gt; 83 Allowed 0000 Off 1 GetLastStatus   1 SWB-10 &lt;04&gt; 83 Allowed 0000 Off 1 VerifySectors   2 SWB-10 &lt;08&gt; 83 Allowed 0000 Off 1 ReadDriveParms   3 SWB-10 &lt;10&gt; 83 Allowed 0000 Off 1 TestDriveReady   4 SWB-10 &lt;15&gt; 83 Allowed 0000 Off 1 ReadDriveType   5 SWB-10 &lt;41&gt; 83 Allowed 0000 Off 1 CheckForExtensions   6 SWB-10 &lt;44&gt; 83 Allowed 0000 Off 1 VerifySectors   7 SWB-10 &lt;48&gt; 83 Allowed 0000 Off 1 GetDriveParms Results for SWB-10 category i on drive 83 No commands blocked (0 of 8) Summary: 32 sent, 0 blocked, 32 not blocked           </pre>		
Results:	Assertion	Expected Results	Actual Results
	AM-06	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AM-06	No cmds to drive 81 blocked	No cmds to drive 81 blocked

Case SWB-10 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	AM-06	No cmds to drive 82 blocked	No cmds to drive 82 blocked
	AM-06	No cmds to drive 83 blocked	No cmds to drive 83 blocked
	AM-07	Tool active message	Tool active message
	AM-08	4 drives identified	4 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-09	Drive 83 is protected	Drive 83 is protected
	AM-10	0 Commands return success	0 Commands return success
Analysis:	SWB-10 Expected results achieved		

Case SWB-11 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-11 Install two drives, configure return code to failure, protect all drives, execute control commands.
Assertions Tested:	<p>SWB-AM-05. If a drive is protected and a command from the control category is issued for the protected drive then the tool shall not block the command.</p> <p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p>
Tester Name:	Blive
Test Date:	Thu Sep 25 14:02:11 2003
Test PC:	Wimsey
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors</p> <p>Drive 81, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p>
Commands executed:	<pre> Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 01 test-hdl SWB-11 Wimsey Blive c 6F E4 Shutdown Test PC </pre>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 14:02:09) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       2 Hard-Disks reported by Int_13h       Hard-Disk 0      Locked!       Hard-Disk 1      Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-11 Wimsey Blive c 6F E4 Case: SWB-11 Command set: Control Date: Thu Sep 25 14:02:11 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Wimsey Number of drives 2, Drives: 6F E4       Case Cmd Drv Action Stat Cry Count Cmd Name       0 SWB-11 &lt;00&gt; 80 Allowed 0000 Off      1 Reset       1 SWB-11 &lt;0C&gt; 80 Allowed 0000 Off      1 SeekDrive       2 SWB-11 &lt;0D&gt; 80 Allowed 0000 Off      1 AltReset       3 SWB-11 &lt;11&gt; 80 Allowed 0000 Off      1 Recalibrate       4 SWB-11 &lt;47&gt; 80 Allowed 0000 Off      1 ExtendedSeek Results for SWB-11 category c on drive 80 No commands blocked (0 of 5)       0 SWB-11 &lt;00&gt; 81 Allowed 0000 Off      1 Reset       1 SWB-11 &lt;0C&gt; 81 Allowed 0000 Off      1 SeekDrive       2 SWB-11 &lt;0D&gt; 81 Allowed 0000 Off      1 AltReset </pre>

<b>Case SWB-11 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997</b>			
	3 SWB-11 <11> 81 Allowed 0000 Off 1 Recalibrate 4 SWB-11 <47> 81 Allowed 0000 Off 1 ExtendedSeek Results for SWB-11 category c on drive 81 No commands blocked (0 of 5) Summary: 10 sent, 0 blocked, 10 not blocked		
Results:	Assertion	Expected Results	Actual Results
	AM-05	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AM-05	No cmds to drive 81 blocked	No cmds to drive 81 blocked
	AM-07	Tool active message	Tool active message
	AM-08	2 drives identified	2 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-11	0 Commands return fail	0 Commands return fail
Analysis:	SWB-11 Expected results achieved		

<b>Case SWB-12 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997</b>	
Case summary:	SWB-12 Install one drive, configure return code to success, protect all drives, execute control commands.
Assertions Tested:	SWB-AM-05. If a drive is protected and a command from the control category is issued for the protected drive then the tool shall not block the command. SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces. SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface. SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.
Tester Name:	JRL
Test Date:	Mon Sep 22 15:09:20 2003
Test PC:	AndWife
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 64 is a WDC WD64AA with 12594960 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 S0 test-hdl SWB-12 AndWife JRL c 64 Shutdown Test PC
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/22/03 at 15:09:13) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 1 Hard-Disks reported by Int_13h Hard-Disk 0 Locked! H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-12 AndWife JRL c 64 Case: SWB-12 Command set: Control Date: Mon Sep 22 15:09:20 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: JRL Host: AndWife Number of drives 1, Drives: 64 Case Cmd Drv Action Stat Cry Count Cmd Name 0 SWB-12 &lt;00&gt; 80 Allowed 0000 Off 1 Reset 1 SWB-12 &lt;0C&gt; 80 Allowed 0000 Off 1 SeekDrive 2 SWB-12 &lt;0D&gt; 80 Allowed 0000 Off 1 AltReset 3 SWB-12 &lt;11&gt; 80 Allowed 0000 Off 1 Recalibrate 4 SWB-12 &lt;47&gt; 80 Allowed 0000 Off 1 ExtendedSeek </pre>

<b>Case SWB-12 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997</b>			
	Results for SWB-12 category c on drive 80 No commands blocked (0 of 5) Summary: 5 sent, 0 blocked, 5 not blocked		
Results:	Assertion	Expected Results	Actual Results
	AM-05	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AM-07	Tool active message	Tool active message
	AM-08	1 drives identified	1 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-10	0 Commands return success	0 Commands return success
Analysis:	SWB-12 Expected results achieved		

<b>Case SWB-13 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997</b>	
Case summary:	SWB-13 Install all drives, configure return code to failure, protect with pattern odd, execute write commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p> <p>SWB-AO-01. If a subset of all covered drives is specified for protection, then commands from the write category shall be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	Blive
Test Date:	Thu Sep 25 13:34:55 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors</p> <p>Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p> <p>Drive 83, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors</p>
Commands executed:	<pre> Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 13 test-hdl SWB-13 Rumpole Blive w 6F 8A E4 2B Shutdown Test PC </pre>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:34:53) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 4 Hard-Disks reported by Int_13h Hard-Disk 0 Not Locked! Hard-Disk 1 Locked! Hard-Disk 2 Not Locked! Hard-Disk 3 Locked! H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-13 Rumpole Blive w 6F 8A E4 2B Case: SWB-13 Command set: Write Date: Thu Sep 25 13:34:55 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 4, Drives: 6F 8A E4 2B Case Cmd Drv Action Stat Cry Count Cmd Name 0 SWB-13 &lt;03&gt; 80 Allowed 0000 Off 1 WriteSectors </pre>

Case SWB-13 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	<pre> 1 SWB-13 &lt;0B&gt; 80 Allowed 0000 Off 1 WriteLong 2 SWB-13 &lt;43&gt; 80 Allowed 0000 Off 1 ExtWrite Results for SWB-13 category w on drive 80 No commands blocked (0 of 3) 0 SWB-13 &lt;03&gt; 81 Blocked 0300 On 0 WriteSectors 1 SWB-13 &lt;0B&gt; 81 Blocked 0300 On 0 WriteLong 2 SWB-13 &lt;43&gt; 81 Blocked 0300 On 0 ExtWrite Results for SWB-13 category w on drive 81 All commands blocked (3 of 3) 0 SWB-13 &lt;03&gt; 82 Allowed 0000 Off 1 WriteSectors 1 SWB-13 &lt;0B&gt; 82 Allowed 0000 Off 1 WriteLong 2 SWB-13 &lt;43&gt; 82 Allowed 0000 Off 1 ExtWrite Results for SWB-13 category w on drive 82 No commands blocked (0 of 3) 0 SWB-13 &lt;03&gt; 83 Blocked 0300 On 0 WriteSectors 1 SWB-13 &lt;0B&gt; 83 Blocked 0300 On 0 WriteLong 2 SWB-13 &lt;43&gt; 83 Blocked 0300 On 0 ExtWrite Results for SWB-13 category w on drive 83 All commands blocked (3 of 3) Summary: 12 sent, 6 blocked, 6 not blocked </pre>		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	4 drives identified	4 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-09	Drive 83 is protected	Drive 83 is protected
	AM-11	6 Commands return fail	6 Commands return fail
	AO-01	All cmds to drive 81 blocked	All cmds to drive 81 blocked
	AO-01	All cmds to drive 83 blocked	All cmds to drive 83 blocked
	AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked
Analysis:	SWB-13 Expected results achieved		

Case SWB-14 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-14 Install all drives, configure return code to success, protect with pattern low, execute write commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-01. If a subset of all covered drives is specified for protection, then commands from the write category shall be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	Blive
Test Date:	Thu Sep 25 13:37:55 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80,</p> <p>Drive 81, label 6F is a Maxtor 6Y060L0 with 120103200 sectors</p> <p>Drive 82, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 83, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p> <p>Drive 84, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors</p>
Commands executed:	<pre> Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 S01 test-hdl SWB-14 Rumpole Blive w 13 6F 8A E4 2B Shutdown Test PC </pre>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:37:52) Going . . . TSR </pre>

Case SWB-14 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
<pre> ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       4 Hard-Disks reported by Int_13h       Hard-Disk 0      Locked!       Hard-Disk 1      Locked!       Hard-Disk 2      Not Locked!       Hard-Disk 3      Not Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-14 Rumpole Blive w 13 6F 8A E4 2B Case: SWB-14 Command set: Write Date: Thu Sep 25 13:37:55 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51           @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19           Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 5, Drives: 13 6F 8A E4 2B       Case Cmd Drv Action Stat Cry Count Cmd Name       0 SWB-14 &lt;03&gt; 80 Blocked 0000 Off      0 WriteSectors       1 SWB-14 &lt;0B&gt; 80 Blocked 0000 Off      0 WriteLong       2 SWB-14 &lt;43&gt; 80 Blocked 0000 Off      0 ExtWrite Results for SWB-14 category w on drive 80 All commands blocked (3 of 3)       0 SWB-14 &lt;03&gt; 81 Blocked 0000 Off      0 WriteSectors       1 SWB-14 &lt;0B&gt; 81 Blocked 0000 Off      0 WriteLong       2 SWB-14 &lt;43&gt; 81 Blocked 0000 Off      0 ExtWrite Results for SWB-14 category w on drive 81 All commands blocked (3 of 3)       0 SWB-14 &lt;03&gt; 82 Allowed 0000 Off      1 WriteSectors       1 SWB-14 &lt;0B&gt; 82 Allowed 0000 Off      1 WriteLong       2 SWB-14 &lt;43&gt; 82 Allowed 0000 Off      1 ExtWrite Results for SWB-14 category w on drive 82 No commands blocked (0 of 3)       0 SWB-14 &lt;03&gt; 83 Allowed 0000 Off      1 WriteSectors       1 SWB-14 &lt;0B&gt; 83 Allowed 0000 Off      1 WriteLong       2 SWB-14 &lt;43&gt; 83 Allowed 0000 Off      1 ExtWrite Results for SWB-14 category w on drive 83 No commands blocked (0 of 3)       0 SWB-14 &lt;03&gt; 84 Allowed 0000 Off      1 WriteSectors       1 SWB-14 &lt;0B&gt; 84 Allowed 0000 Off      1 WriteLong       2 SWB-14 &lt;43&gt; 84 Allowed 0000 Off      1 ExtWrite Results for SWB-14 category w on drive 84 No commands blocked (0 of 3) Summary: 15 sent, 6 blocked, 9 not blocked </pre>			
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	5 drives identified	4 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-09	Drive 83 is unprotected	Drive 83 is unprotected
	AM-10	6 Commands return success	6 Commands return success
	AO-01	All cmds to drive 80 blocked	All cmds to drive 80 blocked
	AO-01	All cmds to drive 81 blocked	All cmds to drive 81 blocked
	AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked
	AO-07	No cmds to drive 83 blocked	No cmds to drive 83 blocked
Analysis:	SWB-14 Expected results achieved		

Case SWB-15 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-15 Install all drives, configure return code to failure, protect with pattern first, execute configuration commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p>

Case SWB-15 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
	SWB-AO-02. If a subset of all covered drives is specified for protection, then commands from the configuration category shall be blocked for drives in the selected subset. SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.
Tester Name:	Blive
Test Date:	Thu Sep 25 13:40:54 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors Drive 83, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 0 test-hdl SWB-15 Rumpole Blive x 6F 8A E4 2B Shutdown Test PC
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:40:52) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997   4 Hard-Disks reported by Int_13h     Hard-Disk 0 Locked!     Hard-Disk 1 Not Locked!     Hard-Disk 2 Not Locked!     Hard-Disk 3 Not Locked!     H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-15 Rumpole Blive x 6F 8A E4 2B Case: SWB-15 Command set: Configure Date: Thu Sep 25 13:40:54 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51         @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19         Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 4, Drives: 6F 8A E4 2B   Case  Cmd Drv Action  Stat Cry Count  Cmd Name   0 SWB-15 &lt;05&gt; 80 Blocked 0300 On    0 FormatTrack   1 SWB-15 &lt;06&gt; 80 Blocked 0300 On    0 FormatBadSectors   2 SWB-15 &lt;07&gt; 80 Blocked 0300 On    0 FormatCyl   3 SWB-15 &lt;09&gt; 80 Allowed 0000 Off    1 InitDriveParms   4 SWB-15 &lt;0E&gt; 80 Allowed 0000 Off    1 DiagnosticESDI   5 SWB-15 &lt;0F&gt; 80 Blocked 0300 On    0 DiagnosticESDI   6 SWB-15 &lt;12&gt; 80 Allowed 0000 Off    1 DiagnosticRAM   7 SWB-15 &lt;13&gt; 80 Blocked 0300 On    0 DiagnosticDrive   8 SWB-15 &lt;14&gt; 80 Allowed 0000 Off    1 DiagnosticCTL Results for SWB-15 category x on drive 80 Not all commands blocked (5 of 9)   0 SWB-15 &lt;05&gt; 81 Allowed 0000 Off    1 FormatTrack   1 SWB-15 &lt;06&gt; 81 Allowed 0000 Off    1 FormatBadSectors   2 SWB-15 &lt;07&gt; 81 Allowed 0000 Off    1 FormatCyl   3 SWB-15 &lt;09&gt; 81 Allowed 0000 Off    1 InitDriveParms   4 SWB-15 &lt;0E&gt; 81 Allowed 0000 Off    1 DiagnosticESDI   5 SWB-15 &lt;0F&gt; 81 Allowed 0000 Off    1 DiagnosticESDI   6 SWB-15 &lt;12&gt; 81 Allowed 0000 Off    1 DiagnosticRAM   7 SWB-15 &lt;13&gt; 81 Allowed 0000 Off    1 DiagnosticDrive   8 SWB-15 &lt;14&gt; 81 Allowed 0000 Off    1 DiagnosticCTL Results for SWB-15 category x on drive 81 No commands blocked (0 of 9)   0 SWB-15 &lt;05&gt; 82 Allowed 0000 Off    1 FormatTrack   1 SWB-15 &lt;06&gt; 82 Allowed 0000 Off    1 FormatBadSectors   2 SWB-15 &lt;07&gt; 82 Allowed 0000 Off    1 FormatCyl   3 SWB-15 &lt;09&gt; 82 Allowed 0000 Off    1 InitDriveParms   4 SWB-15 &lt;0E&gt; 82 Allowed 0000 Off    1 DiagnosticESDI   5 SWB-15 &lt;0F&gt; 82 Allowed 0000 Off    1 DiagnosticESDI </pre>



Case SWB-15 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	<pre> 6 SWB-15 &lt;12&gt; 82 Allowed 0000 Off 1 DiagnosticRAM 7 SWB-15 &lt;13&gt; 82 Allowed 0000 Off 1 DiagnosticDrive 8 SWB-15 &lt;14&gt; 82 Allowed 0000 Off 1 DiagnosticCTL Results for SWB-15 category x on drive 82 No commands blocked (0 of 9) 0 SWB-15 &lt;05&gt; 83 Allowed 0000 Off 1 FormatTrack 1 SWB-15 &lt;06&gt; 83 Allowed 0000 Off 1 FormatBadSectors 2 SWB-15 &lt;07&gt; 83 Allowed 0000 Off 1 FormatCyl 3 SWB-15 &lt;09&gt; 83 Allowed 0000 Off 1 InitDriveParms 4 SWB-15 &lt;0E&gt; 83 Allowed 0000 Off 1 DiagnosticESDI 5 SWB-15 &lt;0F&gt; 83 Allowed 0000 Off 1 DiagnosticESDI 6 SWB-15 &lt;12&gt; 83 Allowed 0000 Off 1 DiagnosticRAM 7 SWB-15 &lt;13&gt; 83 Allowed 0000 Off 1 DiagnosticDrive 8 SWB-15 &lt;14&gt; 83 Allowed 0000 Off 1 DiagnosticCTL Results for SWB-15 category x on drive 83 No commands blocked (0 of 9) Summary: 36 sent, 5 blocked, 31 not blocked </pre>		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	4 drives identified	4 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is unprotected	Drive 81 is unprotected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-09	Drive 83 is unprotected	Drive 83 is unprotected
	AM-11	5 Commands return fail	5 Commands return fail
	AO-02	All cmds to drive 80 blocked	Not all cmds to drive 80 blocked
	AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked
	AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked
	AO-07	No cmds to drive 83 blocked	No cmds to drive 83 blocked
Analysis:	SWB-15 Expected results not achieved for assertions: AO-02		

Case SWB-16 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-16 Install all drives, configure return code to success, protect with pattern mid, execute configuration commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-02. If a subset of all covered drives is specified for protection, then commands from the configuration category shall be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	Blive
Test Date:	Thu Sep 25 13:43:16 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors</p> <p>Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p> <p>Drive 83, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors</p>
Commands executed:	<pre> Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 S2 test-hdl SWB-16 Rumpole Blive x 6F 8A E4 2B Shutdown Test PC </pre>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:43:13) Going . . . TSR ***** Install HDL Log ***** </pre>

Case SWB-16 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
<pre> HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 4 Hard-Disks reported by Int_13h Hard-Disk 0 Not Locked! Hard-Disk 1 Not Locked! Hard-Disk 2 Locked! Hard-Disk 3 Not Locked! H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-16 Rumpole Blive x 6F 8A E4 2B Case: SWB-16 Command set: Configure Date: Thu Sep 25 13:43:16 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51           @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19           Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 4, Drives: 6F 8A E4 2B Case Cmd Drv Action Stat Cry Count Cmd Name 0 SWB-16 &lt;05&gt; 80 Allowed 0000 Off 1 FormatTrack 1 SWB-16 &lt;06&gt; 80 Allowed 0000 Off 1 FormatBadSectors 2 SWB-16 &lt;07&gt; 80 Allowed 0000 Off 1 FormatCyl 3 SWB-16 &lt;09&gt; 80 Allowed 0000 Off 1 InitDriveParms 4 SWB-16 &lt;0E&gt; 80 Allowed 0000 Off 1 DiagnosticESDI 5 SWB-16 &lt;0F&gt; 80 Allowed 0000 Off 1 DiagnosticESDI 6 SWB-16 &lt;12&gt; 80 Allowed 0000 Off 1 DiagnosticRAM 7 SWB-16 &lt;13&gt; 80 Allowed 0000 Off 1 DiagnosticDrive 8 SWB-16 &lt;14&gt; 80 Allowed 0000 Off 1 DiagnosticCTL Results for SWB-16 category x on drive 80 No commands blocked (0 of 9) 0 SWB-16 &lt;05&gt; 81 Allowed 0000 Off 1 FormatTrack 1 SWB-16 &lt;06&gt; 81 Allowed 0000 Off 1 FormatBadSectors 2 SWB-16 &lt;07&gt; 81 Allowed 0000 Off 1 FormatCyl 3 SWB-16 &lt;09&gt; 81 Allowed 0000 Off 1 InitDriveParms 4 SWB-16 &lt;0E&gt; 81 Allowed 0000 Off 1 DiagnosticESDI 5 SWB-16 &lt;0F&gt; 81 Allowed 0000 Off 1 DiagnosticESDI 6 SWB-16 &lt;12&gt; 81 Allowed 0000 Off 1 DiagnosticRAM 7 SWB-16 &lt;13&gt; 81 Allowed 0000 Off 1 DiagnosticDrive 8 SWB-16 &lt;14&gt; 81 Allowed 0000 Off 1 DiagnosticCTL Results for SWB-16 category x on drive 81 No commands blocked (0 of 9) 0 SWB-16 &lt;05&gt; 82 Blocked 0000 Off 0 FormatTrack 1 SWB-16 &lt;06&gt; 82 Blocked 0000 Off 0 FormatBadSectors 2 SWB-16 &lt;07&gt; 82 Blocked 0000 Off 0 FormatCyl 3 SWB-16 &lt;09&gt; 82 Allowed 0000 Off 1 InitDriveParms 4 SWB-16 &lt;0E&gt; 82 Allowed 0000 Off 1 DiagnosticESDI 5 SWB-16 &lt;0F&gt; 82 Blocked 0000 Off 0 DiagnosticESDI 6 SWB-16 &lt;12&gt; 82 Allowed 0000 Off 1 DiagnosticRAM 7 SWB-16 &lt;13&gt; 82 Blocked 0000 Off 0 DiagnosticDrive 8 SWB-16 &lt;14&gt; 82 Allowed 0000 Off 1 DiagnosticCTL Results for SWB-16 category x on drive 82 Not all commands blocked (5 of 9) 0 SWB-16 &lt;05&gt; 83 Allowed 0000 Off 1 FormatTrack 1 SWB-16 &lt;06&gt; 83 Allowed 0000 Off 1 FormatBadSectors 2 SWB-16 &lt;07&gt; 83 Allowed 0000 Off 1 FormatCyl 3 SWB-16 &lt;09&gt; 83 Allowed 0000 Off 1 InitDriveParms 4 SWB-16 &lt;0E&gt; 83 Allowed 0000 Off 1 DiagnosticESDI 5 SWB-16 &lt;0F&gt; 83 Allowed 0000 Off 1 DiagnosticESDI 6 SWB-16 &lt;12&gt; 83 Allowed 0000 Off 1 DiagnosticRAM 7 SWB-16 &lt;13&gt; 83 Allowed 0000 Off 1 DiagnosticDrive 8 SWB-16 &lt;14&gt; 83 Allowed 0000 Off 1 DiagnosticCTL Results for SWB-16 category x on drive 83 No commands blocked (0 of 9) Summary: 36 sent, 5 blocked, 31 not blocked </pre>			
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	4 drives identified	4 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is unprotected	Drive 81 is unprotected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-09	Drive 83 is unprotected	Drive 83 is unprotected
	AM-10	5 Commands return success	5 Commands return success

Case SWB-16 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	AO-02	All cmds to drive 82 blocked	Not all cmds to drive 82 blocked
	AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked
	AO-07	No cmds to drive 83 blocked	No cmds to drive 83 blocked
Analysis:	SWB-16 Expected results not achieved for assertions: AO-02		

Case SWB-17 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-17 Install all drives, configure return code to failure, protect with pattern random_p, execute miscellaneous commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p> <p>SWB-AO-03. If a subset of all covered drives is specified for protection, then commands from the miscellaneous category shall be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	Blive
Test Date:	Thu Sep 25 13:45:19 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors</p> <p>Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p> <p>Drive 83, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors</p>
Commands executed:	<p>Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hdl5 1</p> <p>test-hdl SWB-17 Rumpole Blive m 6F 8A E4 2B</p> <p>Shutdown Test PC</p>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:45:17) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997   4 Hard-Disks reported by Int_13h   Hard-Disk 0 Not Locked!   Hard-Disk 1   Locked!   Hard-Disk 2 Not Locked!   Hard-Disk 3 Not Locked!   H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-17 Rumpole Blive m 6F 8A E4 2B Case: SWB-17 Command set: Misc Date: Thu Sep 25 13:45:19 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 4, Drives: 6F 8A E4 2B    Case  Cmd  Drv  Action  Stat  Cry  Count  Cmd  Name    0 SWB-17 &lt;16&gt; 80 Allowed 0000 Off    1 Undefined    ...  misc commands 17-FD results omitted  see log files for full results </pre>

**Case SWB-17 HDL -- Hard-Disk (Int\_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997**

```

...

226 SWB-17 <FE> 80 Allowed 0000 Off      1 Undefined
227 SWB-17 <FF> 80 Allowed 0000 Off      1 Undefined
Results for SWB-17 category m on drive 80 No commands blocked (0 of 228)
  0 SWB-17 <16> 81 Allowed 0000 Off      1 Undefined
...

misc commands 17-FD results omitted

see log files for full results

...

226 SWB-17 <FE> 81 Allowed 0000 Off      1 Undefined
227 SWB-17 <FF> 81 Allowed 0000 Off      1 Undefined
Results for SWB-17 category m on drive 81 Not all commands blocked (2 of
228)
  0 SWB-17 <16> 82 Allowed 0000 Off      1 Undefined
...

misc commands 17-FD results omitted

see log files for full results

...

226 SWB-17 <FE> 82 Allowed 0000 Off      1 Undefined
227 SWB-17 <FF> 82 Allowed 0000 Off      1 Undefined
Results for SWB-17 category m on drive 82 No commands blocked (0 of 228)
  0 SWB-17 <16> 83 Allowed 0000 Off      1 Undefined
...

misc commands 17-FD results omitted

see log files for full results

...

226 SWB-17 <FE> 83 Allowed 0000 Off      1 Undefined
227 SWB-17 <FF> 83 Allowed 0000 Off      1 Undefined
Results for SWB-17 category m on drive 83 No commands blocked (0 of 228)
Summary: 912 sent, 2 blocked, 910 not blocked

```

Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	4 drives identified	4 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-09	Drive 83 is unprotected	Drive 83 is unprotected
	AM-11	2 Commands return fail	2 Commands return fail
	AO-03	All cmds to drive 81 blocked	Not all cmds to drive 81 blocked
	AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked
	AO-07	No cmds to drive 83 blocked	No cmds to drive 83 blocked

Analysis: SWB-17 Expected results not achieved for assertions: AO-03

**Case SWB-18 HDL -- Hard-Disk (Int\_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997**

Case summary: SWB-18 Install all drives, configure return code to success, protect with pattern not\_last, execute miscellaneous commands.

Assertions Tested:  
 SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.  
 SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.  
 SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.

Case SWB-18 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
	<p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-03. If a subset of all covered drives is specified for protection, then commands from the miscellaneous category shall be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	Blive
Test Date:	Thu Sep 25 13:47:29 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors</p> <p>Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p> <p>Drive 83, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors</p>
Commands executed:	<p>Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hdl5 S012</p> <p>test-hdl SWB-18 Rumpole Blive m 6F 8A E4 2B</p> <p>Shutdown Test PC</p>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13  compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:47:27) Going . . .  TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       4 Hard-Disks reported by Int_13h       Hard-Disk 0      Locked!       Hard-Disk 1      Locked!       Hard-Disk 2      Locked!       Hard-Disk 3      Not Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-18 Rumpole Blive m 6F 8A E4 2B Case: SWB-18 Command set: Misc Date: Thu Sep 25 13:47:29 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51           @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 4, Drives: 6F 8A E4 2B       Case  Cmd Drv Action  Stat Cry Count Cmd Name       0 SWB-18 &lt;16&gt; 80 Allowed 0000 Off      1 Undefined       ...        misc commands 17-FD results omitted        see log files for full results        ...  226 SWB-18 &lt;FE&gt; 80 Allowed 0000 Off      1 Undefined 227 SWB-18 &lt;FF&gt; 80 Allowed 0000 Off      1 Undefined Results for SWB-18 category m on drive 80 Not all commands blocked (2 of 228)       0 SWB-18 &lt;16&gt; 81 Allowed 0000 Off      1 Undefined       ...        misc commands 17-FD results omitted        see log files for full results        ...  226 SWB-18 &lt;FE&gt; 81 Allowed 0000 Off      1 Undefined 227 SWB-18 &lt;FF&gt; 81 Allowed 0000 Off      1 Undefined </pre>

**Case SWB-18 HDL -- Hard-Disk (Int\_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997**

Results for SWB-18 category m on drive 81 Not all commands blocked (2 of 228)  
 0 SWB-18 <16> 82 Allowed 0000 Off 1 Undefined  
 ...  
 misc commands 17-FD results omitted  
 see log files for full results  
 ...

226 SWB-18 <FE> 82 Allowed 0000 Off 1 Undefined  
 227 SWB-18 <FF> 82 Allowed 0000 Off 1 Undefined  
 Results for SWB-18 category m on drive 82 Not all commands blocked (2 of 228)  
 0 SWB-18 <16> 83 Allowed 0000 Off 1 Undefined  
 ...  
 misc commands 17-FD results omitted  
 see log files for full results  
 ...

226 SWB-18 <FE> 83 Allowed 0000 Off 1 Undefined  
 227 SWB-18 <FF> 83 Allowed 0000 Off 1 Undefined  
 Results for SWB-18 category m on drive 83 No commands blocked (0 of 228)  
 Summary: 912 sent, 6 blocked, 906 not blocked

Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	4 drives identified	4 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-09	Drive 83 is unprotected	Drive 83 is unprotected
	AM-10	6 Commands return success	6 Commands return success
	AO-03	All cmds to drive 80 blocked	Not all cmds to drive 80 blocked
	AO-03	All cmds to drive 81 blocked	Not all cmds to drive 81 blocked
	AO-03	All cmds to drive 82 blocked	Not all cmds to drive 82 blocked
	AO-07	No cmds to drive 83 blocked	No cmds to drive 83 blocked

Analysis: SWB-18 Expected results not achieved for assertions: AO-03

<b>Case SWB-19 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997</b>	
Case summary:	SWB-19 Install all drives, configure return code to failure, protect with pattern last, execute read commands.
Assertions Tested:	SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces. SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface. SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution. SWB-AO-04. If a subset of all covered drives is specified for protection, then commands from the read category shall not be blocked for drives in the selected subset. SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.
Tester Name:	Blive
Test Date:	Thu Sep 25 13:50:38 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives	Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors

Case SWB-19 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
Used:	Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors Drive 83, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors		
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 3 test-hdl SWB-19 Rumpole Blive r 6F 8A E4 2B Shutdown Test PC		
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:50:35) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997   4 Hard-Disks reported by Int_13h     Hard-Disk 0 Not Locked!     Hard-Disk 1 Not Locked!     Hard-Disk 2 Not Locked!     Hard-Disk 3 Locked!     H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-19 Rumpole Blive r 6F 8A E4 2B Case: SWB-19 Command set: Read Date: Thu Sep 25 13:50:38 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 4, Drives: 6F 8A E4 2B   Case Cmd Drv Action Stat Cry Count Cmd Name   0 SWB-19 &lt;02&gt; 80 Allowed 0000 Off 1 ReadSectors   1 SWB-19 &lt;0A&gt; 80 Allowed 0000 Off 1 ReadLong   2 SWB-19 &lt;42&gt; 80 Allowed 0000 Off 1 ExtRead Results for SWB-19 category r on drive 80 No commands blocked (0 of 3)   0 SWB-19 &lt;02&gt; 81 Allowed 0000 Off 1 ReadSectors   1 SWB-19 &lt;0A&gt; 81 Allowed 0000 Off 1 ReadLong   2 SWB-19 &lt;42&gt; 81 Allowed 0000 Off 1 ExtRead Results for SWB-19 category r on drive 81 No commands blocked (0 of 3)   0 SWB-19 &lt;02&gt; 82 Allowed 0000 Off 1 ReadSectors   1 SWB-19 &lt;0A&gt; 82 Allowed 0000 Off 1 ReadLong   2 SWB-19 &lt;42&gt; 82 Allowed 0000 Off 1 ExtRead Results for SWB-19 category r on drive 82 No commands blocked (0 of 3)   0 SWB-19 &lt;02&gt; 83 Allowed 0000 Off 1 ReadSectors   1 SWB-19 &lt;0A&gt; 83 Allowed 0000 Off 1 ReadLong   2 SWB-19 &lt;42&gt; 83 Allowed 0000 Off 1 ExtRead Results for SWB-19 category r on drive 83 No commands blocked (0 of 3) Summary: 12 sent, 0 blocked, 12 not blocked </pre>		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	4 drives identified	4 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is unprotected	Drive 81 is unprotected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-09	Drive 83 is protected	Drive 83 is protected
	AM-11	0 Commands return fail	0 Commands return fail
	AO-04	No cmds to drive 83 blocked	No cmds to drive 83 blocked
	AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked
	AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked
Analysis:	SWB-19 Expected results achieved		

Case SWB-20 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-20 Install all drives, configure return code to success, protect with pattern not_mid, execute read commands.
Assertions	SWB-AM-07. If the tool is executed then the tool shall issue a message

Case SWB-20 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Tested:	<p>indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-04. If a subset of all covered drives is specified for protection, then commands from the read category shall not be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	JRL
Test Date:	Sat Nov 08 12:06:46 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label F6 is an IBM-DTLA-307020 with 40188960 sectors</p> <p>Drive 81, label 64 is a WDC WD64AA with 12594960 sectors</p> <p>Drive 82, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors</p> <p>Drive 83, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p>
Commands executed:	<p>Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hdl5 S013</p> <p>test-hdl SWB-20 Rumpole JRL r F6 64 2B E4</p> <p>Shutdown Test PC</p>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (11/08/03 at 12:06:44) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997   4 Hard-Disks reported by Int_13h     Hard-Disk 0    Locked!     Hard-Disk 1    Locked!     Hard-Disk 2    Not Locked!     Hard-Disk 3    Locked!     H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-20 Rumpole JRL r F6 64 2B E4 Case: SWB-20 Command set: Read Date: Sat Nov 08 12:06:46 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: JRL Host: Rumpole Number of drives 4, Drives: F6 64 2B E4   Case  Cmd  Drv  Action  Stat  Cry  Count  Cmd Name   0 SWB-20 &lt;02&gt; 80 Allowed 0000 Off    1  ReadSectors   1 SWB-20 &lt;0A&gt; 80 Allowed 0000 Off    1  ReadLong   2 SWB-20 &lt;42&gt; 80 Allowed 0000 Off    1  ExtRead Results for SWB-20 category r on drive 80 No commands blocked (0 of 3)   0 SWB-20 &lt;02&gt; 81 Allowed 0000 Off    1  ReadSectors   1 SWB-20 &lt;0A&gt; 81 Allowed 0000 Off    1  ReadLong   2 SWB-20 &lt;42&gt; 81 Allowed 0000 Off    1  ExtRead Results for SWB-20 category r on drive 81 No commands blocked (0 of 3)   0 SWB-20 &lt;02&gt; 82 Allowed 0000 Off    1  ReadSectors   1 SWB-20 &lt;0A&gt; 82 Allowed 0000 Off    1  ReadLong   2 SWB-20 &lt;42&gt; 82 Allowed 0000 Off    1  ExtRead Results for SWB-20 category r on drive 82 No commands blocked (0 of 3)   0 SWB-20 &lt;02&gt; 83 Allowed 0000 Off    1  ReadSectors   1 SWB-20 &lt;0A&gt; 83 Allowed 0000 Off    1  ReadLong   2 SWB-20 &lt;42&gt; 83 Allowed 0000 Off    1  ExtRead Results for SWB-20 category r on drive 83 No commands blocked (0 of 3) Summary: 12 sent, 0 blocked, 12 not blocked </pre>



Case SWB-20 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	4 drives identified	4 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-09	Drive 83 is protected	Drive 83 is protected
	AM-10	0 Commands return success	0 Commands return success
	AO-04	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-04	No cmds to drive 81 blocked	No cmds to drive 81 blocked
	AO-04	No cmds to drive 83 blocked	No cmds to drive 83 blocked
	AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked
	Analysis:	SWB-20 Expected results achieved	

Case SWB-21 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-21 Install all drives, configure return code to failure, protect with pattern high, execute information commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p> <p>SWB-AO-06. If a subset of all covered drives is specified for protection, then commands from the information category shall not be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	JRL
Test Date:	Mon Sep 29 13:43:18 2003
Test PC:	McMillan
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 90 is a WDC WD300BB-00CAA0 with 58633344 sectors</p> <p>Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 82, label 64 is a WDC WD64AA with 12594960 sectors</p> <p>Drive 83, label 1F is a Quantum ATLAS10K3_18_SCA Drive with 35916548 sectors</p> <p>Drive 84, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p>
Commands executed:	<pre> Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 234 test-hdl SWB-21 McMillan JRL i 90 8A 64 1F E4 Shutdown Test PC </pre>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 13:43:11) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 5 Hard-Disks reported by Int_13h Hard-Disk 0 Not Locked! Hard-Disk 1 Not Locked! Hard-Disk 2 Locked! Hard-Disk 3 Locked! Hard-Disk 4 Locked! H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-21 McMillan JRL i 90 8A 64 1F E4 Case: SWB-21 Command set: Information Date: Mon Sep 29 13:43:18 2003 Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 </pre>

Case SWB-21 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
<pre> @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: JRL Host: McMillan Number of drives 5, Drives: 90 8A 64 1F E4 Case  Cmd Drv Action  Stat Cry Count  Cmd Name 0 SWB-21 &lt;01&gt; 80 Allowed 0000 Off    1  GetLastStatus 1 SWB-21 &lt;04&gt; 80 Allowed 0000 Off    1  VerifySectors 2 SWB-21 &lt;08&gt; 80 Allowed 0000 Off    1  ReadDriveParms 3 SWB-21 &lt;10&gt; 80 Allowed 0000 Off    1  TestDriveReady 4 SWB-21 &lt;15&gt; 80 Allowed 0000 Off    1  ReadDriveType 5 SWB-21 &lt;41&gt; 80 Allowed 0000 Off    1  CheckForExtensions 6 SWB-21 &lt;44&gt; 80 Allowed 0000 Off    1  VerifySectors 7 SWB-21 &lt;48&gt; 80 Allowed 0000 Off    1  GetDriveParms Results for SWB-21 category i on drive 80 No commands blocked (0 of 8) 0 SWB-21 &lt;01&gt; 81 Allowed 0000 Off    1  GetLastStatus 1 SWB-21 &lt;04&gt; 81 Allowed 0000 Off    1  VerifySectors 2 SWB-21 &lt;08&gt; 81 Allowed 0000 Off    1  ReadDriveParms 3 SWB-21 &lt;10&gt; 81 Allowed 0000 Off    1  TestDriveReady 4 SWB-21 &lt;15&gt; 81 Allowed 0000 Off    1  ReadDriveType 5 SWB-21 &lt;41&gt; 81 Allowed 0000 Off    1  CheckForExtensions 6 SWB-21 &lt;44&gt; 81 Allowed 0000 Off    1  VerifySectors 7 SWB-21 &lt;48&gt; 81 Allowed 0000 Off    1  GetDriveParms Results for SWB-21 category i on drive 81 No commands blocked (0 of 8) 0 SWB-21 &lt;01&gt; 82 Allowed 0000 Off    1  GetLastStatus 1 SWB-21 &lt;04&gt; 82 Allowed 0000 Off    1  VerifySectors 2 SWB-21 &lt;08&gt; 82 Allowed 0000 Off    1  ReadDriveParms 3 SWB-21 &lt;10&gt; 82 Allowed 0000 Off    1  TestDriveReady 4 SWB-21 &lt;15&gt; 82 Allowed 0000 Off    1  ReadDriveType 5 SWB-21 &lt;41&gt; 82 Allowed 0000 Off    1  CheckForExtensions 6 SWB-21 &lt;44&gt; 82 Allowed 0000 Off    1  VerifySectors 7 SWB-21 &lt;48&gt; 82 Allowed 0000 Off    1  GetDriveParms Results for SWB-21 category i on drive 82 No commands blocked (0 of 8) 0 SWB-21 &lt;01&gt; 83 Allowed 0000 Off    1  GetLastStatus 1 SWB-21 &lt;04&gt; 83 Allowed 0000 Off    1  VerifySectors 2 SWB-21 &lt;08&gt; 83 Allowed 0000 Off    1  ReadDriveParms 3 SWB-21 &lt;10&gt; 83 Allowed 0000 Off    1  TestDriveReady 4 SWB-21 &lt;15&gt; 83 Allowed 0000 Off    1  ReadDriveType 5 SWB-21 &lt;41&gt; 83 Allowed 0000 Off    1  CheckForExtensions 6 SWB-21 &lt;44&gt; 83 Allowed 0000 Off    1  VerifySectors 7 SWB-21 &lt;48&gt; 83 Allowed 0000 Off    1  GetDriveParms Results for SWB-21 category i on drive 83 No commands blocked (0 of 8) 0 SWB-21 &lt;01&gt; 84 Allowed 0000 Off    1  GetLastStatus 1 SWB-21 &lt;04&gt; 84 Allowed 0000 Off    1  VerifySectors 2 SWB-21 &lt;08&gt; 84 Allowed 0000 Off    1  ReadDriveParms 3 SWB-21 &lt;10&gt; 84 Allowed 0000 Off    1  TestDriveReady 4 SWB-21 &lt;15&gt; 84 Allowed 0000 Off    1  ReadDriveType 5 SWB-21 &lt;41&gt; 84 Allowed 0000 Off    1  CheckForExtensions 6 SWB-21 &lt;44&gt; 84 Allowed 0000 Off    1  VerifySectors 7 SWB-21 &lt;48&gt; 84 Allowed 0000 Off    1  GetDriveParms Results for SWB-21 category i on drive 84 No commands blocked (0 of 8) Summary: 40 sent, 0 blocked, 40 not blocked </pre>			
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	5 drives identified	5 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is unprotected	Drive 81 is unprotected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-09	Drive 83 is protected	Drive 83 is protected
	AM-09	Drive 84 is protected	Drive 84 is protected
	AM-11	0 Commands return fail	0 Commands return fail
	AO-06	No cmds to drive 82 blocked	No cmds to drive 82 blocked
	AO-06	No cmds to drive 83 blocked	No cmds to drive 83 blocked
	AO-06	No cmds to drive 84 blocked	No cmds to drive 84 blocked
	AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked
Analysis:	SWB-21 Expected results achieved		

Case SWB-22 HDL -- Hard-Disk (Int\_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997

<b>Case SWB-22 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997</b>	
Case summary:	SWB-22 Install all drives, configure return code to success, protect with pattern not first, execute information commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-06. If a subset of all covered drives is specified for protection, then commands from the information category shall not be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	JRL
Test Date:	Mon Sep 29 13:53:47 2003
Test PC:	McMillan
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 90 is a WDC WD300BB-00CAA0 with 58633344 sectors</p> <p>Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 82, label 64 is a WDC WD64AA with 12594960 sectors</p> <p>Drive 83, label 1F is a Quantum ATLAS10K3_18_SCA Drive with 35916548 sectors</p> <p>Drive 84, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p>
Commands executed:	<p>Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hdl5 S1234</p> <p>test-hdl SWB-22 McMillan JRL i 90 8A 64 1F E4</p> <p>Shutdown Test PC</p>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 13:53:40) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997    5 Hard-Disks reported by Int_13h    Hard-Disk 0 Not Locked!    Hard-Disk 1   Locked!    Hard-Disk 2   Locked!    Hard-Disk 3   Locked!    Hard-Disk 4   Locked!    H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-22 McMillan JRL i 90 8A 64 1F E4 Case: SWB-22 Command set: Information Date: Mon Sep 29 13:53:47 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: JRL Host: McMillan Number of drives 5, Drives: 90 8A 64 1F E4    Case Cmd Drv Action Stat Cry Count Cmd Name    0 SWB-22 &lt;01&gt; 80 Allowed 0000 Off    1  GetLastStatus    1 SWB-22 &lt;04&gt; 80 Allowed 0000 Off    1  VerifySectors    2 SWB-22 &lt;08&gt; 80 Allowed 0000 Off    1  ReadDriveParms    3 SWB-22 &lt;10&gt; 80 Allowed 0000 Off    1  TestDriveReady    4 SWB-22 &lt;15&gt; 80 Allowed 0000 Off    1  ReadDriveType    5 SWB-22 &lt;41&gt; 80 Allowed 0000 Off    1  CheckForExtensions    6 SWB-22 &lt;44&gt; 80 Allowed 0000 Off    1  VerifySectors    7 SWB-22 &lt;48&gt; 80 Allowed 0000 Off    1  GetDriveParms Results for SWB-22 category i on drive 80 No commands blocked (0 of 8)    0 SWB-22 &lt;01&gt; 81 Allowed 0000 Off    1  GetLastStatus    1 SWB-22 &lt;04&gt; 81 Allowed 0000 Off    1  VerifySectors    2 SWB-22 &lt;08&gt; 81 Allowed 0000 Off    1  ReadDriveParms </pre>

Case SWB-22 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	3 SWB-22 <10> 81 Allowed 0000 Off	1	TestDriveReady
	4 SWB-22 <15> 81 Allowed 0000 Off	1	ReadDriveType
	5 SWB-22 <41> 81 Allowed 0000 Off	1	CheckForExtensions
	6 SWB-22 <44> 81 Allowed 0000 Off	1	VerifySectors
	7 SWB-22 <48> 81 Allowed 0000 Off	1	GetDriveParms
	Results for SWB-22 category i on drive 81 No commands blocked (0 of 8)		
	0 SWB-22 <01> 82 Allowed 0000 Off	1	GetLastStatus
	1 SWB-22 <04> 82 Allowed 0000 Off	1	VerifySectors
	2 SWB-22 <08> 82 Allowed 0000 Off	1	ReadDriveParms
	3 SWB-22 <10> 82 Allowed 0000 Off	1	TestDriveReady
	4 SWB-22 <15> 82 Allowed 0000 Off	1	ReadDriveType
	5 SWB-22 <41> 82 Allowed 0000 Off	1	CheckForExtensions
	6 SWB-22 <44> 82 Allowed 0000 Off	1	VerifySectors
	7 SWB-22 <48> 82 Allowed 0000 Off	1	GetDriveParms
	Results for SWB-22 category i on drive 82 No commands blocked (0 of 8)		
	0 SWB-22 <01> 83 Allowed 0000 Off	1	GetLastStatus
	1 SWB-22 <04> 83 Allowed 0000 Off	1	VerifySectors
	2 SWB-22 <08> 83 Allowed 0000 Off	1	ReadDriveParms
	3 SWB-22 <10> 83 Allowed 0000 Off	1	TestDriveReady
	4 SWB-22 <15> 83 Allowed 0000 Off	1	ReadDriveType
	5 SWB-22 <41> 83 Allowed 0000 Off	1	CheckForExtensions
	6 SWB-22 <44> 83 Allowed 0000 Off	1	VerifySectors
	7 SWB-22 <48> 83 Allowed 0000 Off	1	GetDriveParms
	Results for SWB-22 category i on drive 83 No commands blocked (0 of 8)		
	0 SWB-22 <01> 84 Allowed 0000 Off	1	GetLastStatus
	1 SWB-22 <04> 84 Allowed 0000 Off	1	VerifySectors
	2 SWB-22 <08> 84 Allowed 0000 Off	1	ReadDriveParms
	3 SWB-22 <10> 84 Allowed 0000 Off	1	TestDriveReady
	4 SWB-22 <15> 84 Allowed 0000 Off	1	ReadDriveType
	5 SWB-22 <41> 84 Allowed 0000 Off	1	CheckForExtensions
	6 SWB-22 <44> 84 Allowed 0000 Off	1	VerifySectors
	7 SWB-22 <48> 84 Allowed 0000 Off	1	GetDriveParms
	Results for SWB-22 category i on drive 84 No commands blocked (0 of 8)		
	Summary: 40 sent, 0 blocked, 40 not blocked		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	5 drives identified	5 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-09	Drive 83 is protected	Drive 83 is protected
	AM-09	Drive 84 is protected	Drive 84 is protected
	AM-10	0 Commands return success	0 Commands return success
	AO-06	No cmds to drive 81 blocked	No cmds to drive 81 blocked
	AO-06	No cmds to drive 82 blocked	No cmds to drive 82 blocked
	AO-06	No cmds to drive 83 blocked	No cmds to drive 83 blocked
	AO-06	No cmds to drive 84 blocked	No cmds to drive 84 blocked
	AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked
Analysis:	SWB-22 Expected results achieved		

Case SWB-23 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-23 Install all drives, configure return code to failure, protect with pattern random_u, execute control commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p> <p>SWB-AO-05. If a subset of all covered drives is specified for protection, then commands from the control category shall not be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>

Case SWB-23 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Tester Name:	JRL
Test Date:	Mon Sep 29 13:57:25 2003
Test PC:	McMillan
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 90 is a WDC WD300BB-00CAA0 with 58633344 sectors Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors Drive 82, label 64 is a WDC WD64AA with 12594960 sectors Drive 83, label 1F is a Quantum ATLAS10K3_18_SCA Drive with 35916548 sectors Drive 84, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 0234 test-hdl SWB-23 McMillan JRL c 90 8A 64 1F E4 Shutdown Test PC
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 13:57:18) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       5 Hard-Disks reported by Int_13h       Hard-Disk 0      Locked!       Hard-Disk 1 Not Locked!       Hard-Disk 2      Locked!       Hard-Disk 3      Locked!       Hard-Disk 4      Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-23 McMillan JRL c 90 8A 64 1F E4 Case: SWB-23 Command set: Control Date: Mon Sep 29 13:57:25 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51           @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19           Compiled on Aug 31 2003 at 08:10:54 Operator: JRL Host: McMillan Number of drives 5, Drives: 90 8A 64 1F E4       Case Cmd Drv Action Stat Cry Count Cmd Name 0 SWB-23 &lt;00&gt; 80 Allowed 0000 Off 1 Reset 1 SWB-23 &lt;0C&gt; 80 Allowed 0000 Off 1 SeekDrive 2 SWB-23 &lt;0D&gt; 80 Allowed 0000 Off 1 AltReset 3 SWB-23 &lt;11&gt; 80 Allowed 0000 Off 1 Recalibrate 4 SWB-23 &lt;47&gt; 80 Allowed 0000 Off 1 ExtendedSeek Results for SWB-23 category c on drive 80 No commands blocked (0 of 5) 0 SWB-23 &lt;00&gt; 81 Allowed 0000 Off 1 Reset 1 SWB-23 &lt;0C&gt; 81 Allowed 0000 Off 1 SeekDrive 2 SWB-23 &lt;0D&gt; 81 Allowed 0000 Off 1 AltReset 3 SWB-23 &lt;11&gt; 81 Allowed 0000 Off 1 Recalibrate 4 SWB-23 &lt;47&gt; 81 Allowed 0000 Off 1 ExtendedSeek Results for SWB-23 category c on drive 81 No commands blocked (0 of 5) 0 SWB-23 &lt;00&gt; 82 Allowed 0000 Off 1 Reset 1 SWB-23 &lt;0C&gt; 82 Allowed 0000 Off 1 SeekDrive 2 SWB-23 &lt;0D&gt; 82 Allowed 0000 Off 1 AltReset 3 SWB-23 &lt;11&gt; 82 Allowed 0000 Off 1 Recalibrate 4 SWB-23 &lt;47&gt; 82 Allowed 0000 Off 1 ExtendedSeek Results for SWB-23 category c on drive 82 No commands blocked (0 of 5) 0 SWB-23 &lt;00&gt; 83 Allowed 0000 Off 1 Reset 1 SWB-23 &lt;0C&gt; 83 Allowed 0000 Off 1 SeekDrive 2 SWB-23 &lt;0D&gt; 83 Allowed 0000 Off 1 AltReset 3 SWB-23 &lt;11&gt; 83 Allowed 0000 Off 1 Recalibrate 4 SWB-23 &lt;47&gt; 83 Allowed 0000 Off 1 ExtendedSeek Results for SWB-23 category c on drive 83 No commands blocked (0 of 5) 0 SWB-23 &lt;00&gt; 84 Allowed 0000 Off 1 Reset 1 SWB-23 &lt;0C&gt; 84 Allowed 0000 Off 1 SeekDrive 2 SWB-23 &lt;0D&gt; 84 Allowed 0000 Off 1 AltReset 3 SWB-23 &lt;11&gt; 84 Allowed 0000 Off 1 Recalibrate 4 SWB-23 &lt;47&gt; 84 Allowed 0000 Off 1 ExtendedSeek Results for SWB-23 category c on drive 84 No commands blocked (0 of 5) </pre>

Case SWB-23 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	Summary: 25 sent, 0 blocked, 25 not blocked		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	5 drives identified	5 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is unprotected	Drive 81 is unprotected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-09	Drive 83 is protected	Drive 83 is protected
	AM-09	Drive 84 is protected	Drive 84 is protected
	AM-11	0 Commands return fail	0 Commands return fail
	AO-05	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-05	No cmds to drive 82 blocked	No cmds to drive 82 blocked
	AO-05	No cmds to drive 83 blocked	No cmds to drive 83 blocked
	AO-05	No cmds to drive 84 blocked	No cmds to drive 84 blocked
	AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked
Analysis:	SWB-23 Expected results achieved		

Case SWB-24 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-24 Install all drives, configure return code to success, protect with pattern even, execute control commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-05. If a subset of all covered drives is specified for protection, then commands from the control category shall not be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	JRL
Test Date:	Mon Sep 29 14:04:59 2003
Test PC:	McMillan
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 90 is a WDC WD300BB-00CAA0 with 58633344 sectors</p> <p>Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 82, label 64 is a WDC WD64AA with 12594960 sectors</p> <p>Drive 83, label 1F is a Quantum ATLAS10K3_18_SCA Drive with 35916548 sectors</p> <p>Drive 84, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p>
Commands executed:	<pre> Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 S024 test-hdl SWB-24 McMillan JRL c 90 8A 64 1F E4 Shutdown Test PC </pre>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 14:04:52) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 5 Hard-Disks reported by Int_13h Hard-Disk 0 Locked! Hard-Disk 1 Not Locked! Hard-Disk 2 Locked! Hard-Disk 3 Not Locked! Hard-Disk 4 Locked! H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-24 McMillan JRL c 90 8A 64 1F E4 Case: SWB-24 </pre>

**Case SWB-24 HDL -- Hard-Disk (Int\_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997**

```

Command set: Control
Date: Mon Sep 29 14:04:59 2003

Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51
          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19
          Compiled on Aug 31 2003 at 08:10:54
Operator: JRL
Host: McMillan
Number of drives 5, Drives: 90 8A 64 1F E4
  Case  Cmd Drv Action  Stat Cry Count  Cmd Name
    0 SWB-24 <00> 80 Allowed 0000 Off    1  Reset
    1 SWB-24 <0C> 80 Allowed 0000 Off    1  SeekDrive
    2 SWB-24 <0D> 80 Allowed 0000 Off    1  AltReset
    3 SWB-24 <11> 80 Allowed 0000 Off    1  Recalibrate
    4 SWB-24 <47> 80 Allowed 0000 Off    1  ExtendedSeek
Results for SWB-24 category c on drive 80 No commands blocked (0 of 5)
    0 SWB-24 <00> 81 Allowed 0000 Off    1  Reset
    1 SWB-24 <0C> 81 Allowed 0000 Off    1  SeekDrive
    2 SWB-24 <0D> 81 Allowed 0000 Off    1  AltReset
    3 SWB-24 <11> 81 Allowed 0000 Off    1  Recalibrate
    4 SWB-24 <47> 81 Allowed 0000 Off    1  ExtendedSeek
Results for SWB-24 category c on drive 81 No commands blocked (0 of 5)
    0 SWB-24 <00> 82 Allowed 0000 Off    1  Reset
    1 SWB-24 <0C> 82 Allowed 0000 Off    1  SeekDrive
    2 SWB-24 <0D> 82 Allowed 0000 Off    1  AltReset
    3 SWB-24 <11> 82 Allowed 0000 Off    1  Recalibrate
    4 SWB-24 <47> 82 Allowed 0000 Off    1  ExtendedSeek
Results for SWB-24 category c on drive 82 No commands blocked (0 of 5)
    0 SWB-24 <00> 83 Allowed 0000 Off    1  Reset
    1 SWB-24 <0C> 83 Allowed 0000 Off    1  SeekDrive
    2 SWB-24 <0D> 83 Allowed 0000 Off    1  AltReset
    3 SWB-24 <11> 83 Allowed 0000 Off    1  Recalibrate
    4 SWB-24 <47> 83 Allowed 0000 Off    1  ExtendedSeek
Results for SWB-24 category c on drive 83 No commands blocked (0 of 5)
    0 SWB-24 <00> 84 Allowed 0000 Off    1  Reset
    1 SWB-24 <0C> 84 Allowed 0000 Off    1  SeekDrive
    2 SWB-24 <0D> 84 Allowed 0000 Off    1  AltReset
    3 SWB-24 <11> 84 Allowed 0000 Off    1  Recalibrate
    4 SWB-24 <47> 84 Allowed 0000 Off    1  ExtendedSeek
Results for SWB-24 category c on drive 84 No commands blocked (0 of 5)
Summary: 25 sent, 0 blocked, 25 not blocked
    
```

Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	5 drives identified	5 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is unprotected	Drive 81 is unprotected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-09	Drive 83 is unprotected	Drive 83 is unprotected
	AM-09	Drive 84 is protected	Drive 84 is protected
	AM-10	0 Commands return success	0 Commands return success
	AO-05	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-05	No cmds to drive 82 blocked	No cmds to drive 82 blocked
	AO-05	No cmds to drive 84 blocked	No cmds to drive 84 blocked
	AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked
	AO-07	No cmds to drive 83 blocked	No cmds to drive 83 blocked

Analysis: SWB-24 Expected results achieved

**Case SWB-25 HDL -- Hard-Disk (Int\_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997**

```

Case summary: SWB-25 Install three drives, configure return code to failure, protect
              with pattern PUU, execute write commands.

Assertions Tested: SWB-AM-07. If the tool is executed then the tool shall issue a message
                  indicating that the tool is active.
                  SWB-AM-08. If the tool is executed then the tool shall issue a message
                  indicating all drives accessible by the covered interfaces.
                  SWB-AM-09. If the tool is executed then the tool shall issue a message
                  indicating the protection status of each drive attached to a covered
                  interface.
                  SWB-AM-11. If the tool is configured to return fail on blocked commands
                  and the tool blocks a command then the return code shall indicate
    
```

Case SWB-25 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997																																
	<p>unsuccessful command execution.</p> <p>SWB-AO-01. If a subset of all covered drives is specified for protection, then commands from the write category shall be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>																															
Tester Name:	Blive																															
Test Date:	Mon Sep 29 13:19:15 2003																															
Test PC:	McMillan																															
Test Software:	SWBT 1.0																															
Hard Drives Used:	Drive 80, label 90 is a WDC WD300BB-00CAA0 with 58633344 sectors Drive 81, label 1F is a Quantum ATLAS10K3_18_SCA Drive with 35916548 sectors Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors																															
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 0 test-hdl SWB-25 McMillan Blive w 90 1F E4 Shutdown Test PC																															
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 13:19:07) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997    3 Hard-Disks reported by Int_13h        Hard-Disk 0   Locked!        Hard-Disk 1 Not Locked!        Hard-Disk 2 Not Locked!        H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-25 McMillan Blive w 90 1F E4 Case: SWB-25 Command set: Write Date: Mon Sep 29 13:19:15 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: McMillan Number of drives 3, Drives: 90 1F E4    Case  Cmd  Drv  Action  Stat  Cry  Count  Cmd Name    0 SWB-25 &lt;03&gt; 80 Blocked 0300 On    0 WriteSectors    1 SWB-25 &lt;0B&gt; 80 Blocked 0300 On    0 WriteLong    2 SWB-25 &lt;43&gt; 80 Blocked 0300 On    0 ExtWrite Results for SWB-25 category w on drive 80 All commands blocked (3 of 3)    0 SWB-25 &lt;03&gt; 81 Allowed 0000 Off    1 WriteSectors    1 SWB-25 &lt;0B&gt; 81 Allowed 0000 Off    1 WriteLong    2 SWB-25 &lt;43&gt; 81 Allowed 0000 Off    1 ExtWrite Results for SWB-25 category w on drive 81 No commands blocked (0 of 3)    0 SWB-25 &lt;03&gt; 82 Allowed 0000 Off    1 WriteSectors    1 SWB-25 &lt;0B&gt; 82 Allowed 0000 Off    1 WriteLong    2 SWB-25 &lt;43&gt; 82 Allowed 0000 Off    1 ExtWrite Results for SWB-25 category w on drive 82 No commands blocked (0 of 3) Summary: 9 sent, 3 blocked, 6 not blocked </pre>																															
Results:	<table border="1"> <thead> <tr> <th>Assertion</th> <th>Expected Results</th> <th>Actual Results</th> </tr> </thead> <tbody> <tr> <td>AM-07</td> <td>Tool active message</td> <td>Tool active message</td> </tr> <tr> <td>AM-08</td> <td>3 drives identified</td> <td>3 drives identified</td> </tr> <tr> <td>AM-09</td> <td>Drive 80 is protected</td> <td>Drive 80 is protected</td> </tr> <tr> <td>AM-09</td> <td>Drive 81 is unprotected</td> <td>Drive 81 is unprotected</td> </tr> <tr> <td>AM-09</td> <td>Drive 82 is unprotected</td> <td>Drive 82 is unprotected</td> </tr> <tr> <td>AM-11</td> <td>3 Commands return fail</td> <td>3 Commands return fail</td> </tr> <tr> <td>AO-01</td> <td>All cmds to drive 80 blocked</td> <td>All cmds to drive 80 blocked</td> </tr> <tr> <td>AO-07</td> <td>No cmds to drive 81 blocked</td> <td>No cmds to drive 81 blocked</td> </tr> <tr> <td>AO-07</td> <td>No cmds to drive 82 blocked</td> <td>No cmds to drive 82 blocked</td> </tr> </tbody> </table>	Assertion	Expected Results	Actual Results	AM-07	Tool active message	Tool active message	AM-08	3 drives identified	3 drives identified	AM-09	Drive 80 is protected	Drive 80 is protected	AM-09	Drive 81 is unprotected	Drive 81 is unprotected	AM-09	Drive 82 is unprotected	Drive 82 is unprotected	AM-11	3 Commands return fail	3 Commands return fail	AO-01	All cmds to drive 80 blocked	All cmds to drive 80 blocked	AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked	AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked	
Assertion	Expected Results	Actual Results																														
AM-07	Tool active message	Tool active message																														
AM-08	3 drives identified	3 drives identified																														
AM-09	Drive 80 is protected	Drive 80 is protected																														
AM-09	Drive 81 is unprotected	Drive 81 is unprotected																														
AM-09	Drive 82 is unprotected	Drive 82 is unprotected																														
AM-11	3 Commands return fail	3 Commands return fail																														
AO-01	All cmds to drive 80 blocked	All cmds to drive 80 blocked																														
AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked																														
AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked																														
Analysis:	SWB-25 Expected results achieved																															



<b>Case SWB-26 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997</b>	
Case summary:	SWB-26 Install three drives, configure return code to success, protect with pattern UPU, execute write commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-01. If a subset of all covered drives is specified for protection, then commands from the write category shall be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	Blive
Test Date:	Mon Sep 29 13:23:57 2003
Test PC:	McMillan
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 90 is a WDC WD300BB-00CAA0 with 58633344 sectors</p> <p>Drive 81, label 1F is a Quantum ATLAS10K3_18_SCA Drive with 35916548 sectors</p> <p>Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p>
Commands executed:	<p>Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hdl5 S1</p> <p>test-hdl SWB-26 McMillan Blive w 90 1F E4</p> <p>Shutdown Test PC</p>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 13:23:50) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       3 Hard-Disks reported by Int_13h       Hard-Disk 0 Not Locked!       Hard-Disk 1   Locked!       Hard-Disk 2 Not Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-26 McMillan Blive w 90 1F E4 Case: SWB-26 Command set: Write Date: Mon Sep 29 13:23:57 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51           @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19           Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: McMillan Number of drives 3, Drives: 90 1F E4       Case Cmd Drv Action Stat Cry Count Cmd Name       0 SWB-26 &lt;03&gt; 80 Allowed 0000 Off    1 WriteSectors       1 SWB-26 &lt;0B&gt; 80 Allowed 0000 Off    1 WriteLong       2 SWB-26 &lt;43&gt; 80 Allowed 0000 Off    1 ExtWrite Results for SWB-26 category w on drive 80 No commands blocked (0 of 3)       0 SWB-26 &lt;03&gt; 81 Blocked 0000 Off    0 WriteSectors       1 SWB-26 &lt;0B&gt; 81 Blocked 0000 Off    0 WriteLong       2 SWB-26 &lt;43&gt; 81 Blocked 0000 Off    0 ExtWrite Results for SWB-26 category w on drive 81 All commands blocked (3 of 3)       0 SWB-26 &lt;03&gt; 82 Allowed 0000 Off    1 WriteSectors       1 SWB-26 &lt;0B&gt; 82 Allowed 0000 Off    1 WriteLong       2 SWB-26 &lt;43&gt; 82 Allowed 0000 Off    1 ExtWrite Results for SWB-26 category w on drive 82 No commands blocked (0 of 3) Summary: 9 sent, 3 blocked, 6 not blocked </pre>

Case SWB-26 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	3 drives identified	3 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-10	3 Commands return success	3 Commands return success
	AO-01	All cmds to drive 81 blocked	All cmds to drive 81 blocked
	AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked
Analysis:	SWB-26 Expected results achieved		

Case SWB-27 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-27 Install three drives, configure return code to failure, protect with pattern UUP, execute write commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p> <p>SWB-AO-01. If a subset of all covered drives is specified for protection, then commands from the write category shall be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	Blive
Test Date:	Mon Sep 29 13:30:38 2003
Test PC:	McMillan
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 90 is a WDC WD300BB-00CAA0 with 58633344 sectors</p> <p>Drive 81, label 1F is a Quantum ATLAS10K3_18_SCA Drive with 35916548 sectors</p> <p>Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p>
Commands executed:	<p>Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hdl5 2</p> <p>test-hdl SWB-27 McMillan Blive w 90 1F E4</p> <p>Shutdown Test PC</p>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 13:30:32) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       3 Hard-Disks reported by Int_13h       Hard-Disk 0 Not Locked!       Hard-Disk 1 Not Locked!       Hard-Disk 2 Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-27 McMillan Blive w 90 1F E4 Case: SWB-27 Command set: Write Date: Mon Sep 29 13:30:38 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: McMillan Number of drives 3, Drives: 90 1F E4       Case Cmd Drv Action Stat Cry Count Cmd Name       0 SWB-27 &lt;03&gt; 80 Allowed 0000 Off      1 WriteSectors </pre>

Case SWB-27 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	<pre> 1 SWB-27 &lt;0B&gt; 80 Allowed 0000 Off      1 WriteLong 2 SWB-27 &lt;43&gt; 80 Allowed 0000 Off      1 ExtWrite Results for SWB-27 category w on drive 80 No commands blocked (0 of 3) 0 SWB-27 &lt;03&gt; 81 Allowed 0000 Off      1 WriteSectors 1 SWB-27 &lt;0B&gt; 81 Allowed 0000 Off      1 WriteLong 2 SWB-27 &lt;43&gt; 81 Allowed 0000 Off      1 ExtWrite Results for SWB-27 category w on drive 81 No commands blocked (0 of 3) 0 SWB-27 &lt;03&gt; 82 Blocked 0300 On       0 WriteSectors 1 SWB-27 &lt;0B&gt; 82 Blocked 0300 On       0 WriteLong 2 SWB-27 &lt;43&gt; 82 Blocked 0300 On       0 ExtWrite Results for SWB-27 category w on drive 82 All commands blocked (3 of 3) Summary: 9 sent, 3 blocked, 6 not blocked </pre>		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	3 drives identified	3 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is unprotected	Drive 81 is unprotected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-11	3 Commands return fail	3 Commands return fail
	AO-01	All cmds to drive 82 blocked	All cmds to drive 82 blocked
	AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked
Analysis:	SWB-27 Expected results achieved		

Case SWB-28 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-28 Install three drives, configure return code to success, protect with pattern UPP, execute write commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-01. If a subset of all covered drives is specified for protection, then commands from the write category shall be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	Blive
Test Date:	Mon Sep 29 13:33:21 2003
Test PC:	McMillan
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 90 is a WDC WD300BB-00CAA0 with 58633344 sectors</p> <p>Drive 81, label 1F is a Quantum ATLAS10K3_18_SCA Drive with 35916548 sectors</p> <p>Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p>
Commands executed:	<pre> Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 S12 test-hdl SWB-28 McMillan Blive w 90 1F E4 Shutdown Test PC </pre>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 13:33:15) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       3 Hard-Disks reported by Int_13h       Hard-Disk 0 Not Locked!       Hard-Disk 1 Locked!       Hard-Disk 2 Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** </pre>

Case SWB-28 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
CMD: A:\TEST-HDL.EXE SWB-28 McMillan Blive w 90 1F E4 Case: SWB-28 Command set: Write Date: Mon Sep 29 13:33:21 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: McMillan Number of drives 3, Drives: 90 1F E4 Case  Cmd  Drv  Action  Stat  Cry  Count  Cmd  Name 0  SWB-28  <03>  80  Allowed  0000  Off      1  WriteSectors 1  SWB-28  <0B>  80  Allowed  0000  Off      1  WriteLong 2  SWB-28  <43>  80  Allowed  0000  Off      1  ExtWrite Results for SWB-28 category w on drive 80 No commands blocked (0 of 3) 0  SWB-28  <03>  81  Blocked  0000  Off      0  WriteSectors 1  SWB-28  <0B>  81  Blocked  0000  Off      0  WriteLong 2  SWB-28  <43>  81  Blocked  0000  Off      0  ExtWrite Results for SWB-28 category w on drive 81 All commands blocked (3 of 3) 0  SWB-28  <03>  82  Blocked  0000  Off      0  WriteSectors 1  SWB-28  <0B>  82  Blocked  0000  Off      0  WriteLong 2  SWB-28  <43>  82  Blocked  0000  Off      0  ExtWrite Results for SWB-28 category w on drive 82 All commands blocked (3 of 3) Summary: 9 sent, 6 blocked, 3 not blocked			
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	3 drives identified	3 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-10	6 Commands return success	6 Commands return success
	AO-01	All cmds to drive 81 blocked	All cmds to drive 81 blocked
	AO-01	All cmds to drive 82 blocked	All cmds to drive 82 blocked
	AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked
Analysis:	SWB-28 Expected results achieved		

Case SWB-29 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-29 Install three drives, configure return code to failure, protect with pattern PUP, execute write commands.
Assertions Tested:	SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces. SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface. SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution. SWB-AO-01. If a subset of all covered drives is specified for protection, then commands from the write category shall be blocked for drives in the selected subset. SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.
Tester Name:	Blive
Test Date:	Mon Sep 29 13:36:25 2003
Test PC:	McMillan
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 90 is a WDC WD300BB-00CAA0 with 58633344 sectors Drive 81, label 1F is a Quantum ATLAS10K3_18_SCA Drive with 35916548 sectors Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hd15 02 test-hdl SWB-29 McMillan Blive w 90 1F E4 Shutdown Test PC

Case SWB-29 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997																																	
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 13:36:18) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       3 Hard-Disks reported by Int_13h       Hard-Disk 0   Locked!       Hard-Disk 1 Not Locked!       Hard-Disk 2   Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-29 McMillan Blive w 90 1F E4 Case: SWB-29 Command set: Write Date: Mon Sep 29 13:36:25 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51         @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19         Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: McMillan Number of drives 3, Drives: 90 1F E4       Case Cmd Drv Action  Stat Cry Count Cmd Name       0 SWB-29 &lt;03&gt; 80 Blocked 0300 On      0 WriteSectors       1 SWB-29 &lt;0B&gt; 80 Blocked 0300 On      0 WriteLong       2 SWB-29 &lt;43&gt; 80 Blocked 0300 On      0 ExtWrite Results for SWB-29 category w on drive 80 All commands blocked (3 of 3)       0 SWB-29 &lt;03&gt; 81 Allowed 0000 Off     1 WriteSectors       1 SWB-29 &lt;0B&gt; 81 Allowed 0000 Off     1 WriteLong       2 SWB-29 &lt;43&gt; 81 Allowed 0000 Off     1 ExtWrite Results for SWB-29 category w on drive 81 No commands blocked (0 of 3)       0 SWB-29 &lt;03&gt; 82 Blocked 0300 On      0 WriteSectors       1 SWB-29 &lt;0B&gt; 82 Blocked 0300 On      0 WriteLong       2 SWB-29 &lt;43&gt; 82 Blocked 0300 On      0 ExtWrite Results for SWB-29 category w on drive 82 All commands blocked (3 of 3) Summary: 9 sent, 6 blocked, 3 not blocked </pre>																																
Results:	<table border="1"> <thead> <tr> <th>Assertion</th> <th>Expected Results</th> <th>Actual Results</th> </tr> </thead> <tbody> <tr> <td>AM-07</td> <td>Tool active message</td> <td>Tool active message</td> </tr> <tr> <td>AM-08</td> <td>3 drives identified</td> <td>3 drives identified</td> </tr> <tr> <td>AM-09</td> <td>Drive 80 is protected</td> <td>Drive 80 is protected</td> </tr> <tr> <td>AM-09</td> <td>Drive 81 is unprotected</td> <td>Drive 81 is unprotected</td> </tr> <tr> <td>AM-09</td> <td>Drive 82 is protected</td> <td>Drive 82 is protected</td> </tr> <tr> <td>AM-11</td> <td>6 Commands return fail</td> <td>6 Commands return fail</td> </tr> <tr> <td>AO-01</td> <td>All cmds to drive 80 blocked</td> <td>All cmds to drive 80 blocked</td> </tr> <tr> <td>AO-01</td> <td>All cmds to drive 82 blocked</td> <td>All cmds to drive 82 blocked</td> </tr> <tr> <td>AO-07</td> <td>No cmds to drive 81 blocked</td> <td>No cmds to drive 81 blocked</td> </tr> </tbody> </table>	Assertion	Expected Results	Actual Results	AM-07	Tool active message	Tool active message	AM-08	3 drives identified	3 drives identified	AM-09	Drive 80 is protected	Drive 80 is protected	AM-09	Drive 81 is unprotected	Drive 81 is unprotected	AM-09	Drive 82 is protected	Drive 82 is protected	AM-11	6 Commands return fail	6 Commands return fail	AO-01	All cmds to drive 80 blocked	All cmds to drive 80 blocked	AO-01	All cmds to drive 82 blocked	All cmds to drive 82 blocked	AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked		
Assertion	Expected Results	Actual Results																															
AM-07	Tool active message	Tool active message																															
AM-08	3 drives identified	3 drives identified																															
AM-09	Drive 80 is protected	Drive 80 is protected																															
AM-09	Drive 81 is unprotected	Drive 81 is unprotected																															
AM-09	Drive 82 is protected	Drive 82 is protected																															
AM-11	6 Commands return fail	6 Commands return fail																															
AO-01	All cmds to drive 80 blocked	All cmds to drive 80 blocked																															
AO-01	All cmds to drive 82 blocked	All cmds to drive 82 blocked																															
AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked																															
Analysis:	SWB-29 Expected results achieved																																

Case SWB-30 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-30 Install three drives, configure return code to success, protect with pattern PPU, execute write commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-01. If a subset of all covered drives is specified for protection, then commands from the write category shall be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>

Case SWB-30 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
Tester Name:	SN		
Test Date:	Mon Sep 29 15:16:10 2003		
Test PC:	HecRamsey		
Test Software:	SWBT 1.0		
Hard Drives Used:	Drive 80, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors Drive 81, label 64 is a WDC WD64AA with 12594960 sectors Drive 82, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors		
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 S01 test-hdl SWB-30 HecRamsey SN w 8A 64 2B Shutdown Test PC		
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 15:16:04) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997    3 Hard-Disks reported by Int_13h    Hard-Disk 0   Locked!    Hard-Disk 1   Locked!    Hard-Disk 2 Not Locked!    H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-30 HecRamsey SN w 8A 64 2B Case: SWB-30 Command set: Write Date: Mon Sep 29 15:16:10 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: SN Host: HecRamsey Number of drives 3, Drives: 8A 64 2B    Case  Cmd  Drv  Action  Stat  Cry  Count  Cmd Name    0 SWB-30 &lt;03&gt; 80 Blocked 0000 Off    0 WriteSectors    1 SWB-30 &lt;0B&gt; 80 Blocked 0000 Off    0 WriteLong    2 SWB-30 &lt;43&gt; 80 Blocked 0000 Off    0 ExtWrite Results for SWB-30 category w on drive 80 All commands blocked (3 of 3)    0 SWB-30 &lt;03&gt; 81 Blocked 0000 Off    0 WriteSectors    1 SWB-30 &lt;0B&gt; 81 Blocked 0000 Off    0 WriteLong    2 SWB-30 &lt;43&gt; 81 Blocked 0000 Off    0 ExtWrite Results for SWB-30 category w on drive 81 All commands blocked (3 of 3)    0 SWB-30 &lt;03&gt; 82 Allowed 0000 Off    1 WriteSectors    1 SWB-30 &lt;0B&gt; 82 Allowed 0000 Off    1 WriteLong    2 SWB-30 &lt;43&gt; 82 Allowed 0000 Off    1 ExtWrite Results for SWB-30 category w on drive 82 No commands blocked (0 of 3) Summary: 9 sent, 6 blocked, 3 not blocked </pre>		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	3 drives identified	3 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-10	6 Commands return success	6 Commands return success
	AO-01	All cmds to drive 80 blocked	All cmds to drive 80 blocked
	AO-01	All cmds to drive 81 blocked	All cmds to drive 81 blocked
	AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked
Analysis:	SWB-30 Expected results achieved		

Case SWB-31 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-31 Install three drives, configure return code to failure, protect with pattern PUU, execute read commands.
Assertions Tested:	SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.

Case SWB-31 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	<p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p> <p>SWB-AO-04. If a subset of all covered drives is specified for protection, then commands from the read category shall not be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>		
Tester Name:	SN		
Test Date:	Mon Sep 29 15:12:19 2003		
Test PC:	HecRamsey		
Test Software:	SWBT 1.0		
Hard Drives Used:	Drive 80, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors Drive 81, label 64 is a WDC WD64AA with 12594960 sectors Drive 82, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors		
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 0 test-hdl SWB-31 HecRamsey SN r 8A 64 2B Shutdown Test PC		
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 15:12:12) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       3 Hard-Disks reported by Int_13h       Hard-Disk 0      Locked!       Hard-Disk 1 Not Locked!       Hard-Disk 2 Not Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-31 HecRamsey SN r 8A 64 2B Case: SWB-31 Command set: Read Date: Mon Sep 29 15:12:19 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: SN Host: HecRamsey Number of drives 3, Drives: 8A 64 2B       Case  Cmd  Drv  Action  Stat  Cry  Count  Cmd Name       0 SWB-31 &lt;02&gt; 80 Allowed 0000 Off    1  ReadSectors       1 SWB-31 &lt;0A&gt; 80 Allowed 0000 Off    1  ReadLong       2 SWB-31 &lt;42&gt; 80 Allowed 0000 Off    1  ExtRead Results for SWB-31 category r on drive 80 No commands blocked (0 of 3)       0 SWB-31 &lt;02&gt; 81 Allowed 0000 Off    1  ReadSectors       1 SWB-31 &lt;0A&gt; 81 Allowed 0000 Off    1  ReadLong       2 SWB-31 &lt;42&gt; 81 Allowed 0000 Off    1  ExtRead Results for SWB-31 category r on drive 81 No commands blocked (0 of 3)       0 SWB-31 &lt;02&gt; 82 Allowed 0000 Off    1  ReadSectors       1 SWB-31 &lt;0A&gt; 82 Allowed 0000 Off    1  ReadLong       2 SWB-31 &lt;42&gt; 82 Allowed 0000 Off    1  ExtRead Results for SWB-31 category r on drive 82 No commands blocked (0 of 3) Summary: 9 sent, 0 blocked, 9 not blocked           </pre>		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	3 drives identified	3 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is unprotected	Drive 81 is unprotected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-11	0 Commands return fail	0 Commands return fail

Case SWB-31 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	AO-04	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked
	AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked
Analysis:	SWB-31 Expected results achieved		

Case SWB-32 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-32 Install three drives, configure return code to success, protect with pattern UPU, execute read commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-04. If a subset of all covered drives is specified for protection, then commands from the read category shall not be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.</p>
Tester Name:	SN
Test Date:	Mon Sep 29 15:09:22 2003
Test PC:	HecRamsey
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 81, label 64 is a WDC WD64AA with 12594960 sectors</p> <p>Drive 82, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors</p>
Commands executed:	<p>Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hdl5 S1</p> <p>test-hdl SWB-32 HecRamsey SN r 8A 64 2B</p> <p>Shutdown Test PC</p>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 15:09:16) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997    3 Hard-Disks reported by Int_13h    Hard-Disk 0 Not Locked!    Hard-Disk 1   Locked!    Hard-Disk 2 Not Locked!    H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-32 HecRamsey SN r 8A 64 2B Case: SWB-32 Command set: Read Date: Mon Sep 29 15:09:22 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: SN Host: HecRamsey Number of drives 3, Drives: 8A 64 2B    Case Cmd Drv Action Stat Cry Count Cmd Name    0 SWB-32 &lt;02&gt; 80 Allowed 0000 Off    1  ReadSectors    1 SWB-32 &lt;0A&gt; 80 Allowed 0000 Off    1  ReadLong    2 SWB-32 &lt;42&gt; 80 Allowed 0000 Off    1  ExtRead Results for SWB-32 category r on drive 80 No commands blocked (0 of 3)    0 SWB-32 &lt;02&gt; 81 Allowed 0000 Off    1  ReadSectors    1 SWB-32 &lt;0A&gt; 81 Allowed 0000 Off    1  ReadLong    2 SWB-32 &lt;42&gt; 81 Allowed 0000 Off    1  ExtRead Results for SWB-32 category r on drive 81 No commands blocked (0 of 3)    0 SWB-32 &lt;02&gt; 82 Allowed 0000 Off    1  ReadSectors    1 SWB-32 &lt;0A&gt; 82 Allowed 0000 Off    1  ReadLong </pre>



Case SWB-32 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	2 SWB-32 <42> 82 Allowed 0000 Off 1 ExtRead Results for SWB-32 category r on drive 82 No commands blocked (0 of 3) Summary: 9 sent, 0 blocked, 9 not blocked		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	3 drives identified	3 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-10	0 Commands return success	0 Commands return success
	AO-04	No cmds to drive 81 blocked	No cmds to drive 81 blocked
	AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked
Analysis:	SWB-32 Expected results achieved		

Case SWB-33 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-33 Install three drives, configure return code to failure, protect with pattern UUP, execute read commands.
Assertions Tested:	SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces. SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface. SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution. SWB-AO-04. If a subset of all covered drives is specified for protection, then commands from the read category shall not be blocked for drives in the selected subset. SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.
Tester Name:	SN
Test Date:	Mon Sep 29 15:06:20 2003
Test PC:	HecRamsey
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors Drive 81, label 64 is a WDC WD64AA with 12594960 sectors Drive 82, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 2 test-hdl SWB-33 HecRamsey SN r 8A 64 2B Shutdown Test PC
Log File Highlights:	***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 15:06:13) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 3 Hard-Disks reported by Int_13h Hard-Disk 0 Not Locked! Hard-Disk 1 Not Locked! Hard-Disk 2 Locked! H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-33 HecRamsey SN r 8A 64 2B Case: SWB-33 Command set: Read Date: Mon Sep 29 15:06:20 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: SN Host: HecRamsey

Case SWB-33 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	Number of drives 3, Drives: 8A 64 2B Case Cmd Drv Action Stat Cry Count Cmd Name 0 SWB-33 <02> 80 Allowed 0000 Off 1 ReadSectors 1 SWB-33 <0A> 80 Allowed 0000 Off 1 ReadLong 2 SWB-33 <42> 80 Allowed 0000 Off 1 ExtRead Results for SWB-33 category r on drive 80 No commands blocked (0 of 3) 0 SWB-33 <02> 81 Allowed 0000 Off 1 ReadSectors 1 SWB-33 <0A> 81 Allowed 0000 Off 1 ReadLong 2 SWB-33 <42> 81 Allowed 0000 Off 1 ExtRead Results for SWB-33 category r on drive 81 No commands blocked (0 of 3) 0 SWB-33 <02> 82 Allowed 0000 Off 1 ReadSectors 1 SWB-33 <0A> 82 Allowed 0000 Off 1 ReadLong 2 SWB-33 <42> 82 Allowed 0000 Off 1 ExtRead Results for SWB-33 category r on drive 82 No commands blocked (0 of 3) Summary: 9 sent, 0 blocked, 9 not blocked		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	3 drives identified	3 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is unprotected	Drive 81 is unprotected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-11	0 Commands return fail	0 Commands return fail
	AO-04	No cmds to drive 82 blocked	No cmds to drive 82 blocked
	AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked
Analysis:	SWB-33 Expected results achieved		

Case SWB-34 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-34 Install three drives, configure return code to success, protect with pattern UPP, execute read commands.
Assertions Tested:	SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces. SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface. SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution. SWB-AO-04. If a subset of all covered drives is specified for protection, then commands from the read category shall not be blocked for drives in the selected subset. SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.
Tester Name:	SN
Test Date:	Mon Sep 29 15:03:27 2003
Test PC:	HecRamsey
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors Drive 81, label 64 is a WDC WD64AA with 12594960 sectors Drive 82, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 S12 test-hdl SWB-34 HecRamsey SN r 8A 64 2B Shutdown Test PC
Log File Highlights:	***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 15:03:20) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 3 Hard-Disks reported by Int_13h Hard-Disk 0 Not Locked! Hard-Disk 1 Locked! Hard-Disk 2 Locked!

Case SWB-34 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997																																																																																																			
<p>H-D Write Lock successfully installed.            ***** Test Harness Log *****            CMD: A:\TEST-HDL.EXE SWB-34 HecRamsey SN r 8A 64 2B            Case: SWB-34            Command set: Read            Date: Mon Sep 29 15:03:27 2003</p> <p>Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51            @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19            Compiled on Aug 31 2003 at 08:10:54</p> <p>Operator: SN            Host: HecRamsey            Number of drives 3, Drives: 8A 64 2B</p> <table border="1"> <thead> <tr> <th>Case</th> <th>Cmd</th> <th>Drv</th> <th>Action</th> <th>Stat</th> <th>Cry</th> <th>Count</th> <th>Cmd Name</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>SWB-34</td> <td>&lt;02&gt;</td> <td>80</td> <td>Allowed</td> <td>0000</td> <td>Off</td> <td>1 ReadSectors</td> </tr> <tr> <td>1</td> <td>SWB-34</td> <td>&lt;0A&gt;</td> <td>80</td> <td>Allowed</td> <td>0000</td> <td>Off</td> <td>1 ReadLong</td> </tr> <tr> <td>2</td> <td>SWB-34</td> <td>&lt;42&gt;</td> <td>80</td> <td>Allowed</td> <td>0000</td> <td>Off</td> <td>1 ExtRead</td> </tr> </tbody> </table> <p>Results for SWB-34 category r on drive 80 No commands blocked (0 of 3)</p> <table border="1"> <thead> <tr> <th>Case</th> <th>Cmd</th> <th>Drv</th> <th>Action</th> <th>Stat</th> <th>Cry</th> <th>Count</th> <th>Cmd Name</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>SWB-34</td> <td>&lt;02&gt;</td> <td>81</td> <td>Allowed</td> <td>0000</td> <td>Off</td> <td>1 ReadSectors</td> </tr> <tr> <td>1</td> <td>SWB-34</td> <td>&lt;0A&gt;</td> <td>81</td> <td>Allowed</td> <td>0000</td> <td>Off</td> <td>1 ReadLong</td> </tr> <tr> <td>2</td> <td>SWB-34</td> <td>&lt;42&gt;</td> <td>81</td> <td>Allowed</td> <td>0000</td> <td>Off</td> <td>1 ExtRead</td> </tr> </tbody> </table> <p>Results for SWB-34 category r on drive 81 No commands blocked (0 of 3)</p> <table border="1"> <thead> <tr> <th>Case</th> <th>Cmd</th> <th>Drv</th> <th>Action</th> <th>Stat</th> <th>Cry</th> <th>Count</th> <th>Cmd Name</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>SWB-34</td> <td>&lt;02&gt;</td> <td>82</td> <td>Allowed</td> <td>0000</td> <td>Off</td> <td>1 ReadSectors</td> </tr> <tr> <td>1</td> <td>SWB-34</td> <td>&lt;0A&gt;</td> <td>82</td> <td>Allowed</td> <td>0000</td> <td>Off</td> <td>1 ReadLong</td> </tr> <tr> <td>2</td> <td>SWB-34</td> <td>&lt;42&gt;</td> <td>82</td> <td>Allowed</td> <td>0000</td> <td>Off</td> <td>1 ExtRead</td> </tr> </tbody> </table> <p>Results for SWB-34 category r on drive 82 No commands blocked (0 of 3)            Summary: 9 sent, 0 blocked, 9 not blocked</p>				Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name	0	SWB-34	<02>	80	Allowed	0000	Off	1 ReadSectors	1	SWB-34	<0A>	80	Allowed	0000	Off	1 ReadLong	2	SWB-34	<42>	80	Allowed	0000	Off	1 ExtRead	Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name	0	SWB-34	<02>	81	Allowed	0000	Off	1 ReadSectors	1	SWB-34	<0A>	81	Allowed	0000	Off	1 ReadLong	2	SWB-34	<42>	81	Allowed	0000	Off	1 ExtRead	Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name	0	SWB-34	<02>	82	Allowed	0000	Off	1 ReadSectors	1	SWB-34	<0A>	82	Allowed	0000	Off	1 ReadLong	2	SWB-34	<42>	82	Allowed	0000	Off	1 ExtRead
Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name																																																																																												
0	SWB-34	<02>	80	Allowed	0000	Off	1 ReadSectors																																																																																												
1	SWB-34	<0A>	80	Allowed	0000	Off	1 ReadLong																																																																																												
2	SWB-34	<42>	80	Allowed	0000	Off	1 ExtRead																																																																																												
Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name																																																																																												
0	SWB-34	<02>	81	Allowed	0000	Off	1 ReadSectors																																																																																												
1	SWB-34	<0A>	81	Allowed	0000	Off	1 ReadLong																																																																																												
2	SWB-34	<42>	81	Allowed	0000	Off	1 ExtRead																																																																																												
Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name																																																																																												
0	SWB-34	<02>	82	Allowed	0000	Off	1 ReadSectors																																																																																												
1	SWB-34	<0A>	82	Allowed	0000	Off	1 ReadLong																																																																																												
2	SWB-34	<42>	82	Allowed	0000	Off	1 ExtRead																																																																																												
Results:	<table border="1"> <thead> <tr> <th>Assertion</th> <th>Expected Results</th> <th>Actual Results</th> </tr> </thead> <tbody> <tr> <td>AM-07</td> <td>Tool active message</td> <td>Tool active message</td> </tr> <tr> <td>AM-08</td> <td>3 drives identified</td> <td>3 drives identified</td> </tr> <tr> <td>AM-09</td> <td>Drive 80 is unprotected</td> <td>Drive 80 is unprotected</td> </tr> <tr> <td>AM-09</td> <td>Drive 81 is protected</td> <td>Drive 81 is protected</td> </tr> <tr> <td>AM-09</td> <td>Drive 82 is protected</td> <td>Drive 82 is protected</td> </tr> <tr> <td>AM-10</td> <td>0 Commands return success</td> <td>0 Commands return success</td> </tr> <tr> <td>AO-04</td> <td>No cmds to drive 81 blocked</td> <td>No cmds to drive 81 blocked</td> </tr> <tr> <td>AO-04</td> <td>No cmds to drive 82 blocked</td> <td>No cmds to drive 82 blocked</td> </tr> <tr> <td>AO-07</td> <td>No cmds to drive 80 blocked</td> <td>No cmds to drive 80 blocked</td> </tr> </tbody> </table>			Assertion	Expected Results	Actual Results	AM-07	Tool active message	Tool active message	AM-08	3 drives identified	3 drives identified	AM-09	Drive 80 is unprotected	Drive 80 is unprotected	AM-09	Drive 81 is protected	Drive 81 is protected	AM-09	Drive 82 is protected	Drive 82 is protected	AM-10	0 Commands return success	0 Commands return success	AO-04	No cmds to drive 81 blocked	No cmds to drive 81 blocked	AO-04	No cmds to drive 82 blocked	No cmds to drive 82 blocked	AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked																																																																		
Assertion	Expected Results	Actual Results																																																																																																	
AM-07	Tool active message	Tool active message																																																																																																	
AM-08	3 drives identified	3 drives identified																																																																																																	
AM-09	Drive 80 is unprotected	Drive 80 is unprotected																																																																																																	
AM-09	Drive 81 is protected	Drive 81 is protected																																																																																																	
AM-09	Drive 82 is protected	Drive 82 is protected																																																																																																	
AM-10	0 Commands return success	0 Commands return success																																																																																																	
AO-04	No cmds to drive 81 blocked	No cmds to drive 81 blocked																																																																																																	
AO-04	No cmds to drive 82 blocked	No cmds to drive 82 blocked																																																																																																	
AO-07	No cmds to drive 80 blocked	No cmds to drive 80 blocked																																																																																																	
Analysis:	SWB-34 Expected results achieved																																																																																																		

Case SWB-35 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-35 Install three drives, configure return code to failure, protect with pattern PUP, execute read commands.
Assertions Tested:	SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active. SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces. SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface. SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution. SWB-AO-04. If a subset of all covered drives is specified for protection, then commands from the read category shall not be blocked for drives in the selected subset. SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in the selected subset.
Tester Name:	SN
Test Date:	Mon Sep 29 15:00:07 2003
Test PC:	HecRamsey
Test Software:	SWBT 1.0
Hard Drives Used:	Drive 80, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors Drive 81, label 64 is a WDC WD64AA with 12594960 sectors Drive 82, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 02 test-hdl SWB-35 HecRamsey SN r 8A 64 2B

Case SWB-35 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997																																	
Log File Highlights:	<pre> Shutdown Test PC ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 15:00:00) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       3 Hard-Disks reported by Int_13h       Hard-Disk 0   Locked!       Hard-Disk 1   Not Locked!       Hard-Disk 2   Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-35 HecRamsey SN r 8A 64 2B Case: SWB-35 Command set: Read Date: Mon Sep 29 15:00:07 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51         @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19         Compiled on Aug 31 2003 at 08:10:54 Operator: SN Host: HecRamsey Number of drives 3, Drives: 8A 64 2B       Case Cmd Drv Action Stat Cry Count Cmd Name       0 SWB-35 &lt;02&gt; 80 Allowed 0000 Off      1  ReadSectors       1 SWB-35 &lt;0A&gt; 80 Allowed 0000 Off      1  ReadLong       2 SWB-35 &lt;42&gt; 80 Allowed 0000 Off      1  ExtRead Results for SWB-35 category r on drive 80 No commands blocked (0 of 3)       0 SWB-35 &lt;02&gt; 81 Allowed 0000 Off      1  ReadSectors       1 SWB-35 &lt;0A&gt; 81 Allowed 0000 Off      1  ReadLong       2 SWB-35 &lt;42&gt; 81 Allowed 0000 Off      1  ExtRead Results for SWB-35 category r on drive 81 No commands blocked (0 of 3)       0 SWB-35 &lt;02&gt; 82 Allowed 0000 Off      1  ReadSectors       1 SWB-35 &lt;0A&gt; 82 Allowed 0000 Off      1  ReadLong       2 SWB-35 &lt;42&gt; 82 Allowed 0000 Off      1  ExtRead Results for SWB-35 category r on drive 82 No commands blocked (0 of 3) Summary: 9 sent, 0 blocked, 9 not blocked </pre>																																
Results:	<table border="1"> <thead> <tr> <th>Assertion</th> <th>Expected Results</th> <th>Actual Results</th> </tr> </thead> <tbody> <tr> <td>AM-07</td> <td>Tool active message</td> <td>Tool active message</td> </tr> <tr> <td>AM-08</td> <td>3 drives identified</td> <td>3 drives identified</td> </tr> <tr> <td>AM-09</td> <td>Drive 80 is protected</td> <td>Drive 80 is protected</td> </tr> <tr> <td>AM-09</td> <td>Drive 81 is unprotected</td> <td>Drive 81 is unprotected</td> </tr> <tr> <td>AM-09</td> <td>Drive 82 is protected</td> <td>Drive 82 is protected</td> </tr> <tr> <td>AM-11</td> <td>0 Commands return fail</td> <td>0 Commands return fail</td> </tr> <tr> <td>AO-04</td> <td>No cmds to drive 80 blocked</td> <td>No cmds to drive 80 blocked</td> </tr> <tr> <td>AO-04</td> <td>No cmds to drive 82 blocked</td> <td>No cmds to drive 82 blocked</td> </tr> <tr> <td>AO-07</td> <td>No cmds to drive 81 blocked</td> <td>No cmds to drive 81 blocked</td> </tr> </tbody> </table>	Assertion	Expected Results	Actual Results	AM-07	Tool active message	Tool active message	AM-08	3 drives identified	3 drives identified	AM-09	Drive 80 is protected	Drive 80 is protected	AM-09	Drive 81 is unprotected	Drive 81 is unprotected	AM-09	Drive 82 is protected	Drive 82 is protected	AM-11	0 Commands return fail	0 Commands return fail	AO-04	No cmds to drive 80 blocked	No cmds to drive 80 blocked	AO-04	No cmds to drive 82 blocked	No cmds to drive 82 blocked	AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked		
Assertion	Expected Results	Actual Results																															
AM-07	Tool active message	Tool active message																															
AM-08	3 drives identified	3 drives identified																															
AM-09	Drive 80 is protected	Drive 80 is protected																															
AM-09	Drive 81 is unprotected	Drive 81 is unprotected																															
AM-09	Drive 82 is protected	Drive 82 is protected																															
AM-11	0 Commands return fail	0 Commands return fail																															
AO-04	No cmds to drive 80 blocked	No cmds to drive 80 blocked																															
AO-04	No cmds to drive 82 blocked	No cmds to drive 82 blocked																															
AO-07	No cmds to drive 81 blocked	No cmds to drive 81 blocked																															
Analysis:	SWB-35 Expected results achieved																																

Case SWB-36 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-36 Install three drives, configure return code to success, protect with pattern PPU, execute read commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-04. If a subset of all covered drives is specified for protection, then commands from the read category shall not be blocked for drives in the selected subset.</p> <p>SWB-AO-07. If a subset of all covered drives is specified for protection, then no commands from any category shall be blocked for drives not in</p>

<b>Case SWB-36 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997</b>			
the selected subset.			
Tester Name:	SN		
Test Date:	Mon Sep 29 14:56:39 2003		
Test PC:	HecRamsey		
Test Software:	SWBT 1.0		
Hard Drives Used:	Drive 80, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors Drive 81, label 64 is a WDC WD64AA with 12594960 sectors Drive 82, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors		
Commands executed:	Boot Test PC to (DOS 7.1) Windows 98 [Version 4.10.2222] tally13 hdl5 S01 test-hdl SWB-36 HecRamsey SN r 8A 64 2B Shutdown Test PC		
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 14:56:31) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997       3 Hard-Disks reported by Int_13h       Hard-Disk 0      Locked!       Hard-Disk 1      Locked!       Hard-Disk 2 Not Locked!       H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-36 HecRamsey SN r 8A 64 2B Case: SWB-36 Command set: Read Date: Mon Sep 29 14:56:39 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: SN Host: HecRamsey Number of drives 3, Drives: 8A 64 2B       Case Cmd Drv Action Stat Cry Count Cmd Name       0 SWB-36 &lt;02&gt; 80 Allowed 0000 Off      1 ReadSectors       1 SWB-36 &lt;0A&gt; 80 Allowed 0000 Off      1 ReadLong       2 SWB-36 &lt;42&gt; 80 Allowed 0000 Off      1 ExtRead Results for SWB-36 category r on drive 80 No commands blocked (0 of 3)       0 SWB-36 &lt;02&gt; 81 Allowed 0000 Off      1 ReadSectors       1 SWB-36 &lt;0A&gt; 81 Allowed 0000 Off      1 ReadLong       2 SWB-36 &lt;42&gt; 81 Allowed 0000 Off      1 ExtRead Results for SWB-36 category r on drive 81 No commands blocked (0 of 3)       0 SWB-36 &lt;02&gt; 82 Allowed 0000 Off      1 ReadSectors       1 SWB-36 &lt;0A&gt; 82 Allowed 0000 Off      1 ReadLong       2 SWB-36 &lt;42&gt; 82 Allowed 0000 Off      1 ExtRead Results for SWB-36 category r on drive 82 No commands blocked (0 of 3) Summary: 9 sent, 0 blocked, 9 not blocked </pre>		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	3 drives identified	3 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-10	0 Commands return success	0 Commands return success
	AO-04	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-04	No cmds to drive 81 blocked	No cmds to drive 81 blocked
AO-07	No cmds to drive 82 blocked	No cmds to drive 82 blocked	
Analysis:	SWB-36 Expected results achieved		

<b>Case SWB-37 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997</b>	
Case summary:	SWB-37 Install all drives, configure to be active at boot and shutdown, configure return code to failure, protect with pattern odd, execute write commands.
Assertions Tested:	SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.

Case SWB-37 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	<p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p> <p>SWB-AO-08. If the tool is active during the operating system boot and shutdown processes then no changes are made to any protected drives.</p>		
Tester Name:	Blive		
Test Date:	Thu Sep 25 15:15:09 2003		
Test PC:	Cadfael		
Test Software:	SWBT 1.0		
Hard Drives Used:	<p>Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors</p> <p>Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p> <p>Drive 83, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors</p>		
Commands executed:	<p>Boot Host (HDL in AUTOEXEC.BAT)</p> <p>Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hdl5 13</p> <p>test-hdl SWB-37 Cadfael Blive w 6F 8A E4 2B</p> <p>Shutdown Host</p>		
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 15:13:32) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997   4 Hard-Disks reported by Int_13h     Hard-Disk 0 Not Locked!     Hard-Disk 1 Locked!     Hard-Disk 2 Not Locked!     Hard-Disk 3 Locked!     H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-37 Cadfael Blive w 6F 8A E4 2B Case: SWB-37 Command set: Write Date: Thu Sep 25 15:15:09 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Cadfael Number of drives 4, Drives: 6F 8A E4 2B   Case Cmd Drv Action Stat Cry Count Cmd Name   0 SWB-37 &lt;03&gt; 80 Allowed 0000 Off 1 WriteSectors   1 SWB-37 &lt;0B&gt; 80 Allowed 0000 Off 1 WriteLong   2 SWB-37 &lt;43&gt; 80 Allowed 0000 Off 1 ExtWrite Results for SWB-37 category w on drive 80 No commands blocked (0 of 3)   0 SWB-37 &lt;03&gt; 81 Blocked 0300 On 0 WriteSectors   1 SWB-37 &lt;0B&gt; 81 Blocked 0300 On 0 WriteLong   2 SWB-37 &lt;43&gt; 81 Blocked 0300 On 0 ExtWrite Results for SWB-37 category w on drive 81 All commands blocked (3 of 3)   0 SWB-37 &lt;03&gt; 82 Allowed 0000 Off 1 WriteSectors   1 SWB-37 &lt;0B&gt; 82 Allowed 0000 Off 1 WriteLong   2 SWB-37 &lt;43&gt; 82 Allowed 0000 Off 1 ExtWrite Results for SWB-37 category w on drive 82 No commands blocked (0 of 3)   0 SWB-37 &lt;03&gt; 83 Blocked 0300 On 0 WriteSectors   1 SWB-37 &lt;0B&gt; 83 Blocked 0300 On 0 WriteLong   2 SWB-37 &lt;43&gt; 83 Blocked 0300 On 0 ExtWrite Results for SWB-37 category w on drive 83 All commands blocked (3 of 3) Summary: 12 sent, 6 blocked, 6 not blocked </pre>		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message

Case SWB-37 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	AM-08	4 drives identified	4 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-09	Drive 83 is protected	Drive 83 is protected
	AM-11	6 Commands return fail	6 Commands return fail
	AO-08	All cmds to drive 81 blocked	All cmds to drive 81 blocked
	AO-08	All cmds to drive 83 blocked	All cmds to drive 83 blocked
	AO-08	No cmds to drive 80 blocked	No cmds to drive 80 blocked
	AO-08	No cmds to drive 82 blocked	No cmds to drive 82 blocked
Analysis:	SWB-37 Expected results achieved		

Case SWB-38 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-38 Install all drives, configure to be active at boot and shutdown, configure return code to success, protect with pattern even, execute write commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-08. If the tool is active during the operating system boot and shutdown processes then no changes are made to any protected drives.</p>
Tester Name:	JRL
Test Date:	Mon Sep 29 14:19:29 2003
Test PC:	McMillan
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 90 is a WDC WD300BB-00CAA0 with 58633344 sectors</p> <p>Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 82, label 64 is a WDC WD64AA with 12594960 sectors</p> <p>Drive 83, label 1F is a Quantum ATLAS10K3_18_SCA Drive with 35916548 sectors</p> <p>Drive 84, label E3 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p>
Commands executed:	<p>Boot Host (HDL in AUTOEXEC.BAT)</p> <p>Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hdl5 S024</p> <p>test-hdl SWB-38 McMillan JRL w 90 8A 64 1F E3</p> <p>Shutdown Host</p>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 14:13:08) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997   5 Hard-Disks reported by Int_13h   Hard-Disk 0   Locked!   Hard-Disk 1  Not Locked!   Hard-Disk 2   Locked!   Hard-Disk 3  Not Locked!   Hard-Disk 4   Locked!   H-D Write Lock successfully installed. ***** Test Harness Log ***** CMD: A:\TEST-HDL.EXE SWB-38 McMillan JRL w 90 8A 64 1F E3 Case: SWB-38 Command set: Write Date: Mon Sep 29 14:19:29 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51          @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19          Compiled on Aug 31 2003 at 08:10:54 Operator: JRL Host: McMillan Number of drives 5, Drives: 90 8A 64 1F E3 </pre>

Case SWB-38 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
	<pre> Case Cmd Drv Action Stat Cry Count Cmd Name 0 SWB-38 &lt;03&gt; 80 Blocked 0000 Off 0 WriteSectors 1 SWB-38 &lt;0B&gt; 80 Blocked 0000 Off 0 WriteLong 2 SWB-38 &lt;43&gt; 80 Blocked 0000 Off 0 ExtWrite Results for SWB-38 category w on drive 80 All commands blocked (3 of 3) 0 SWB-38 &lt;03&gt; 81 Allowed 0000 Off 1 WriteSectors 1 SWB-38 &lt;0B&gt; 81 Allowed 0000 Off 1 WriteLong 2 SWB-38 &lt;43&gt; 81 Allowed 0000 Off 1 ExtWrite Results for SWB-38 category w on drive 81 No commands blocked (0 of 3) 0 SWB-38 &lt;03&gt; 82 Blocked 0000 Off 0 WriteSectors 1 SWB-38 &lt;0B&gt; 82 Blocked 0000 Off 0 WriteLong 2 SWB-38 &lt;43&gt; 82 Blocked 0000 Off 0 ExtWrite Results for SWB-38 category w on drive 82 All commands blocked (3 of 3) 0 SWB-38 &lt;03&gt; 83 Allowed 0000 Off 1 WriteSectors 1 SWB-38 &lt;0B&gt; 83 Allowed 0000 Off 1 WriteLong 2 SWB-38 &lt;43&gt; 83 Allowed 0000 Off 1 ExtWrite Results for SWB-38 category w on drive 83 No commands blocked (0 of 3) 0 SWB-38 &lt;03&gt; 84 Blocked 0000 Off 0 WriteSectors 1 SWB-38 &lt;0B&gt; 84 Blocked 0000 Off 0 WriteLong 2 SWB-38 &lt;43&gt; 84 Blocked 0000 Off 0 ExtWrite Results for SWB-38 category w on drive 84 All commands blocked (3 of 3) Summary: 15 sent, 9 blocked, 6 not blocked </pre>		
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	5 drives identified	5 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is unprotected	Drive 81 is unprotected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-09	Drive 83 is unprotected	Drive 83 is unprotected
	AM-09	Drive 84 is protected	Drive 84 is protected
	AM-10	9 Commands return success	9 Commands return success
	AO-08	All cmds to drive 80 blocked	All cmds to drive 80 blocked
	AO-08	All cmds to drive 82 blocked	All cmds to drive 82 blocked
	AO-08	All cmds to drive 84 blocked	All cmds to drive 84 blocked
	AO-08	No cmds to drive 81 blocked	No cmds to drive 81 blocked
	AO-08	No cmds to drive 83 blocked	No cmds to drive 83 blocked
Analysis:	SWB-38 Expected results achieved		

Case SWB-39 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-39 Install all drives, configure return code to failure, protect with pattern high, execute write commands, uninstall, execute all commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-11. If the tool is configured to return fail on blocked commands and the tool blocks a command then the return code shall indicate unsuccessful command execution.</p> <p>SWB-AO-09. If the tool is active and the tool is then uninstalled then no commands to any drive shall be blocked.</p>
Tester Name:	JRL
Test Date:	Mon Sep 29 14:10:04 2003
Test PC:	McMillan
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 90 is a WDC WD300BB-00CAA0 with 58633344 sectors</p> <p>Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 82, label 64 is a WDC WD64AA with 12594960 sectors</p> <p>Drive 83, label 1F is a Quantum ATLAS10K3_18_SCA Drive with 35916548 sectors</p> <p>Drive 84, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p>
Commands executed:	<p>Boot Test PC</p> <p>Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hd15 234</p>



Case SWB-39 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
	<pre> test-hdl SWB-39 McMillan JRL w 90 8A 64 1F E4 t-off SWB-39 McMillan JRL hdl5 R test-hdl SWB-39 McMillan JRL a 90 8A 64 1F E4 Shutdown Test PC </pre>
Log File Highlights:	<pre> ***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/29/03 at 14:09:41) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 5 Hard-Disks reported by Int_13h Hard-Disk 0 Not Locked! Hard-Disk 1 Not Locked! Hard-Disk 2 Locked! Hard-Disk 3 Locked! Hard-Disk 4 Locked! H-D Write Lock successfully installed. ***** Blocked Write Commands ***** CMD: a:\TEST-HDL.EXE SWB-39 McMillan JRL w 90 8A 64 1F E4 Case: SWB-39 Command set: Write Date: Mon Sep 29 14:09:49 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: JRL Host: McMillan Number of drives 5, Drives: 90 8A 64 1F E4 Case Cmd Drv Action Stat Cry Count Cmd Name 0 SWB-39 &lt;03&gt; 80 Allowed 0000 Off 1 WriteSectors 1 SWB-39 &lt;0B&gt; 80 Allowed 0000 Off 1 WriteLong 2 SWB-39 &lt;43&gt; 80 Allowed 0000 Off 1 ExtWrite Results for SWB-39 category w on drive 80 No commands blocked (0 of 3) 0 SWB-39 &lt;03&gt; 81 Allowed 0000 Off 1 WriteSectors 1 SWB-39 &lt;0B&gt; 81 Allowed 0000 Off 1 WriteLong 2 SWB-39 &lt;43&gt; 81 Allowed 0000 Off 1 ExtWrite Results for SWB-39 category w on drive 81 No commands blocked (0 of 3) 0 SWB-39 &lt;03&gt; 82 Blocked 0300 On 0 WriteSectors 1 SWB-39 &lt;0B&gt; 82 Blocked 0300 On 0 WriteLong 2 SWB-39 &lt;43&gt; 82 Blocked 0300 On 0 ExtWrite Results for SWB-39 category w on drive 82 All commands blocked (3 of 3) 0 SWB-39 &lt;03&gt; 83 Blocked 0300 On 0 WriteSectors 1 SWB-39 &lt;0B&gt; 83 Blocked 0300 On 0 WriteLong 2 SWB-39 &lt;43&gt; 83 Blocked 0300 On 0 ExtWrite Results for SWB-39 category w on drive 83 All commands blocked (3 of 3) 0 SWB-39 &lt;03&gt; 84 Blocked 0300 On 0 WriteSectors 1 SWB-39 &lt;0B&gt; 84 Blocked 0300 On 0 WriteLong 2 SWB-39 &lt;43&gt; 84 Blocked 0300 On 0 ExtWrite Results for SWB-39 category w on drive 84 All commands blocked (3 of 3) Summary: 15 sent, 9 blocked, 6 not blocked  Number of Commands not blocked (should total to 6) Drive Count 80 3 81 3 82 0 83 0 84 0 ***** Uninstall HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 H-D Write Lock removed. ***** Test Harness Log ***** CMD: a:\TEST-HDL.EXE SWB-39 McMillan JRL a 90 8A 64 1F E4 Case: SWB-39 Command set: All Date: Mon Sep 29 14:10:04 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 </pre>

Case SWB-39 HDL -- Hard-Disk (Int\_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997

```

@(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19
Compiled on Aug 31 2003 at 08:10:54
Operator: JRL
Host: McMillan
Number of drives 5, Drives: 90 8A 64 1F E4
Warning: non-zero tally (3) for drive 80 (reboot to clear)
Warning: non-zero tally (3) for drive 81 (reboot to clear)
Case Cmd Drv Action Stat Cry Count Cmd Name
0 SWB-39 <00> 80 Allowed 0000 Off 1 Reset
1 SWB-39 <0C> 80 Allowed 0000 Off 1 SeekDrive
2 SWB-39 <0D> 80 Allowed 0000 Off 1 AltReset
3 SWB-39 <11> 80 Allowed 0000 Off 1 Recalibrate
4 SWB-39 <47> 80 Allowed 0000 Off 1 ExtendedSeek
Results for SWB-39 category c on drive 80 No commands blocked (0 of 5)
0 SWB-39 <00> 81 Allowed 0000 Off 1 Reset
1 SWB-39 <0C> 81 Allowed 0000 Off 1 SeekDrive
2 SWB-39 <0D> 81 Allowed 0000 Off 1 AltReset
3 SWB-39 <11> 81 Allowed 0000 Off 1 Recalibrate
4 SWB-39 <47> 81 Allowed 0000 Off 1 ExtendedSeek
Results for SWB-39 category c on drive 81 No commands blocked (0 of 5)
0 SWB-39 <00> 82 Allowed 0000 Off 1 Reset
1 SWB-39 <0C> 82 Allowed 0000 Off 1 SeekDrive
2 SWB-39 <0D> 82 Allowed 0000 Off 1 AltReset
3 SWB-39 <11> 82 Allowed 0000 Off 1 Recalibrate
4 SWB-39 <47> 82 Allowed 0000 Off 1 ExtendedSeek
Results for SWB-39 category c on drive 82 No commands blocked (0 of 5)
0 SWB-39 <00> 83 Allowed 0000 Off 1 Reset
1 SWB-39 <0C> 83 Allowed 0000 Off 1 SeekDrive
2 SWB-39 <0D> 83 Allowed 0000 Off 1 AltReset
3 SWB-39 <11> 83 Allowed 0000 Off 1 Recalibrate
4 SWB-39 <47> 83 Allowed 0000 Off 1 ExtendedSeek
Results for SWB-39 category c on drive 83 No commands blocked (0 of 5)
0 SWB-39 <00> 84 Allowed 0000 Off 1 Reset
1 SWB-39 <0C> 84 Allowed 0000 Off 1 SeekDrive
2 SWB-39 <0D> 84 Allowed 0000 Off 1 AltReset
3 SWB-39 <11> 84 Allowed 0000 Off 1 Recalibrate
4 SWB-39 <47> 84 Allowed 0000 Off 1 ExtendedSeek
Results for SWB-39 category c on drive 84 No commands blocked (0 of 5)
Summary: 25 sent, 0 blocked, 25 not blocked

0 SWB-39 <01> 80 Allowed 0000 Off 1 GetLastStatus
1 SWB-39 <04> 80 Allowed 0000 Off 1 VerifySectors
2 SWB-39 <08> 80 Allowed 0000 Off 1 ReadDriveParms
3 SWB-39 <10> 80 Allowed 0000 Off 1 TestDriveReady
4 SWB-39 <15> 80 Allowed 0000 Off 1 ReadDriveType
5 SWB-39 <41> 80 Allowed 0000 Off 1 CheckForExtensions
6 SWB-39 <44> 80 Allowed 0000 Off 1 VerifySectors
7 SWB-39 <48> 80 Allowed 0000 Off 1 GetDriveParms
Results for SWB-39 category i on drive 80 No commands blocked (0 of 8)
0 SWB-39 <01> 81 Allowed 0000 Off 1 GetLastStatus
1 SWB-39 <04> 81 Allowed 0000 Off 1 VerifySectors
2 SWB-39 <08> 81 Allowed 0000 Off 1 ReadDriveParms
3 SWB-39 <10> 81 Allowed 0000 Off 1 TestDriveReady
4 SWB-39 <15> 81 Allowed 0000 Off 1 ReadDriveType
5 SWB-39 <41> 81 Allowed 0000 Off 1 CheckForExtensions
6 SWB-39 <44> 81 Allowed 0000 Off 1 VerifySectors
7 SWB-39 <48> 81 Allowed 0000 Off 1 GetDriveParms
Results for SWB-39 category i on drive 81 No commands blocked (0 of 8)
0 SWB-39 <01> 82 Allowed 0000 Off 1 GetLastStatus
1 SWB-39 <04> 82 Allowed 0000 Off 1 VerifySectors
2 SWB-39 <08> 82 Allowed 0000 Off 1 ReadDriveParms
3 SWB-39 <10> 82 Allowed 0000 Off 1 TestDriveReady
4 SWB-39 <15> 82 Allowed 0000 Off 1 ReadDriveType
5 SWB-39 <41> 82 Allowed 0000 Off 1 CheckForExtensions
6 SWB-39 <44> 82 Allowed 0000 Off 1 VerifySectors
7 SWB-39 <48> 82 Allowed 0000 Off 1 GetDriveParms
Results for SWB-39 category i on drive 82 No commands blocked (0 of 8)
0 SWB-39 <01> 83 Allowed 0000 Off 1 GetLastStatus
1 SWB-39 <04> 83 Allowed 0000 Off 1 VerifySectors
2 SWB-39 <08> 83 Allowed 0000 Off 1 ReadDriveParms
3 SWB-39 <10> 83 Allowed 0000 Off 1 TestDriveReady
4 SWB-39 <15> 83 Allowed 0000 Off 1 ReadDriveType

```

Case SWB-39 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997						
5	SWB-39	<41>	83	Allowed	0000	Off 1 CheckForExtensions
6	SWB-39	<44>	83	Allowed	0000	Off 1 VerifySectors
7	SWB-39	<48>	83	Allowed	0000	Off 1 GetDriveParms
Results for SWB-39 category i on drive 83 No commands blocked (0 of 8)						
0	SWB-39	<01>	84	Allowed	0000	Off 1 GetLastStatus
1	SWB-39	<04>	84	Allowed	0000	Off 1 VerifySectors
2	SWB-39	<08>	84	Allowed	0000	Off 1 ReadDriveParms
3	SWB-39	<10>	84	Allowed	0000	Off 1 TestDriveReady
4	SWB-39	<15>	84	Allowed	0000	Off 1 ReadDriveType
5	SWB-39	<41>	84	Allowed	0000	Off 1 CheckForExtensions
6	SWB-39	<44>	84	Allowed	0000	Off 1 VerifySectors
7	SWB-39	<48>	84	Allowed	0000	Off 1 GetDriveParms
Results for SWB-39 category i on drive 84 No commands blocked (0 of 8)						
Summary: 40 sent, 0 blocked, 40 not blocked						
0	SWB-39	<02>	80	Allowed	0000	Off 1 ReadSectors
1	SWB-39	<0A>	80	Allowed	0000	Off 1 ReadLong
2	SWB-39	<42>	80	Allowed	0000	Off 1 ExtRead
Results for SWB-39 category r on drive 80 No commands blocked (0 of 3)						
0	SWB-39	<02>	81	Allowed	0000	Off 1 ReadSectors
1	SWB-39	<0A>	81	Allowed	0000	Off 1 ReadLong
2	SWB-39	<42>	81	Allowed	0000	Off 1 ExtRead
Results for SWB-39 category r on drive 81 No commands blocked (0 of 3)						
0	SWB-39	<02>	82	Allowed	0000	Off 1 ReadSectors
1	SWB-39	<0A>	82	Allowed	0000	Off 1 ReadLong
2	SWB-39	<42>	82	Allowed	0000	Off 1 ExtRead
Results for SWB-39 category r on drive 82 No commands blocked (0 of 3)						
0	SWB-39	<02>	83	Allowed	0000	Off 1 ReadSectors
1	SWB-39	<0A>	83	Allowed	0000	Off 1 ReadLong
2	SWB-39	<42>	83	Allowed	0000	Off 1 ExtRead
Results for SWB-39 category r on drive 83 No commands blocked (0 of 3)						
0	SWB-39	<02>	84	Allowed	0000	Off 1 ReadSectors
1	SWB-39	<0A>	84	Allowed	0000	Off 1 ReadLong
2	SWB-39	<42>	84	Allowed	0000	Off 1 ExtRead
Results for SWB-39 category r on drive 84 No commands blocked (0 of 3)						
Summary: 15 sent, 0 blocked, 15 not blocked						
0	SWB-39	<03>	80	Allowed	0000	Off 2 WriteSectors
1	SWB-39	<0B>	80	Allowed	0000	Off 2 WriteLong
2	SWB-39	<43>	80	Allowed	0000	Off 2 ExtWrite
Results for SWB-39 category w on drive 80 No commands blocked (0 of 3)						
0	SWB-39	<03>	81	Allowed	0000	Off 2 WriteSectors
1	SWB-39	<0B>	81	Allowed	0000	Off 2 WriteLong
2	SWB-39	<43>	81	Allowed	0000	Off 2 ExtWrite
Results for SWB-39 category w on drive 81 No commands blocked (0 of 3)						
0	SWB-39	<03>	82	Allowed	0000	Off 1 WriteSectors
1	SWB-39	<0B>	82	Allowed	0000	Off 1 WriteLong
2	SWB-39	<43>	82	Allowed	0000	Off 1 ExtWrite
Results for SWB-39 category w on drive 82 No commands blocked (0 of 3)						
0	SWB-39	<03>	83	Allowed	0000	Off 1 WriteSectors
1	SWB-39	<0B>	83	Allowed	0000	Off 1 WriteLong
2	SWB-39	<43>	83	Allowed	0000	Off 1 ExtWrite
Results for SWB-39 category w on drive 83 No commands blocked (0 of 3)						
0	SWB-39	<03>	84	Allowed	0000	Off 1 WriteSectors
1	SWB-39	<0B>	84	Allowed	0000	Off 1 WriteLong
2	SWB-39	<43>	84	Allowed	0000	Off 1 ExtWrite
Results for SWB-39 category w on drive 84 No commands blocked (0 of 3)						
Summary: 15 sent, 0 blocked, 15 not blocked						
0	SWB-39	<05>	80	Allowed	0000	Off 1 FormatTrack
1	SWB-39	<06>	80	Allowed	0000	Off 1 FormatBadSectors
2	SWB-39	<07>	80	Allowed	0000	Off 1 FormatCyl
3	SWB-39	<09>	80	Allowed	0000	Off 1 InitDriveParms
4	SWB-39	<0E>	80	Allowed	0000	Off 1 DiagnosticESDI
5	SWB-39	<0F>	80	Allowed	0000	Off 1 DiagnosticESDI
6	SWB-39	<12>	80	Allowed	0000	Off 1 DiagnosticRAM
7	SWB-39	<13>	80	Allowed	0000	Off 1 DiagnosticDrive
8	SWB-39	<14>	80	Allowed	0000	Off 1 DiagnosticCTL
Results for SWB-39 category x on drive 80 No commands blocked (0 of 9)						
0	SWB-39	<05>	81	Allowed	0000	Off 1 FormatTrack
1	SWB-39	<06>	81	Allowed	0000	Off 1 FormatBadSectors
2	SWB-39	<07>	81	Allowed	0000	Off 1 FormatCyl

Case SWB-39 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997						
3	SWB-39	<09>	81	Allowed	0000	Off 1 InitDriveParms
4	SWB-39	<0E>	81	Allowed	0000	Off 1 DiagnosticESDI
5	SWB-39	<0F>	81	Allowed	0000	Off 1 DiagnosticESDI
6	SWB-39	<12>	81	Allowed	0000	Off 1 DiagnosticRAM
7	SWB-39	<13>	81	Allowed	0000	Off 1 DiagnosticDrive
8	SWB-39	<14>	81	Allowed	0000	Off 1 DiagnosticCTL
Results for SWB-39 category x on drive 81 No commands blocked (0 of 9)						
0	SWB-39	<05>	82	Allowed	0000	Off 1 FormatTrack
1	SWB-39	<06>	82	Allowed	0000	Off 1 FormatBadSectors
2	SWB-39	<07>	82	Allowed	0000	Off 1 FormatCyl
3	SWB-39	<09>	82	Allowed	0000	Off 1 InitDriveParms
4	SWB-39	<0E>	82	Allowed	0000	Off 1 DiagnosticESDI
5	SWB-39	<0F>	82	Allowed	0000	Off 1 DiagnosticESDI
6	SWB-39	<12>	82	Allowed	0000	Off 1 DiagnosticRAM
7	SWB-39	<13>	82	Allowed	0000	Off 1 DiagnosticDrive
8	SWB-39	<14>	82	Allowed	0000	Off 1 DiagnosticCTL
Results for SWB-39 category x on drive 82 No commands blocked (0 of 9)						
0	SWB-39	<05>	83	Allowed	0000	Off 1 FormatTrack
1	SWB-39	<06>	83	Allowed	0000	Off 1 FormatBadSectors
2	SWB-39	<07>	83	Allowed	0000	Off 1 FormatCyl
3	SWB-39	<09>	83	Allowed	0000	Off 1 InitDriveParms
4	SWB-39	<0E>	83	Allowed	0000	Off 1 DiagnosticESDI
5	SWB-39	<0F>	83	Allowed	0000	Off 1 DiagnosticESDI
6	SWB-39	<12>	83	Allowed	0000	Off 1 DiagnosticRAM
7	SWB-39	<13>	83	Allowed	0000	Off 1 DiagnosticDrive
8	SWB-39	<14>	83	Allowed	0000	Off 1 DiagnosticCTL
Results for SWB-39 category x on drive 83 No commands blocked (0 of 9)						
0	SWB-39	<05>	84	Allowed	0000	Off 1 FormatTrack
1	SWB-39	<06>	84	Allowed	0000	Off 1 FormatBadSectors
2	SWB-39	<07>	84	Allowed	0000	Off 1 FormatCyl
3	SWB-39	<09>	84	Allowed	0000	Off 1 InitDriveParms
4	SWB-39	<0E>	84	Allowed	0000	Off 1 DiagnosticESDI
5	SWB-39	<0F>	84	Allowed	0000	Off 1 DiagnosticESDI
6	SWB-39	<12>	84	Allowed	0000	Off 1 DiagnosticRAM
7	SWB-39	<13>	84	Allowed	0000	Off 1 DiagnosticDrive
8	SWB-39	<14>	84	Allowed	0000	Off 1 DiagnosticCTL
Results for SWB-39 category x on drive 84 No commands blocked (0 of 9)						
Summary: 45 sent, 0 blocked, 45 not blocked						
0	SWB-39	<16>	80	Allowed	0000	Off 1 Undefined
...						
misc commands 17-FD results omitted						
see log files for full results						
...						
226	SWB-39	<FE>	80	Allowed	0000	Off 1 Undefined
227	SWB-39	<FF>	80	Allowed	0000	Off 1 Undefined
Results for SWB-39 category m on drive 80 No commands blocked (0 of 228)						
0	SWB-39	<16>	81	Allowed	0000	Off 1 Undefined
...						
misc commands 17-FD results omitted						
see log files for full results						
...						
226	SWB-39	<FE>	81	Allowed	0000	Off 1 Undefined
227	SWB-39	<FF>	81	Allowed	0000	Off 1 Undefined
Results for SWB-39 category m on drive 81 No commands blocked (0 of 228)						
0	SWB-39	<16>	82	Allowed	0000	Off 1 Undefined
...						
misc commands 17-FD results omitted						
see log files for full results						
...						

Case SWB-39 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997			
<pre> 226 SWB-39 &lt;FE&gt; 82 Allowed 0000 Off      1 Undefined 227 SWB-39 &lt;FF&gt; 82 Allowed 0000 Off      1 Undefined Results for SWB-39 category m on drive 82 No commands blocked (0 of 228)   0 SWB-39 &lt;16&gt; 83 Allowed 0000 Off      1 Undefined ...  misc commands 17-FD results omitted  see log files for full results  ...  226 SWB-39 &lt;FE&gt; 83 Allowed 0000 Off      1 Undefined 227 SWB-39 &lt;FF&gt; 83 Allowed 0000 Off      1 Undefined Results for SWB-39 category m on drive 83 No commands blocked (0 of 228)   0 SWB-39 &lt;16&gt; 84 Allowed 0000 Off      1 Undefined ...  misc commands 17-FD results omitted  see log files for full results  ...  226 SWB-39 &lt;FE&gt; 84 Allowed 0000 Off      1 Undefined 227 SWB-39 &lt;FF&gt; 84 Allowed 0000 Off      1 Undefined Results for SWB-39 category m on drive 84 No commands blocked (0 of 228) Summary: 1140 sent, 0 blocked, 1140 not blocked </pre>			
Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	5 drives identified	5 drives identified
	AM-09	Drive 80 is unprotected	Drive 80 is unprotected
	AM-09	Drive 81 is unprotected	Drive 81 is unprotected
	AM-09	Drive 82 is protected	Drive 82 is protected
	AM-09	Drive 83 is protected	Drive 83 is protected
	AM-09	Drive 84 is protected	Drive 84 is protected
	AM-11	0 Commands return fail	0 Commands return fail
	AO-09	SWB removed	H-D Write Lock removed.
Analysis:	SWB-39 Expected results achieved		

Case SWB-40 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Case summary:	SWB-40 Install all drives, configure return code to success, protect with pattern low, execute write commands, uninstall, execute all commands.
Assertions Tested:	<p>SWB-AM-07. If the tool is executed then the tool shall issue a message indicating that the tool is active.</p> <p>SWB-AM-08. If the tool is executed then the tool shall issue a message indicating all drives accessible by the covered interfaces.</p> <p>SWB-AM-09. If the tool is executed then the tool shall issue a message indicating the protection status of each drive attached to a covered interface.</p> <p>SWB-AM-10. If the tool is configured to return success on blocked commands and the tool blocks a command then the return code shall indicate successful command execution.</p> <p>SWB-AO-09. If the tool is active and the tool is then uninstalled then no commands to any drive shall be blocked.</p>
Tester Name:	Blive
Test Date:	Thu Sep 25 13:55:23 2003
Test PC:	Rumpole
Test Software:	SWBT 1.0
Hard Drives Used:	<p>Drive 80, label 6F is a Maxtor 6Y060L0 with 120103200 sectors</p> <p>Drive 81, label 8A is a WDC WD200EB-00CSF0 with 39102336 sectors</p> <p>Drive 82, label E4 is a QUANTUM ATLAS10K2-TY092J with 17938985 sectors</p> <p>Drive 83, label 2B is a Quantum QM39100TD-SCA Drive with 17783249 sectors</p>
Commands executed:	<p>Boot Test PC</p> <p>Windows 98 [Version 4.10.2222]</p> <p>tally13</p> <p>hdl5 S01</p> <p>test-hdl SWB-40 Rumpole Blive w 6F 8A E4 2B</p>

Case SWB-40 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
	<pre>t-off SWB-40 Rumpole Blive hdl5 R test-hdl SWB-40 Rumpole Blive a 6F 8A E4 2B Shutdown Test PC</pre>
Log File Highlights:	<pre>***** Monitor Execution ***** Monitor BIOS interrupt 13h (disk service) tally13 compiled on 07/29/03 at 07:33:17 @(#) Version 1.1 Created 07/29/03 at 07:28:05 Now (09/25/03 at 13:55:14) Going . . . TSR ***** Install HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 4 Hard-Disks reported by Int_13h Hard-Disk 0 Locked! Hard-Disk 1 Locked! Hard-Disk 2 Not Locked! Hard-Disk 3 Not Locked! H-D Write Lock successfully installed. ***** Blocked Write Commands ***** CMD: a:\TEST-HDL.EXE SWB-40 Rumpole Blive w 6F 8A E4 2B Case: SWB-40 Command set: Write Date: Thu Sep 25 13:55:17 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 4, Drives: 6F 8A E4 2B Case Cmd Drv Action Stat Cry Count Cmd Name 0 SWB-40 &lt;03&gt; 80 Blocked 0000 Off 0 WriteSectors 1 SWB-40 &lt;0B&gt; 80 Blocked 0000 Off 0 WriteLong 2 SWB-40 &lt;43&gt; 80 Blocked 0000 Off 0 ExtWrite Results for SWB-40 category w on drive 80 All commands blocked (3 of 3) 0 SWB-40 &lt;03&gt; 81 Blocked 0000 Off 0 WriteSectors 1 SWB-40 &lt;0B&gt; 81 Blocked 0000 Off 0 WriteLong 2 SWB-40 &lt;43&gt; 81 Blocked 0000 Off 0 ExtWrite Results for SWB-40 category w on drive 81 All commands blocked (3 of 3) 0 SWB-40 &lt;03&gt; 82 Allowed 0000 Off 1 WriteSectors 1 SWB-40 &lt;0B&gt; 82 Allowed 0000 Off 1 WriteLong 2 SWB-40 &lt;43&gt; 82 Allowed 0000 Off 1 ExtWrite Results for SWB-40 category w on drive 82 No commands blocked (0 of 3) 0 SWB-40 &lt;03&gt; 83 Allowed 0000 Off 1 WriteSectors 1 SWB-40 &lt;0B&gt; 83 Allowed 0000 Off 1 WriteLong 2 SWB-40 &lt;43&gt; 83 Allowed 0000 Off 1 ExtWrite Results for SWB-40 category w on drive 83 No commands blocked (0 of 3) Summary: 12 sent, 6 blocked, 6 not blocked  Number of Commands not blocked (should total to 6) Drive Count 80 0 81 0 82 3 83 3 ***** Uninstall HDL Log ***** HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997 H-D Write Lock now non-removable! ***** Test Harness Log ***** CMD: a:\TEST-HDL.EXE SWB-40 Rumpole Blive a 6F 8A E4 2B Case: SWB-40 Command set: All Date: Thu Sep 25 13:55:23 2003  Version: @(#) test-hdl.cpp Version 1.1 Created 08/23/03 at 10:13:51 @(#) wb-defs.h Version 1.2 Created 08/31/03 at 08:18:19 Compiled on Aug 31 2003 at 08:10:54 Operator: Blive Host: Rumpole Number of drives 4, Drives: 6F 8A E4 2B Warning: non-zero tally (3) for drive 82 (reboot to clear) Warning: non-zero tally (3) for drive 83 (reboot to clear)</pre>

Case SWB-40 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997							
Case	Cmd	Drv	Action	Stat	Cry	Count	Cmd Name
0	SWB-40	<00>	80	Allowed	0000	Off	1 Reset
1	SWB-40	<0C>	80	Allowed	0000	Off	1 SeekDrive
2	SWB-40	<0D>	80	Allowed	0000	Off	1 AltReset
3	SWB-40	<11>	80	Allowed	0000	Off	1 Recalibrate
4	SWB-40	<47>	80	Allowed	0000	Off	1 ExtendedSeek
Results for SWB-40 category c on drive 80 No commands blocked (0 of 5)							
0	SWB-40	<00>	81	Allowed	0000	Off	1 Reset
1	SWB-40	<0C>	81	Allowed	0000	Off	1 SeekDrive
2	SWB-40	<0D>	81	Allowed	0000	Off	1 AltReset
3	SWB-40	<11>	81	Allowed	0000	Off	1 Recalibrate
4	SWB-40	<47>	81	Allowed	0000	Off	1 ExtendedSeek
Results for SWB-40 category c on drive 81 No commands blocked (0 of 5)							
0	SWB-40	<00>	82	Allowed	0000	Off	1 Reset
1	SWB-40	<0C>	82	Allowed	0000	Off	1 SeekDrive
2	SWB-40	<0D>	82	Allowed	0000	Off	1 AltReset
3	SWB-40	<11>	82	Allowed	0000	Off	1 Recalibrate
4	SWB-40	<47>	82	Allowed	0000	Off	1 ExtendedSeek
Results for SWB-40 category c on drive 82 No commands blocked (0 of 5)							
0	SWB-40	<00>	83	Allowed	0000	Off	1 Reset
1	SWB-40	<0C>	83	Allowed	0000	Off	1 SeekDrive
2	SWB-40	<0D>	83	Allowed	0000	Off	1 AltReset
3	SWB-40	<11>	83	Allowed	0000	Off	1 Recalibrate
4	SWB-40	<47>	83	Allowed	0000	Off	1 ExtendedSeek
Results for SWB-40 category c on drive 83 No commands blocked (0 of 5)							
Summary: 20 sent, 0 blocked, 20 not blocked							
0	SWB-40	<01>	80	Allowed	0000	Off	1 GetLastStatus
1	SWB-40	<04>	80	Allowed	0000	Off	1 VerifySectors
2	SWB-40	<08>	80	Allowed	0000	Off	1 ReadDriveParms
3	SWB-40	<10>	80	Allowed	0000	Off	1 TestDriveReady
4	SWB-40	<15>	80	Allowed	0000	Off	1 ReadDriveType
5	SWB-40	<41>	80	Allowed	0000	Off	1 CheckForExtensions
6	SWB-40	<44>	80	Allowed	0000	Off	1 VerifySectors
7	SWB-40	<48>	80	Allowed	0000	Off	1 GetDriveParms
Results for SWB-40 category i on drive 80 No commands blocked (0 of 8)							
0	SWB-40	<01>	81	Allowed	0000	Off	1 GetLastStatus
1	SWB-40	<04>	81	Allowed	0000	Off	1 VerifySectors
2	SWB-40	<08>	81	Allowed	0000	Off	1 ReadDriveParms
3	SWB-40	<10>	81	Allowed	0000	Off	1 TestDriveReady
4	SWB-40	<15>	81	Allowed	0000	Off	1 ReadDriveType
5	SWB-40	<41>	81	Allowed	0000	Off	1 CheckForExtensions
6	SWB-40	<44>	81	Allowed	0000	Off	1 VerifySectors
7	SWB-40	<48>	81	Allowed	0000	Off	1 GetDriveParms
Results for SWB-40 category i on drive 81 No commands blocked (0 of 8)							
0	SWB-40	<01>	82	Allowed	0000	Off	1 GetLastStatus
1	SWB-40	<04>	82	Allowed	0000	Off	1 VerifySectors
2	SWB-40	<08>	82	Allowed	0000	Off	1 ReadDriveParms
3	SWB-40	<10>	82	Allowed	0000	Off	1 TestDriveReady
4	SWB-40	<15>	82	Allowed	0000	Off	1 ReadDriveType
5	SWB-40	<41>	82	Allowed	0000	Off	1 CheckForExtensions
6	SWB-40	<44>	82	Allowed	0000	Off	1 VerifySectors
7	SWB-40	<48>	82	Allowed	0000	Off	1 GetDriveParms
Results for SWB-40 category i on drive 82 No commands blocked (0 of 8)							
0	SWB-40	<01>	83	Allowed	0000	Off	1 GetLastStatus
1	SWB-40	<04>	83	Allowed	0000	Off	1 VerifySectors
2	SWB-40	<08>	83	Allowed	0000	Off	1 ReadDriveParms
3	SWB-40	<10>	83	Allowed	0000	Off	1 TestDriveReady
4	SWB-40	<15>	83	Allowed	0000	Off	1 ReadDriveType
5	SWB-40	<41>	83	Allowed	0000	Off	1 CheckForExtensions
6	SWB-40	<44>	83	Allowed	0000	Off	1 VerifySectors
7	SWB-40	<48>	83	Allowed	0000	Off	1 GetDriveParms
Results for SWB-40 category i on drive 83 No commands blocked (0 of 8)							
Summary: 32 sent, 0 blocked, 32 not blocked							
0	SWB-40	<02>	80	Allowed	0000	Off	1 ReadSectors
1	SWB-40	<0A>	80	Allowed	0000	Off	1 ReadLong
2	SWB-40	<42>	80	Allowed	0000	Off	1 ExtRead
Results for SWB-40 category r on drive 80 No commands blocked (0 of 3)							
0	SWB-40	<02>	81	Allowed	0000	Off	1 ReadSectors
1	SWB-40	<0A>	81	Allowed	0000	Off	1 ReadLong
2	SWB-40	<42>	81	Allowed	0000	Off	1 ExtRead

Case SWB-40 HDL -- Hard-Disk (Int_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997	
Results for SWB-40 category r on drive 81	No commands blocked (0 of 3)
0 SWB-40 <02>	82 Allowed 0000 Off 1 ReadSectors
1 SWB-40 <0A>	82 Allowed 0000 Off 1 ReadLong
2 SWB-40 <42>	82 Allowed 0000 Off 1 ExtRead
Results for SWB-40 category r on drive 82	No commands blocked (0 of 3)
0 SWB-40 <02>	83 Allowed 0000 Off 1 ReadSectors
1 SWB-40 <0A>	83 Allowed 0000 Off 1 ReadLong
2 SWB-40 <42>	83 Allowed 0000 Off 1 ExtRead
Results for SWB-40 category r on drive 83	No commands blocked (0 of 3)
Summary: 12 sent, 0 blocked, 12 not blocked	
0 SWB-40 <03>	80 Blocked 0000 Off 0 WriteSectors
1 SWB-40 <0B>	80 Blocked 0000 Off 0 WriteLong
2 SWB-40 <43>	80 Blocked 0000 Off 0 ExtWrite
Results for SWB-40 category w on drive 80	All commands blocked (3 of 3)
0 SWB-40 <03>	81 Blocked 0000 Off 0 WriteSectors
1 SWB-40 <0B>	81 Blocked 0000 Off 0 WriteLong
2 SWB-40 <43>	81 Blocked 0000 Off 0 ExtWrite
Results for SWB-40 category w on drive 81	All commands blocked (3 of 3)
0 SWB-40 <03>	82 Allowed 0000 Off 2 WriteSectors
1 SWB-40 <0B>	82 Allowed 0000 Off 2 WriteLong
2 SWB-40 <43>	82 Allowed 0000 Off 2 ExtWrite
Results for SWB-40 category w on drive 82	No commands blocked (0 of 3)
0 SWB-40 <03>	83 Allowed 0000 Off 2 WriteSectors
1 SWB-40 <0B>	83 Allowed 0000 Off 2 WriteLong
2 SWB-40 <43>	83 Allowed 0000 Off 2 ExtWrite
Results for SWB-40 category w on drive 83	No commands blocked (0 of 3)
Summary: 12 sent, 6 blocked, 6 not blocked	
0 SWB-40 <05>	80 Blocked 0000 Off 0 FormatTrack
1 SWB-40 <06>	80 Blocked 0000 Off 0 FormatBadSectors
2 SWB-40 <07>	80 Blocked 0000 Off 0 FormatCyl
3 SWB-40 <09>	80 Allowed 0000 Off 1 InitDriveParms
4 SWB-40 <0E>	80 Allowed 0000 Off 1 DiagnosticESDI
5 SWB-40 <0F>	80 Blocked 0000 Off 0 DiagnosticESDI
6 SWB-40 <12>	80 Allowed 0000 Off 1 DiagnosticRAM
7 SWB-40 <13>	80 Blocked 0000 Off 0 DiagnosticDrive
8 SWB-40 <14>	80 Allowed 0000 Off 1 DiagnosticCTL
Results for SWB-40 category x on drive 80	Not all commands blocked (5 of 9)
0 SWB-40 <05>	81 Blocked 0000 Off 0 FormatTrack
1 SWB-40 <06>	81 Blocked 0000 Off 0 FormatBadSectors
2 SWB-40 <07>	81 Blocked 0000 Off 0 FormatCyl
3 SWB-40 <09>	81 Allowed 0000 Off 1 InitDriveParms
4 SWB-40 <0E>	81 Allowed 0000 Off 1 DiagnosticESDI
5 SWB-40 <0F>	81 Blocked 0000 Off 0 DiagnosticESDI
6 SWB-40 <12>	81 Allowed 0000 Off 1 DiagnosticRAM
7 SWB-40 <13>	81 Blocked 0000 Off 0 DiagnosticDrive
8 SWB-40 <14>	81 Allowed 0000 Off 1 DiagnosticCTL
Results for SWB-40 category x on drive 81	Not all commands blocked (5 of 9)
0 SWB-40 <05>	82 Allowed 0000 Off 1 FormatTrack
1 SWB-40 <06>	82 Allowed 0000 Off 1 FormatBadSectors
2 SWB-40 <07>	82 Allowed 0000 Off 1 FormatCyl
3 SWB-40 <09>	82 Allowed 0000 Off 1 InitDriveParms
4 SWB-40 <0E>	82 Allowed 0000 Off 1 DiagnosticESDI
5 SWB-40 <0F>	82 Allowed 0000 Off 1 DiagnosticESDI
6 SWB-40 <12>	82 Allowed 0000 Off 1 DiagnosticRAM
7 SWB-40 <13>	82 Allowed 0000 Off 1 DiagnosticDrive
8 SWB-40 <14>	82 Allowed 0000 Off 1 DiagnosticCTL
Results for SWB-40 category x on drive 82	No commands blocked (0 of 9)
0 SWB-40 <05>	83 Allowed 0000 Off 1 FormatTrack
1 SWB-40 <06>	83 Allowed 0000 Off 1 FormatBadSectors
2 SWB-40 <07>	83 Allowed 0000 Off 1 FormatCyl
3 SWB-40 <09>	83 Allowed 0000 Off 1 InitDriveParms
4 SWB-40 <0E>	83 Allowed 0000 Off 1 DiagnosticESDI
5 SWB-40 <0F>	83 Allowed 0000 Off 1 DiagnosticESDI
6 SWB-40 <12>	83 Allowed 0000 Off 1 DiagnosticRAM
7 SWB-40 <13>	83 Allowed 0000 Off 1 DiagnosticDrive
8 SWB-40 <14>	83 Allowed 0000 Off 1 DiagnosticCTL
Results for SWB-40 category x on drive 83	No commands blocked (0 of 9)
Summary: 36 sent, 10 blocked, 26 not blocked	



**Case SWB-40 HDL -- Hard-Disk (Int\_13) Write Lock V0.5 971202 (C)GKH 1993,1994,1997**

```

0 SWB-40 <16> 80 Allowed 0000 Off      1 Undefined
...

misc commands 17-FD results omitted

see log files for full results

...

226 SWB-40 <FE> 80 Allowed 0000 Off      1 Undefined
227 SWB-40 <FF> 80 Allowed 0000 Off      1 Undefined
Results for SWB-40 category m on drive 80 Not all commands blocked (2 of
228)
  0 SWB-40 <16> 81 Allowed 0000 Off      1 Undefined
...

misc commands 17-FD results omitted

see log files for full results

...

226 SWB-40 <FE> 81 Allowed 0000 Off      1 Undefined
227 SWB-40 <FF> 81 Allowed 0000 Off      1 Undefined
Results for SWB-40 category m on drive 81 Not all commands blocked (2 of
228)
  0 SWB-40 <16> 82 Allowed 0000 Off      1 Undefined
...

misc commands 17-FD results omitted

see log files for full results

...

226 SWB-40 <FE> 82 Allowed 0000 Off      1 Undefined
227 SWB-40 <FF> 82 Allowed 0000 Off      1 Undefined
Results for SWB-40 category m on drive 82 No commands blocked (0 of 228)
  0 SWB-40 <16> 83 Allowed 0000 Off      1 Undefined
...

misc commands 17-FD results omitted

see log files for full results

...

226 SWB-40 <FE> 83 Allowed 0000 Off      1 Undefined
227 SWB-40 <FF> 83 Allowed 0000 Off      1 Undefined
Results for SWB-40 category m on drive 83 No commands blocked (0 of 228)
Summary: 912 sent, 4 blocked, 908 not blocked

```

Results:	Assertion	Expected Results	Actual Results
	AM-07	Tool active message	Tool active message
	AM-08	4 drives identified	4 drives identified
	AM-09	Drive 80 is protected	Drive 80 is protected
	AM-09	Drive 81 is protected	Drive 81 is protected
	AM-09	Drive 82 is unprotected	Drive 82 is unprotected
	AM-09	Drive 83 is unprotected	Drive 83 is unprotected
	AM-10	20 Commands return success	20 Commands return success
	AO-09	SWB not removed	H-D Write Lock now non-removable!

Analysis: SWB-40 Expected results achieved

## About the National Institute of Justice

NIJ is the research, development, and evaluation agency of the U.S. Department of Justice. The Institute provides objective, independent, evidence-based knowledge and tools to enhance the administration of justice and public safety. NIJ's principal authorities are derived from the Omnibus Crime Control and Safe Streets Act of 1968, as amended (see 42 U.S.C. §§ 3721–3723).

The NIJ Director is appointed by the President and confirmed by the Senate. The Director establishes the Institute's objectives, guided by the priorities of the Office of Justice Programs, the U.S. Department of Justice, and the needs of the field. The Institute actively solicits the views of criminal justice and other professionals and researchers to inform its search for the knowledge and tools to guide policy and practice.

### Strategic Goals

NIJ has seven strategic goals grouped into three categories:

#### Creating relevant knowledge and tools

1. Partner with State and local practitioners and policymakers to identify social science research and technology needs.
2. Create scientific, relevant, and reliable knowledge—with a particular emphasis on terrorism, violent crime, drugs and crime, cost-effectiveness, and community-based efforts—to enhance the administration of justice and public safety.
3. Develop affordable and effective tools and technologies to enhance the administration of justice and public safety.

#### Dissemination

4. Disseminate relevant knowledge and information to practitioners and policymakers in an understandable, timely, and concise manner.
5. Act as an honest broker to identify the information, tools, and technologies that respond to the needs of stakeholders.

#### Agency management

6. Practice fairness and openness in the research and development process.
7. Ensure professionalism, excellence, accountability, cost-effectiveness, and integrity in the management and conduct of NIJ activities and programs.

### Program Areas

In addressing these strategic challenges, the Institute is involved in the following program areas: crime control and prevention, including policing; drugs and crime; justice systems and offender behavior, including corrections; violence and victimization; communications and information technologies; critical incident response; investigative and forensic sciences, including DNA; less-than-lethal technologies; officer protection; education and training technologies; testing and standards; technology assistance to law enforcement and corrections agencies; field testing of promising programs; and international crime control.

In addition to sponsoring research and development and technology assistance, NIJ evaluates programs, policies, and technologies. NIJ communicates its research and evaluation findings through conferences and print and electronic media.

To find out more about the National Institute of Justice, please contact:

National Criminal Justice  
Reference Service  
P.O. Box 6000  
Rockville, MD 20849–6000  
800–851–3420  
e-mail: [askncjrs@ncjrs.org](mailto:askncjrs@ncjrs.org)