



*System Assessment and Validation for Emergency Responders (SAVER)*

# Dive Lights Market Survey Report

*August 2015*



**Homeland  
Security**

Science and Technology

**U.S. Department of Homeland Security**



System Assessment and Validation for Emergency Responders

*Prepared by Space and Naval Warfare Systems Center Atlantic*

---

The *Dive Lights Market Survey Report* was funded under Interagency Agreement No. HSHQPM-14-X-00064 from the U.S. Department of Homeland Security, Science and Technology Directorate.

The views and opinions of authors expressed herein do not necessarily reflect those of the U.S. Government.

Reference herein to any specific commercial products, processes, or services by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government.

The information and statements contained herein shall not be used for the purposes of advertising, nor to imply the endorsement or recommendation of the U.S. Government.

With respect to documentation contained herein, neither the U.S. Government nor any of its employees make any warranty, express or implied, including but not limited to the warranties of merchantability and fitness for a particular purpose. Further, neither the U.S. Government nor any of its employees assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed; nor do they represent that its use would not infringe privately owned rights.

The cover photo and images included herein were provided by the Space and Naval Warfare Systems Center Atlantic, unless otherwise noted.

---

## FOREWORD

---

The U.S. Department of Homeland Security (DHS) established the System Assessment and Validation for Emergency Responders (SAVER) Program to assist emergency responders making procurement decisions. Located within the Science and Technology Directorate (S&T) of DHS, the SAVER Program conducts objective assessments and validations on commercially available equipment and systems and develops knowledge products that provide relevant equipment information to the emergency responder community. The SAVER Program mission includes:

- Conducting impartial, practitioner-relevant, operationally oriented assessments and validations of emergency response equipment
- Providing information, in the form of knowledge products, that enables decision-makers and responders to better select, procure, use, and maintain emergency response equipment.

SAVER Program knowledge products provide information on equipment that falls under the categories listed in the DHS Authorized Equipment List (AEL), focusing primarily on two main questions for the responder community: “What equipment is available?” and “How does it perform?” These knowledge products are shared nationally with the responder community, providing a life- and cost-saving asset to DHS, as well as to Federal, state, and local responders.

The SAVER Program is supported by a network of Technical Agents who perform assessment and validation activities. As a SAVER Program Technical Agent, the Space and Naval Warfare Systems Center (SPAWARSYSCEN) Atlantic has been tasked to provide expertise and analysis on key subject areas, including communications, sensors, security, weapon detection, and surveillance, among others. In support of this tasking, SPAWARSYSCEN Atlantic developed this report to provide emergency responders with information gathered during a market survey of commercially available dive lights, which fall under AEL reference number 03WA-01-ULHH titled Lights, Underwater, Personal.

For more information on the SAVER Program or to view additional reports on dive lights or other technologies, visit [www.firstresponder.gov/SAVER](http://www.firstresponder.gov/SAVER).

## **POINTS OF CONTACT**

---

### **SAVER Program**

**U.S. Department of Homeland Security**

**Science and Technology Directorate**

FRG Stop 0203

245 Murray Lane

Washington, DC 20528-0215

E-mail: [saver@hq.dhs.gov](mailto:saver@hq.dhs.gov)

Website: [www.firstresponder.gov/SAVER](http://www.firstresponder.gov/SAVER)

### **Space and Naval Warfare Systems Center Atlantic**

Advanced Technology and Assessments Branch

P.O. Box 190022

North Charleston, SC 29419-9022

E-mail: [ssc\\_lant\\_saver\\_program.fcm@navy.mil](mailto:ssc_lant_saver_program.fcm@navy.mil)

## **TABLE OF CONTENTS**

---

Foreword.....	i
Points of Contact.....	ii
1. Introduction.....	1
2. Dive Lights Overview.....	1
2.1 Body Style.....	1
2.2 Bulb Type.....	2
2.3 Brightness and Beam Angle.....	2
3. Product Information–Vendor Provided.....	2
4. Vendor Contact Information.....	15
5. Summary.....	15

## **LIST OF TABLES**

---

Table 3-1. Dive Lights Specifications – Vendor Provided.....	3
Table 4-1. Vendor Contact Information.....	15

## **LIST OF FIGURES**

---

Figure 2-1. Torch Body Style .....	1
Figure 2-2. Pistol Grip Body Style .....	1
Figure 2-3. Lantern Body Style .....	1
Figure 2-4. Canister Body Style.....	1
Figure 2-5. Soft Goodman Style Handle.....	2
Figure 2-6. Hard Goodman Style Handle .....	2

## 1. INTRODUCTION

---

Dive lights are primarily used by public safety divers to provide additional illumination during dive operations that are conducted in poorly-lit conditions. Such conditions may occur during nighttime dives, as well as when searching inside sunken vessels or vehicles, examining underwater structures, and diving at great depths. Dive lights may also be used by divers to signal other divers or mark their location during dive operations. To provide emergency responders with information on dive lights, the System Assessment and Validation for Emergency Responders (SAVER) Program conducted a market survey.

This market survey report is based on information gathered from September 2014 through June 2015 from vendors, Internet research, an emergency responder focus group, and a government issued Request for Information (RFI) that was posted on the Federal Business Opportunities website. For inclusion in this report, the dive lights had to have a depth rating of at least 300 feet.

Due diligence was performed to develop a report that is representative of products in the marketplace.

## 2. DIVE LIGHTS OVERVIEW

---

Dive lights are waterproof lights that are designed for individual use during dive operations. They vary in body style, bulb type, brightness, and beam angle.

### 2.1 Body Style

Dive lights have a torch, pistol grip, lantern, or canister body style (Figure 2-1 to Figure 2-4). Torch, pistol grip, and lantern dive lights are typically handheld but may also be affixed to a diver via a mount, such as a soft or hard Goodman style handle (Figure 2-5 and Figure 2-6). Canister dive lights have a canister that houses the battery, which attaches to a diver's tank or buoyancy control device (BCD), and a cable with a light head at the end that is usually attached to a Goodman style handle. A Goodman style handle fits over a diver's hand allowing the diver to have both hands free. A soft Goodman style handle is composed of soft material, such as soft neoprene and is flexible while a hard Goodman style handle is composed of hard material, such as plastic or metal and is rigid.



**Figure 2-1. Torch Body Style**



**Figure 2-2. Pistol Grip Body Style**

*Image courtesy of Princeton Tec*



**Figure 2-3. Lantern Body Style**

*Image courtesy of Intova*



**Figure 2-4. Canister Body Style**



**Figure 2-5. Soft Goodman Style Handle**



**Figure 2-6. Hard Goodman Style Handle**

A variety of mounting options for dive lights of all body styles may be offered by the vendor and/or may be available through third-party vendors.

## **2.2 Bulb Type**

There are three common bulb types used in dive lights: 1) incandescent (e.g., xenon, halogen), 2) high intensity discharge (HID), and 3) LED. Dive lights using incandescent bulbs typically provide warmer, more natural colors and are generally less expensive than dive lights using HID bulbs or LEDs. Dive lights using HID bulbs are typically brighter than dive lights using incandescent bulbs or LEDs. Dive lights using LEDs are typically smaller, lighter, more durable, and require less power than other dive lights. Dive lights using incandescent or HID bulbs get hot in use whereas LEDs burn much cooler.

## **2.3 Brightness and Beam Angle**

The brightness of a dive light is expressed in lumens and may be user adjustable. Typically, more lumens result in a brighter light.

The beam angle of a dive light is expressed in degrees and may be user adjustable. A wide beam angle is commonly called a flood beam, while a narrow beam angle is usually called a spot beam. Dive lights that provide a flood beam may be useful when illuminating large areas during dive operations, such as when photographing an entire underwater crime scene, whereas dive lights with a spot beam are helpful when illuminating specific targets. In addition, spot beams typically provide better illumination over longer distances than flood beams, since sediment in the water reflects light back to the diver, and this effect is more pronounced the wider the beam angle.

## **3. PRODUCT INFORMATION—VENDOR PROVIDED**

---

This section provides general product specifications on over 100 dive lights that range in price from \$17 to \$2,080. All dive lights with a canister body style have a minimum cable length of 41 inches. All of the dive lights are negatively buoyant. Some of the dive lights can be used out of the water; however, limitations on out-of-water use vary across products. Therefore, the vendors are the best source to obtain additional information regarding out-of-water use. Specifications presented in Table 3-1 were obtained directly from vendors and their websites. The information has not been independently verified by the SAVER Program.

**Table 3-1. Dive Lights Specifications – Vendor Provided**

Vendor	Product	MSRP	Warranty <sup>1</sup>	Body Style	Dimensions (inches) (LxWxH or LxD)	Weight (pounds)	Brightness (lumens)	Bulb Type	Beam Angle	Strobe Mode	User-Replaceable Battery	Battery Type	Battery Runtime (hours) <sup>2</sup>
Bigblue Dive Lights/ BosskUSA	AL220	\$50	1 year	Torch	5.8x1.1	0.19 <sup>3</sup>	220	LED	8°		✓	2 AA	2
	AL450N	\$80	1 year	Torch	4.6x1.7	0.45 <sup>4</sup>	450	LED	8°		✓	3 AAA	4
	AL450W	\$66	1 year	Torch	4.4x1.4	0.36 <sup>4</sup>	450	LED	40°		✓	3 AAA	4
	AL1000NP	\$166	1 year	Torch	5.7x1.4	0.43 <sup>4</sup>	100, 200, 400, 1000	LED	10°	✓	✓	Proprietary	2 to 20
	AL1000WP	\$166	1 year	Torch	5.3x1.5	0.43 <sup>3</sup>	100, 200, 400, 1000	LED	85°	✓	✓	Proprietary	2 to 20
	CF450	\$122	1 year	Torch	5.2x1.5	0.43 <sup>4</sup>	450	LED	6° to 31°		✓	3 AAA	4
	CF1000P	\$208	1 year	Torch	6.8x1.5	0.58 <sup>4</sup>	100, 250, 500, 1000	LED	7° to 37°	✓	✓	Proprietary	2 to 20
	TL2800P	\$376	1 year	Torch	5.4x2.5	1.00 <sup>4</sup>	280, 700, 1400, 2800	LED	10°	✓	✓	Proprietary	1.5 to 15
	TL4000P	\$546	1 year	Torch	4.1x2.8	1.31 <sup>4</sup>	400, 1000, 2000, 4000	LED	10°	✓	✓	Proprietary	2 to 20
	TL15000P	\$1,400	1 year	Torch	6.9x4.9	5.43 <sup>4</sup>	1500, 3750, 7500, 15000	LED	10°	✓	✓	Proprietary	3 to 30
	TL15000PC	\$1,600	1 year	Canister	C: 5.6x4.1 H: 4.14x4.88	C: 5.43 <sup>4</sup> H: 3.16	1500, 3750, 7500, 15000	LED	10°	✓	✓	Proprietary	3 to 30
	XL- QUATTRO	\$300	1 year	Torch <sup>5</sup>	7.9x2.6	2.07 <sup>4</sup>	500, 1000	LED	8°		✓	8 AA	1.7 to 2.5

See page 14 for notes and definitions of the abbreviations used throughout this matrix.



Dive Lights Market Survey Report

Vendor	Product	MSRP	Warranty <sup>1</sup>	Body Style	Dimensions (inches) (LxWxH or LxD)	Weight (pounds)	Brightness (lumens)	Bulb Type	Beam Angle	Strobe Mode	User-Replaceable Battery	Battery Type	Battery Runtime (hours) <sup>2</sup>
Dive Rite	BX-1 Handheld Light (LT6640)	\$85	1 year	Torch	5.0x1.7	0.44	600 or 800 <sup>6</sup>	LED	8°		✓	3 AAA or 1 18650	2 to 4
	LX20 (LT6000)	\$750	1 year	Torch	5.8x2.2	1.25	2000	LED	6°	✓	✓	4 18650	4 to 6
	LX25 series	\$900	1 year	Canister	C: 9.0x2.6 H: 2.7x2.0	3.80 <sup>7</sup>	3000	LED	6°	✓	✓	Proprietary	3.5 to 8
EDGE-HOG GEAR	Morph 1000 Backup Light	\$220	1 year	Torch	7.3x1.1	0.25	250, 500, 1000	LED	8°	✓	✓	1 18650	1 to 2
	Morph 1000 - Core Light System	\$600	1 year	Canister	C: 5.1x2.0 H: 4.92x3.54	C: 0.95 H: 0.25	250, 500, 1000	LED	8° or 70° <sup>8</sup>	✓		Proprietary	5 to 6
Hollis	LED 3	\$90	1 year	Torch	5.8x2.0	0.75	230	LED	8°	✓	✓	3 AA	6
	LED 6	\$105	1 year	Torch	8.1x1.8	1.00	360	LED	8°	✓	✓	3 C	7
	LED 15 series	\$400 to \$600	1 year	Canister	C: 5.5x2.8 H: 3.5x1.75	4.00 <sup>7</sup>	1000	LED	8°			Proprietary	6
	LED 25 series	\$550 to \$850	1 year	Canister	C: 7.3x2.8 H: 3.5x1.75	5.00 <sup>7</sup>	1250	LED	8°			Proprietary	8
Ikelite Underwater Systems	Gamma series	\$120	1 year	Torch	5.6x1.4	0.25	220	LED	10°	✓	✓	2 CR123	10
	PC Halogen series	\$36	Lifetime	Torch	6.0x2.5	1.00	Unknown	Halogen	12°		✓	4 C	4

See page 14 for notes and definitions of the abbreviations used throughout this matrix.

Dive Lights Market Survey Report

Vendor	Product	MSRP	Warranty <sup>1</sup>	Body Style	Dimensions (inches) (LxWxH or LxD)	Weight (pounds)	Brightness (lumens)	Bulb Type	Beam Angle	Strobe Mode	User-Replaceable Battery	Battery Type	Battery Runtime (hours) <sup>2</sup>
Ikelite Underwater Systems	PC LED series	\$74	Lifetime	Torch	6.0x2.5	1.05	205	LED	12°		✓	4 C	10
	PCa Halogen series	\$32	Lifetime	Torch	4.0x2.5	0.66	Unknown	Halogen	12°		✓	6 AA	2.5
	PCa LED series	\$74	Lifetime	Torch	4.0x2.5	0.70	205	LED	12°		✓	6 AA	7
	PCm Halogen series	\$30	Lifetime	Torch	4.0x2.0	0.51	Unknown	Halogen	12°		✓	4 AA	1.5
	PCm LED series	\$66	Lifetime	Torch	4.0x2.0	0.54	205	LED	12°		✓	4 AA	5
	SpD Tech Dive Light Kit (1410.08)	\$500	1 year	Canister	C: 7.0x5.0x1.5 H: 6.5x3.5	4.10 <sup>7</sup>	Unknown	Halogen	60° to 80°				Proprietary
Intova	Teranova (TTN1)	\$1,599	1 year	Lantern	4.1x7.1x8.8	7.30	10000	LED	10°	✓	✓	Proprietary	1.5 to 6
Light & Motion	GoBe 500 SPOT	\$179	2 years	Torch	4.9x1.9	0.38	70, 225, 500	LED	20°	✓		Proprietary	1.5 to 12
	GoBe+ 500 SEARCH	\$299	2 years	Torch	5.2x1.9	0.43	70, 225, 500	LED	8°	✓		Proprietary	2.2 to 18
	GoBe+ 700 SPOT	\$279	2 years	Torch	4.9x1.9	0.39	100, 325, 700	LED	20°	✓		Proprietary	1.5 to 12
	GoBe+ 700 WIDE	\$279	2 years	Torch	4.9x1.9	0.39	100, 325, 700	LED	60°	✓		Proprietary	1.5 to 12

See page 14 for notes and definitions of the abbreviations used throughout this matrix.

Dive Lights Market Survey Report

Vendor	Product	MSRP	Warranty <sup>1</sup>	Body Style	Dimensions (inches) (LxWxH or LxD)	Weight (pounds)	Brightness (lumens)	Bulb Type	Beam Angle	Strobe Mode	User-Replaceable Battery	Battery Type	Battery Runtime (hours) <sup>2</sup>
Light & Motion	Sola Dive 800 S/F series	\$399	2 years	Torch	4.0x2.1	0.54	125, 250, 500 <sup>9</sup>	LED	12°	✓		Proprietary	1.2 to 4.7
							200, 400, 800 <sup>10</sup>		60°				
	Sola Dive 1200 S/F series	\$599	2 years	Torch	4.0x2.1	0.56	125, 250, 500 <sup>9</sup>	LED	12°	✓		Proprietary	1.2 to 4.7
							300, 600, 1200 <sup>10</sup>		60°				
	Sola Dive 1200 SPOT	\$549	2 years	Torch	4.0x2.1	0.58	300, 600, 1200	LED	12°, 60°	✓		Proprietary	1 to 4
Sola Dive 2000	\$799	2 years	Torch	4.0x2.1	0.56	150, 300, 600 <sup>9</sup>	LED	12°	✓		Proprietary	0.9 to 3.7	
						500, 1000, 2000 <sup>10</sup>		60°					
Sola Tech 600	\$599	2 years	Torch	5.0x2.1	0.73	150, 300, 600	LED	8°	✓		Proprietary	3 to 12	
Light Monkey Enterprises LLC	2 Watt LED	\$115	1 year	Torch	5.0x1.4	0.30	125	LED	13°		✓	2 CR123	6
	3 Watt LED	\$175	1 year	Torch	8.0x1.8	0.85	400	LED	8°		✓	3 C	10
	9 Watt LED (2.6-9 LED)	\$580	1 year	Torch	7.5x1.8	0.90	600	LED	6°			Proprietary	3.5
	9 Watt LED (5.2-9 LED)	\$715	1 year	Canister	C: 7.5x1.8 H: 4.5x3.5	C: 1.25 H: 0.75	600	LED	6°			Proprietary	3.5

See page 14 for notes and definitions of the abbreviations used throughout this matrix.

Dive Lights Market Survey Report

Vendor	Product	MSRP	Warranty <sup>1</sup>	Body Style	Dimensions (inches) (LxWxH or LxD)	Weight (pounds)	Brightness (lumens)	Bulb Type	Beam Angle	Strobe Mode	User-Replaceable Battery	Battery Type	Battery Runtime (hours) <sup>2</sup>	
Light Monkey Enterprises LLC	12 Watt LED (5.2-12 LED)	\$820	1 year	Canister	C: 7.5x2.0 H: 4.5x3.5	C: 2.38 H: 0.80	750	LED	6°			Proprietary	5	
	21 Watt HID	10-21 HID	\$1,450	1 year	Canister	C: 9.0x3.0 H: 4.0x4.5	C: 4.50 H: 1.30	1500	HID	6°			Proprietary	5
		20-21 HID	\$1,765			C: 12.0x3.0 H: 4.0x4.5	C: 6.40 H: 1.30							10
		26-21 HID	\$1,920			C: 12.5x3.5 H: 4.0x4.5	C: 6.40 H: 1.30							13
	21 Watt LED	10-21 LED	\$1,345	1 year	Canister	C: 9.0x3.0 H: 4.0x4.5	C: 4.50 H: 1.30	1100	LED	6°			Proprietary	5
		20-21 LED	\$1,700			C: 12.0x3.0 H: 4.0x4.5	C: 6.30 H: 1.30							10
		26-21 LED	\$1,800			C: 12.5x3.5 H: 4.0x4.5	C: 6.40 H: 1.30							13
	26 Watt LED	10-26 LED	\$1,450	1 year	Canister	C: 9.0x3.0 H: 4.5x4.5	C: 4.50 H: 1.25	1700	LED	6°			Proprietary	3.8
		15-26 LED	\$1,605			C: 11.0x2.8 H: 4.5x4.5	C: 5.25 H: 1.25							5.8
		20-26 LED	\$1,765			C: 12.0x2.0 H: 4.5x4.5	C: 6.30 H: 1.25							7.7
		26-26 LED	\$1,900			C: 12.5x3.5 H: 4.5x4.5	C: 6.30 H: 1.25							13

See page 14 for notes and definitions of the abbreviations used throughout this matrix.

Dive Lights Market Survey Report

Vendor	Product	MSRP	Warranty <sup>1</sup>	Body Style	Dimensions (inches) (LxWxH or LxD)	Weight (pounds)	Brightness (lumens)	Bulb Type	Beam Angle	Strobe Mode	User-Replaceable Battery	Battery Type	Battery Runtime (hours) <sup>2</sup>
Light Monkey Enterprises LLC	32 Watt LED	10-32 LED	\$1,555	1 year	Canister	C: 9.0x3.0 H: 4.5x4.5	C: 4.50 H: 1.25	2500	LED	6°		Proprietary	3.3
		15-32 LED	\$1,715			C: 11.0x2.8 H: 4.5x4.5	C: 5.25 H: 1.25						4.8
		20-32 LED	\$1,870			C: 12.0x3.0 H: 4.5x4.5	C: 6.30 H: 1.25						6.5
	35 Watt HID	20-35 HID	\$1,870	1 year	Canister	C: 12.0x3.0 H: 8.5x4.5	C: 4.40 H: 1.70	3000	HID	6°		Proprietary	6.7
		26-35 HID	\$2,020			C: 12.5x3.5 H: 8.5x4.5	C: 7.50 H: 1.70						7.5
		50 Watt HID (20-50 HID)	\$2,080	1 year	Canister	C: 12.5x3.5 H: 8.0x4.5	C: 7.00 H: 1.25	5000	HID	6°			Proprietary
Pelican Products Inc.	Nemo 1900 Flashlight (1900N)	\$17	Lifetime	Torch	9.0x4.5x0.8	0.05	11	Xenon	Unknown		✓	2 AAA	1.5
	Nemo 1960 LED Flashlight (1960N)	\$24	Lifetime	Torch	7.0x4.2x1.0	0.07	24	LED	Unknown		✓	2 AAA	3
	Nemo 2000 Flashlight (2000N)	\$50	Lifetime	Torch	9.2x2.1	0.33	53	Xenon	Unknown		✓	3 C	5

See page 14 for notes and definitions of the abbreviations used throughout this matrix.

Dive Lights Market Survey Report

Vendor	Product	MSRP	Warranty <sup>1</sup>	Body Style	Dimensions (inches) (LxWxH or LxD)	Weight (pounds)	Brightness (lumens)	Bulb Type	Beam Angle	Strobe Mode	User-Replaceable Battery	Battery Type	Battery Runtime (hours) <sup>2</sup>
Pelican Products Inc.	Nemo 2010 LED Flashlight (2010N)	\$83	Lifetime	Torch	9.2x4.8x2.1	0.34	109	LED	Unknown		✓	3 C	32
	Nemo 2400 Flashlight (2400N)	\$49	Lifetime	Torch	11.9x6.5x2.1	0.22	45	Xenon	Unknown		✓	4 AA	3.8
	Nemo 2410 LED Flashlight (2410N)	\$81	Lifetime	Torch	9.3x4.7x2.1	0.23	126	LED	Unknown		✓	4 AA	7.5
	Nemo 4300 Flashlight (4300N)	\$78	Lifetime	Pistol Grip	3.4x11.2x12.4	1.04	175	Xenon	Unknown		✓	8 C	6
Princeton Tec	Genesis	\$130	1 year	Torch	5.5x1.5	0.45	650	LED	10°	✓	✓	2 CR123	5
	Impact XL	\$40	Lifetime	Torch	6.5x1.5	0.43	65	LED	10°		✓	4 AA	50
	League	\$50	Lifetime	Torch	6.5x1.8x2.0	0.45	210	LED	12°		✓	4 AA	10
	Sector 5	\$110	Lifetime	Pistol Grip	4.5x2.5x6.5	1.43	550	LED	15°		✓	4 C	24
	Sector 7	\$130	Lifetime	Pistol Grip	6.5x2.5x6.5	2.37	700	LED	15°		✓	8 C	30
	Shockwave II	\$80	Lifetime	Pistol Grip	6.5x2.5x6.5	1.62	205	Xenon	20°		✓	8 C	10
	TEC 40	\$23	Lifetime	Torch	6.5x1.5	0.40	28	Halogen	10°		✓	4 AA	5

See page 14 for notes and definitions of the abbreviations used throughout this matrix.

Dive Lights Market Survey Report

Vendor	Product	MSRP	Warranty <sup>1</sup>	Body Style	Dimensions (inches) (LxWxH or LxD)	Weight (pounds)	Brightness (lumens)	Bulb Type	Beam Angle	Strobe Mode	User-Replaceable Battery	Battery Type	Battery Runtime (hours) <sup>2</sup>
Princeton Tec	Torrent LED	\$75	Lifetime	Torch	6.8x2.0	0.80	280	LED	15°		✓	8 AA	30
Sartek Industries Inc.	EBL220C	\$165	Lifetime	Torch	7.3x1.9	1.81	220	LED	8°, 25°, or 45° <sup>8</sup>		✓	3 C	24
	EBL220D	\$175	Lifetime	Torch	9.6x1.9	1.81	220	LED	8°, 25°, or 45° <sup>8</sup>		✓	3 D	48
	EBL1200C	\$375	Lifetime	Torch	7.3x1.9	1.19	1200	LED	8°, 25°, or 45° <sup>8</sup>		✓	3 C	1 to 24
	EBL1200D	\$395	Lifetime	Torch	9.6x1.9	1.19	1200	LED	8°, 25°, or 45° <sup>8</sup>		✓	3 D	3 to 24
	EBL2200	\$125	Lifetime	Torch	7.5x1.0	0.44	220	LED	7°		✓	3 AA	2 to 24
	EBL2200LI	\$175	Lifetime	Torch	4.8x1.0	0.19	220	LED	7°		✓	1 18650 or 2 CR123	4 to 24
	EBL2200LI-Micro	\$150	Lifetime	Torch	3.5x1.0	0.25	220	LED	7°, 25°, or 45° <sup>8</sup>		✓	Proprietary	0.5 to 2
	HID35CBDS/CBDL12L10 series	\$1,795	Lifetime	Canister	C: 13.5x2.5 H: 7.8x3.0	C: 3.88 H: 1.50	3600	HID	3° to 60°		✓	Proprietary	3.5
	LED1200MIC RO4L10 series	\$1,065	Lifetime	Canister	C: 5.4x2.4 H: 4.0x2.0	C: 2.50 H: 0.50	1200	LED	8°, 25°, or 45° <sup>8</sup>		✓	Proprietary	4
	LED1200MIC RO4N5 series	\$1,005	Lifetime	Canister	C: 5.4x2.4 H: 4.0x2.0	C: 2.44 H: 0.50	1200	LED	8°, 25°, or 45° <sup>8</sup>		✓	Proprietary	2
LED1200MIN I4L20 series	\$1,305	Lifetime	Canister	C: 5.4x2.4 H: 4.0x2.0	C: 3.19 H: 0.50	1200	LED	8°, 25°, or 45° <sup>8</sup>		✓	Proprietary	8	

See page 14 for notes and definitions of the abbreviations used throughout this matrix.

Dive Lights Market Survey Report

Vendor	Product	MSRP	Warranty <sup>1</sup>	Body Style	Dimensions (inches) (LxWxH or LxD)	Weight (pounds)	Brightness (lumens)	Bulb Type	Beam Angle	Strobe Mode	User-Replaceable Battery	Battery Type	Battery Runtime (hours) <sup>2</sup>
Sartek Industries Inc.	LED1200MIN I4N10 series	\$1,185	Lifetime	Canister	C: 8.0x2.4 H: 4.0x2.0	C: 3.13 H: 0.50	1200	LED	8°, 25°, or 45° <sup>8</sup>		✓	Proprietary	4
Tabata USA Inc. (TUSA)	TUL-300	\$79	1 year	Torch	6.2x1.5	NP	200	LED	42°		✓	2 CR123	3
	TUL-400	\$94	1 year	Torch	5.1x1.5	0.36	165	LED	50° to 60°	✓	✓	3 AAA	2 to 7
	TUL-410	\$94	1 year	Torch	5.1x1.5	0.36	220	LED	5° to 7°	✓	✓	3 AAA	2 to 7
	TUL-600	\$229	1 year	Pistol Grip	4.0x2.3	NP	600	LED	12°	✓		Proprietary	1 to 4
	TUL-1000	\$399	1 year	Pistol Grip	4.0x2.3	NP	520, 1000	LED	12°, 60°	✓		Proprietary	1 to 4
Tovatec	Beacon Torch (BCON)	\$379	1 year	Torch	10.6x1.3x2.8	2.38	750, 1250, 2500	LED	11°			Proprietary	2 to 12
	Compact Torch (ICOM)	\$60	1 year	Torch	5.5x1.4	0.41 <sup>4</sup>	230	LED	12°	✓	✓	3 AAA	3
	IFL 660 series	\$75	1 year	Torch	6.2x1.5	0.50 <sup>4</sup>	300	LED	7°		✓	1 18650 or 2 CR123	6
	IFL WA Zoom series	\$90	1 year	Torch	6.3x1.5	0.53 <sup>4</sup>	300	LED	9° to 45°		✓	1 18650 or 2 CR123	2 to 3
	Search Light (SL1)	\$160	1 year	Torch	11.0x2.3	0.91 <sup>4</sup>	800	LED	8°	✓	✓	3 C	7
	SportTac 2000 (ST2000)	\$69	1 year	Torch	4.8x1.4	0.27 <sup>4</sup>	220	LED	12° to 75°	✓	✓	1 CR14500	1.3
	Ultra III Torch (ULTRA III)	\$90	1 year	Torch	8.9x2.0	1.25	500	LED	14°		✓	6 AA	6

See page 14 for notes and definitions of the abbreviations used throughout this matrix.



Dive Lights Market Survey Report

Vendor	Product	MSRP	Warranty <sup>1</sup>	Body Style	Dimensions (inches) (LxWxH or LxD)	Weight (pounds)	Brightness (lumens)	Bulb Type	Beam Angle	Strobe Mode	User-Replaceable Battery	Battery Type	Battery Runtime (hours) <sup>2</sup>
Underwater Kinetics	Aqualite Pro 20° (12434)	\$290	Lifetime <sup>11</sup>	Torch	5.0x1.5	0.40	160, 300, 430, 750	LED	20°	✓	✓	Proprietary	1.6 to 12
	Aqualite-S 20° (12516)	\$180	Lifetime <sup>11</sup>	Torch	5.0x1.5	0.40	80, 200, 500	LED	20°		✓	Proprietary	1.5 to 9
	C4 eLED series	\$151	Lifetime <sup>11</sup>	Pistol Grip	6.8x5.6x3.2	1.56	190, 275	LED	15°		✓	4 C	8 to 15.8
	C4 Xenon series	\$85	Lifetime <sup>11</sup>	Pistol Grip	6.6x5.6x3.2	1.59	139, 278	Xenon	15°		✓	4 C	4 to 5
	C8 eLED series	\$194	Lifetime <sup>11</sup>	Pistol Grip	7.2x7.1x3.2	2.25	270, 400	LED	15°		✓	8 C	13.9 to 19.7
	C8 Xenon series	\$97	Lifetime <sup>11</sup>	Pistol Grip	7.2x7.1x3.2	2.19	355, 638	Xenon	15°		✓	8 C	4 to 5
	Light Cannon eLED series	\$215	Lifetime <sup>11</sup>	Pistol Grip or Lantern <sup>12</sup>	7.3x7.1x3.2 <sup>13</sup>	2.25	530, 825	LED	20°		✓	8 C	9 to 14
	Mini Q40 eLED Plus	\$68	Lifetime <sup>11</sup>	Torch	6.5x1.6x1.4	0.38	77	LED	10°		✓	4 AA	4 to 10
	Mini Q40 Xenon	\$41	Lifetime <sup>11</sup>	Torch	6.1x1.6x1.4	0.34	38	Xenon	10°		✓	4 AA	4 to 10
	SL3 eLED	\$72	Lifetime <sup>11</sup>	Torch	7.5x2.0	0.81	125	LED	15°		✓	3 C	32
	SL4 eLED	\$105	Lifetime <sup>11</sup>	Torch	6.2x1.5 x1.7	0.94	400	LED	10°		✓	4 C	10
	SL4 Xenon	\$56	Lifetime <sup>11</sup>	Torch	6.3x1.8x2.5	0.94	113	Xenon	10°		✓	4 C	4 to 5
	Super Q eLED Rechargeable	\$132	Lifetime <sup>11</sup>	Torch	4.4x1.5x1.4	0.22	90	LED	15°		✓	2 CR123	4

See page 14 for notes and definitions of the abbreviations used throughout this matrix.

Dive Lights Market Survey Report

Vendor	Product	MSRP	Warranty <sup>1</sup>	Body Style	Dimensions (inches) (LxWxH or LxD)	Weight (pounds)	Brightness (lumens)	Bulb Type	Beam Angle	Strobe Mode	User-Replaceable Battery	Battery Type	Battery Runtime (hours) <sup>2</sup>
Underwater Light Dude	LD-15 Primary Light (mini)	\$1,095	3 years <sup>14</sup>	Canister	C: 5.5x2.6 H: 3.0x2.0	C: 1.80 H: 1.38	800, 1100, 1500	LED	6°	O		Proprietary	3.3 to 10
	LD-15 Primary Light (short)	\$1,295			C: 8.5x2.6 H: 3.0x2.0	C: 2.80 H: 1.38							6.7 to 20
	LD-15 Primary Light (tall)	\$1,495			C: 11.5x2.6 H: 3.0x2.0	C: 3.80 H: 1.38							10 to 30
	LD-26 Primary Light (mini)	\$1,345	3 years <sup>14</sup>	Canister	C: 5.5x2.6 H: 3.0x2.0	C: 1.80 H: 1.38	800, 1500, 2600	LED	8.2°	O		Proprietary	2.5 to 10
	LD-26 Primary Light (short)	\$1,545			C: 8.5x2.6 H: 3.0x2.0	C: 2.80 H: 1.38							5 to 20
	LD-26 Primary Light (tall)	\$1,745			C: 11.5x2.6 H: 3.0x2.0	C: 3.80 H: 1.38							7.5 to 30
	LD-35 Primary Light (mini)	\$1,545	3 years <sup>14</sup>	Canister	C: 5.5x2.6 H: 3.0x2.0	C: 1.80 H: 1.38	800, 2100, 3500	LED	8.2°	O		Proprietary	1.7 to 10
	LD-35 Primary Light (short)	\$1,745			C: 8.5x2.6 H: 3.0x2.0	C: 2.80 H: 1.38							3.3 to 20

See page 14 for notes and definitions of the abbreviations used throughout this matrix.

Dive Lights Market Survey Report

Vendor	Product	MSRP	Warranty <sup>1</sup>	Body Style	Dimensions (inches) (LxWxH or LxD)	Weight (pounds)	Brightness (lumens)	Bulb Type	Beam Angle	Strobe Mode	User-Replaceable Battery	Battery Type	Battery Runtime (hours) <sup>2</sup>
Underwater Light Dude	LD-35 Primary Light (tall)	\$1,945	3 years <sup>14</sup>	Canister	C: 11.5x2.6 H: 3.0x2.0	C: 3.80 H: 1.38	800, 2100, 3500	LED	8.2°	O		Proprietary	5 to 30

Notes:  
 ✓—product is equipped with corresponding feature  
 Blank cell—product is not equipped with corresponding feature  
 C—canister  
 H—light head  
 NP—information not provided  
 O—optional  
 Dimensions—L—length; W—width; H—height; D—diameter  
<sup>1</sup>Limitations on the warranty may apply. Contact vendor for warranty exclusions and specifics.  
<sup>2</sup>Battery runtime may vary with battery type, brightness setting, mode, and water conditions.  
<sup>3</sup>Weight is measured in seawater with batteries.  
<sup>4</sup>Weight includes batteries.  
<sup>5</sup>Removable lantern grip is included with purchase.  
<sup>6</sup>The light provides 600 lumens when using AAA batteries and 800 lumens when using an 18650 battery.  
<sup>7</sup>The weight is for the cable, canister, and light head.  
<sup>8</sup>Beam angle is selected at time of purchase.  
<sup>9</sup>Lumen output at a 12° beam angle.  
<sup>10</sup>Lumen output at a 60° beam angle.  
<sup>11</sup>Lifetime on defects in materials and workmanship; 10 years for plastics; 3 years for rubber; 1 year for LEDs and electronics; 90 days for proprietary batteries; and 30 days for xenon bulbs.  
<sup>12</sup>Body style is chosen at time of purchase.  
<sup>13</sup>Dimensions are for the body of the light and do not include pistol grip or lantern mount attachments.  
<sup>14</sup>Excludes the battery, which has a 1-year warranty.

Information in the table is based on data gathered from vendors and their websites from September 2014 through June 2015.

## 4. VENDOR CONTACT INFORMATION

Additional information on the dive lights included in this market survey report can be obtained from the vendors listed in Table 4-1.

**Table 4-1. Vendor Contact Information**

Vendor	Phone Number	Website
Bigblue Dive Lights/BoskUSA	(727) 442-2300	<a href="http://www.bigbluedivelights.com">www.bigbluedivelights.com</a>
Dive Rite	(800) 495-1046	<a href="http://www.diverite.com">www.diverite.com</a>
EDGE-HOG GEAR	(888) 810-4811	<a href="http://www.edge-gear.com">www.edge-gear.com</a>
Hollis	(510) 729-5110	<a href="http://www.hollis.com">www.hollis.com</a>
Ikelite Underwater Systems	(317) 923-4523	<a href="http://www.ikelite.com">www.ikelite.com</a>
Intova	(877) 837-0074	<a href="http://www.intova.net">www.intova.net</a>
Light & Motion	(831) 645-1538	<a href="http://www.lightandmotion.com">www.lightandmotion.com</a>
Light Monkey Enterprises LLC	(386) 202-4690	<a href="http://www.lightmonkey.us">www.lightmonkey.us</a>
Pelican Products Inc.	(800) 473-5422	<a href="http://www.pelican.com">www.pelican.com</a>
Princeton Tec	(800) 257-9080	<a href="http://www.princetontec.com">www.princetontec.com</a>
Sartek Industries Inc.	(631) 473-3555	<a href="http://www.sarind.com">www.sarind.com</a>
Tabata USA Inc. (TUSA)	(800) 482-2282	<a href="http://www.tusa.com/us-en">www.tusa.com/us-en</a>
Tovatec	(719) 219-0814	<a href="http://www.tovatec.com">www.tovatec.com</a>
Underwater Kinetics	(800) 852-7483	<a href="http://www.uwkinetics.com">www.uwkinetics.com</a>
Underwater Light Dude	(704) 299-0733	<a href="http://www.uwlightdude.com">www.uwlightdude.com</a>

## 5. SUMMARY

This market survey report provides information on over 100 dive lights. The products differ in body style, cost, brightness, bulb type, beam angle, battery type, and warranty duration. All dive lights with a canister body style have a minimum cable length of 41 inches. All of the dive lights are negatively buoyant. Most can be mounted for hands-free use, weigh less than 5 pounds, and feature an LED bulb type and user-replaceable batteries. Some of the dive lights can be used out of the water; however, limitations on out-of-water use vary across products.

Emergency responder agencies that consider purchasing dive lights should carefully research each product's overall capabilities and limitations in relation to their agency's operational needs.