


(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



Variable
Water Surface Elevation (feet)
Deflection
Overbank Velocity (fps) on US Side

(b) (7)(F), (b) (7)(E), (b) (4), (b) (5)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

APPENDIX C
O3 EXHIBITS

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



Variable
Water Surface Elevation (feet)
Deflection
Overbank Velocity (fps) on US side

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



(b) (4), (b) (5), (b) (7)(E), (b) (7)(D)



V a r i a b l e

W a t e r S u r f a c e E l e v a t i o n (f e e t)

D e f l e c t i o n

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

Baker

U.S.A.

1 inch = 400 ft

Date: August 2010

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



Variable
Water Surface Elevation (feet)
Deflection
Overbank Velocity (fps) on US Side

(b) (4), (b) (5)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



Variable
Water Surface Elevation (feet)
Deflection
Overbank Velocity (fps) on US Side
Floodplain Width (feet)

(b) (7)(F), (b) (7)(E), (b) (4), (b) (5)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)