

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



Variable
Water Surface Elevation (feet)
Deflection
Overbank Velocity (fps) on US Side
Floodplain Width (feet)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



Variable
Water Surface Elevation (feet)
Deflection
Overbank Velocity (fps) on US Side

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)





(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



Variable	Design Flow with (b) (5), (b) (7)(E), (b) (7)(F)			Impact	
	EXIS COND		PROP COND		
	MX		US	MX	US
Water Surface Elevation (feet)	(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)				
Deflection	(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)				
Overbank Velocity (fps) on US Side	(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)				
	(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)				

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



1 inch = 400 ft

BW11 FOIA CRP 007174

Date: August 2010

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



Variable	Design Flow with (b) (7)(F), (b) (7)(F)		Impact
	EXIS COND	PROP COND	
	(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)		
Water Surface Elevation (feet)			
Deflection			
Overbank Velocity (fps) on US Side			
Floodplain Width (feet)			

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

Variable	Design Flow with (b) (4), (b) (5), (b) (7)(E), (b) (7)(F)		Impact
	EXIS COND	PROP COND	
	(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)		
Water Surface Elevation (feet)			
Deflection			
Overbank Velocity (fps) on US Side			

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



V a r i a b l e	D e s i g n F l o w w i t h (b) (4), (b) (5), (b) (7)(E), (b) (7)(F)		I m p a c t
	EXIS COND	PROP COND	
	(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)		
W a t e r S u r f a c e E l e v a t i o n (f e e t)			
D e f l e c t i o n			
O v e r b a n k V e l o c i t y (f p s) o n U S S i d e			
F l o o d p l a i n W i d t h (f e e t)			

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

 Baker



U.S.A.

1 inch = 400 ft  
RP 007474  
Date: August 2010



(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

Variable	Design Flow with (b) (7)(F), (b) (7)(E), (b) (7)(F)		Impact
	EXIS COND	PROP COND	
	(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)		
Water Surface Elevation (feet)			
Deflection			
Overbank Velocity (fps) on US Side			

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

Variable	Design Flow with (b) (4), (b) (5), (b) (7)(E), (b) (7)(F)		Impact
	EXIS COND	PROP COND	
Water Surface Elevation (feet)	(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)		
Deflection			
Overbank Velocity (fps) on US Side			
Floodplain Width (feet)			

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)





(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



Baker

U.S.A.

1 inch = 400 ft

CBP 007177



(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

Legend

—

HEC-RAS Cross Sections

Proposed Fence Alignment

Proposed Condition Floodplain

Existing Condition Floodplain

V a r i a b l e
W a t e r S u r f a c e E l e v a t i o n ( f e e t )
D e f l e c t i o n
O v e r b a n k V e l o c i t y ( f p s ) o n U S S i d e

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

Baker

U.S.A.

1 inch = 400 ft

P 007178

Date: August 2010

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

Legend

HEC-RAS Cross Sections

Proposed Fence Alignment

Proposed Condition Floodplain

Existing Condition Floodplain

(b) (7)(F), (b) (7)(E), (b) (4), (b) (5)

Variable
Water Surface Elevation (feet)
Deflection
Overbank Velocity (fps) on US Side

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

Baker

U.S.A.

1 inch = 400 ft

11 FOIA CBR 007179

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

**Legend**

HEC-RAS Cross Sections

Proposed Fence Alignment

Proposed Condition Floodplain

Existing Condition Floodplain

Variable
Water Surface Elevation (feet)
Deflection
Overbank Velocity (fps) on US Side

(b) (7)(E), (b) (7)(F), (b) (4), (b) (5)

(b) (7)(F), (b) (7)(E), (b) (5), (b) (4)



(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

Legend

HEC-RAS Cross Sections

Proposed Fence Alignment

Proposed Condition Floodplain


Existing Condition Floodplain

Variable
Water Surface Elevation (feet)
Deflection
Overbank Velocity (fps) on US Side

(b) (7)(E), (b) (7)(F), (b) (4), (b) (5)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



Variable
Water Surface Elevation (feet)
Deflection
Overbank Velocity (fps) on US Side

(b) (7)(F), (b) (7)(E), (b) (4), (b) (5)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)