

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



Variable
Water Surface Elevation (feet)
Deflection
Overbank Velocity (fps) on US side

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



(b) (4), (b) (5), (b) (7)(E), (b) (7)(D)



- Legend**
- HEC-RAS Cross Section
 - Proposed Fence Alignment
 - Proposed Condition Floodplain
 - Existing Condition Floodplain

V a r i a b l e

W a t e r S u r f a c e E l e v a t i o n (f e e t)

D e f l e c t i o n

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

Baker

U.S.A.



(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



Variable
Water Surface Elevation (feet)
Deflection
Overbank Velocity (fps) on US Side

(b) (4), (b) (5)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)



- gend
- HEC-RAS Cross Section
 - Proposed Fence Alignment
 - Proposed Condition Floodplain
 - Existing Condition Floodplain

V a r i a b l e
W a t e r S u r f a c e E l e v a t i o n (f e e t)
D e f l e c t i o n
O v e r b a n k V e l o c i t y (f p s) o n U S S i d e
F l o o d p l a i n W i d t h (f e e t)

(b) (7)(F), (b) (7)(E), (b) (4), (b) (5)

(b) (4), (b) (5), (b) (7)(E), (b) (7)(F)