



Daily Open Source Infrastructure Report 28 January 2016

Top Stories

- The Federal Aviation Administration announced January 26 that it will transfer controllers to address understaffing following an inspector general report which found that 13 airport control facilities have few fully trained controllers. – *Associated Press* (See item [4](#))
- Texas officials estimated that approximately 800,000 gallons of treated sludge wastewater spilled out of the Aransas Pass city treatment plant and into Redfish Bay January 26. – *Corpus Christi Caller-Times* (See item [10](#))
- PayPal patched a critical remote code execution flaw in its Manager portal which could potentially allow attackers to execute arbitrary shell commands to gain access to production databases. – *The Register* (See item [19](#))
- A six-alarm fire in a downtown New Orleans building halted all streetcar lines and closed the historic Canal Street after the blaze began in a four-story building and spread to an adjacent building January 27. – *Associated Press* (See item [23](#))

Fast Jump Menu

PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

FEDERAL and STATE

- [Government Facilities](#)
- [Emergency Services](#)

Energy Sector

Nothing to report

Chemical Industry Sector

Nothing to report

Nuclear Reactors, Materials, and Waste Sector

Nothing to report

Critical Manufacturing Sector

1. *January 27, U.S. Consumer Product Safety Commission* – (International) **Lunera recalls LED lamps due to fire, burn and electric shock hazards (recall alert).** Lunera Lighting Inc., issued a recall for approximately 60,000 units of its Helen GX23 LED lamps January 27 due to fire, burn, and electric shock hazards after receiving 11 reports of lamps overheating.
Source: <http://www.cpsc.gov/en/Recalls/Recall-Alerts/2016/Lunera-Recalls-LED-Lamps/>
2. *January 25, U.S. Department of Labor* – (Ohio) **Ohio manufacturer of fasteners exposes workers to amputation hazards.** The Occupational Safety and Health Administration cited Telefast Industries Inc., for 4 repeated, 2 serious, and 2-other-than-serious safety violations January 21 after Federal inspections revealed that the company failed to provide workers with head and face protection, install machine guards, and use recommended safety procedures to prevent workers from coming in contact with operating machinery at its in Berea, Ohio facility. Proposed penalties total \$121,000.
Source: https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=29460

Defense Industrial Base Sector

Nothing to report

Financial Services Sector

3. *January 26, Lincoln Journal Star* – (Iowa; Nebraska) **3 Cubans indicted in Nebraska for credit card scam.** Nebraska officials announced January 26 that 3 Cuban-born Texas men were indicted for allegedly participating in a scheme in which they allegedly stole credit and debit account numbers and re-encoded the information onto 251 fake credit cards to buy or redeem gift cards across Iowa and Nebraska. The scheme cost cardholders nearly \$30,000 in losses.
Source: <http://journalstar.com/news/local/911/cubans-indicted-in-nebraska-for-credit->

Transportation Systems Sector

4. *January 27, Associated Press* – (National) **Watchdog: Nation’s busiest airports lack qualified air traffic controllers.** The Federal Aviation Administration announced that it is expediting the transfer of controllers from well-staffed traffic control centers to address understaffing at other centers following the January 26 release of a U.S. Department of Transportation’s inspector general report which found that 13 airport control facilities and en route centers in Anchorage, Atlanta, Chicago, Denver, Dallas, Houston, New York, Las Vegas, Miami, and Albuquerque have few fully trained controllers. The report also questions the validity of minimum staffing levels required by the administration after managers at 23 key facilities examined cited a higher number of controllers needed to fill all work shifts.
Source: <http://www.foxnews.com/us/2016/01/27/watchdog-nations-busiest-airports-lack-qualified-air-traffic-controllers.html>
5. *January 27, Minneapolis Star Tribune* – (Minnesota) **Green Line trains are back on the move in Minneapolis.** Metro Green Line resumed full service between the University of Minnesota and downtown Minneapolis nearly 4 hours after shutting down January 27 as a precaution due to a small fire on the Washington Avenue bridge connecting the East Bank and West Bank.
Source: <http://www.startribune.com/fire-shuts-down-portion-of-green-line/366693201/>
6. *January 27, Florida Today* – (Florida) **Wet roads cause multiple accidents, deadly SR 528 crash.** Heavy rains in Brevard County, Florida, January 27 contributed to 104 accidents in a 4-county area, including a fatal crash on State Road 528 that left 1 person dead and partially blocked the roadway for several hours while authorities investigated.
Source: <http://www.floridatoday.com/story/news/local/2016/01/27/crash-blocks-eastbound-traffic-beachline/79391396/>
7. *January 26, Fauquier Times-Democrat* – (Virginia) **Two airlifted, traffic on Route 50 delayed, after five-car accident near county line.** A 5-vehicle crash January 26 shut down a portion of the John S. Mosby Highway in Loudoun County, Virginia, for several hours while officials investigated the scene and rescue crews transported drivers to the hospital.
Source: <http://www.fauquier.com/news/article/two-airlifted-traffic-on-route-50-delayed-after-five-car-accident-near-county-line>

For another story, see item [23](#)

Food and Agriculture Sector

8. *January 25, U.S. Department of Labor* – (Texas) **Workplace hazards at Brownsville frozen seafood distributor leads to \$155K in OSHA fines; company named ‘severe violator.’** The Occupational Safety and Health Administration cited Rich Products Corp., January 22 with 3 repeated and 11 serious safety citations and placed the

company in its Severe Violator Enforcement Program following a programmed-targeted inspection at the company's Brownsville, Texas, facility which revealed that the company failed to provide written notice of annual audiograms, failed to refit employees for hearing protection, and failed to test ammonia detectors, among other violations. Proposed penalties total \$155,000.

Source:

https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=29463

Water and Wastewater Systems Sector

9. *January 26, Lima News* – (Ohio) **Water boil advisory issued in Kenton.** The Kenton-Hardin Health Department issued a boil water advisory for the city of Kenton January 26 requiring residents and restaurants in the municipal water district to adhere to boil advisory protocols until further notice.

Source: <https://limaohio.com/news/163193/water-boil-advisory-issued-in-kenton>

10. *January 26, Corpus Christi Caller-Times* – (Texas) **800,000 gallons of wastewater spilled in Redfish Bay.** Officials estimated that approximately 800,000 gallons of treated sludge wastewater spilled out of the Aransas Pass city treatment plant and into Redfish Bay after the main pump to the clarifier failed January 26. All private water well residents within a half-mile of the affected area were placed under a boil water advisory.

Source: <http://www.caller.com/news/local/800000-gallons-of-wastewater-spilled-in-redfish-bay-2a485a28-b024-1385-e053-0100007f262d-366644131.html>

Healthcare and Public Health Sector

11. *January 26, U.S. Food and Drug Administration* – (National) **Baxter initiates voluntary nationwide recall of select lots of IV solutions due to the potential for leaking containers and particulate matter.** Baxter International, Inc., issued a voluntary recall January 26 for 4 lots of its Sodium Chloride, Metronidazole, and Clinimix E sulfite-free intravenous (IV) solutions due to the potential for leaking containers and particulate matter following 3 consumer complaints. The IV solutions were distributed to hospitals and medical centers nationwide.

Source: <http://www.fda.gov/Safety/Recalls/ucm483147.htm>

12. *January 26, Los Angeles Times* – (California) **No shooter found as shelter in place orders are lifted at Navy medical center in San Diego.** U.S. Navy officials issued an all clear nearly 8 hours after initiating a shelter in place order at the Naval Medical Center in San Diego following reports of a potential active shooter in Building 26. Authorities found no signs of casualties or other evidence of a shooting.

Source: <http://www.latimes.com/local/lanow/la-me-ln-active-shooter-in-san-diego-20160126-story.html>

13. *January 25, Middletown Times Herald-Record* – (New York) **St. Luke's Hospital reports possible data breach involving patients' info.** St. Luke's Cornwall Hospital

in New York notified 29,156 patients that their personal information may have been breached after a thumb drive containing a limited amount of patient information was stolen in October 2015. The hospital notified authorities and is offering identity-theft services to all affected patients.

Source: <http://www.recordonline.com/article/20160125/NEWS/160129598>

Government Facilities Sector

14. *January 26, KXAS 5 Fort Worth* – (Texas) **Classes canceled Wednesday at Woodrow Wilson High School.** Classes at Woodrow Wilson High School in Dallas were cancelled January 27 after the school was evacuated January 26 due to a 2-alarm fire that began in a bathroom closet. Authorities are assessing the total amount of damage and the cause of the fire.
Source: <http://www.nbcdfw.com/news/local/Woodrow-Wilson-High-School-Evacuated-After-Fire-Call-366573681.html>
15. *January 26, Easton Express-Times* – (Pennsylvania) **Wednesday school closings: Updated list of cancellations.** At least 9 schools remained closed across several school districts in Pennsylvania January 27 while crews continued to clear snow and ice off sidewalks and roadways following a severe winter storm that dumped over 30 inches of snow.
Source: http://www.lehighvalleylive.com/weather/index.ssf/2016/01/wednesday_school_closings_upda.html
16. *January 26, Washington Post* – (Maryland; Virginia) **Weather closures in the D.C. area for Wednesday, Jan. 27.** At least 18 schools districts in Maryland and Virginia remained closed January 27 while crews continued to clear several inches of snow off roadways following a severe winter storm.
Source: https://www.washingtonpost.com/local/weather-closures-in-the-dc-area-for-monday-jan-25/2016/01/23/13cbf26c-c1ff-11e5-bcda-62a36b394160_story.html

For another story, see item [12](#)

Emergency Services Sector

17. *January 26, CNN* – (Indiana) **Influenza virus hits inmates in Indiana prison, officials say.** The Indiana Department of Corrections chief medical officer announced January 26 that the H1N1 flu strain is responsible for an outbreak at the Putnamville Correctional Facility, which has led to 1 inmate's death and caused at least 37 others to become ill. Inmates are being treated and prison workers are attempting to stop the illness from spreading by distributing face masks, bleaching common areas, and replacing at least 100 air filters, among other precautions.
Source: <http://www.cnn.com/2016/01/26/health/indiana-prison-inmates-sick/>

Information Technology Sector

18. *January 27, SecurityWeek* – (International) **Hackers can abuse HP enterprise printers for storage.** A researcher from MacKeeper reported that misconfigured enterprise devices can be susceptible to hosting malicious code and evading detection by security products, in addition to allowing attackers to use free, open-source tools to upload files to HP printers and interact with the devices over port 9100 through access via a web browser at “http://<Printer_IP_Address>/hp/device/<File_Name>.” HP advised users to protect their printers by implementing a logging system on each device and turning off unused ports and protocols.
Source: <http://www.securityweek.com/hackers-can-abuse-hp-enterprise-printers-storage>
19. *January 27, The Register* – (International) **PayPal patches deadly server remote code execution flaw.** PayPal patched a critical remote code execution flaw after an independent security researcher discovered the flaw in PayPal’s Manager portal, hosted at manager.paypal.com which could potentially allow attackers to execute arbitrary shell commands on PayPal’s servers through a Java object deserialization bug to gain access to production databases.
Source: http://www.theregister.co.uk/2016/01/27/paypal_patches_deadly_server_remote_code_execution_flaw_pays_5k/
20. *January 27, SecurityWeek* – (International) **Check Point unveils new threat prevention appliances.** Check Point network security firm released new hardware appliances, including its 15000 and 23000 Series for enterprise networks targeted with zero-day threats that allow each new hardware to run all security protections simultaneously including full Secure Sockets Layer (SSL) traffic inspection, advanced monitoring, and threat prevention protocols without creating a performance bottleneck or compromising security effectiveness.
Source: <http://www.securityweek.com/check-point-unveils-new-threat-prevention-appliances>
21. *January 26, SecurityWeek* – (International) **Blended DDoS attacks grow in size, complexity, frequency: Report.** Arbor Networks released its 11th Annual Worldwide Infrastructure Security Report (WISR) which revealed that distributed denial-of-service (DDoS) attacks targeted enterprise networks’ infrastructure, applications, and services simultaneously, increased through cloud-based services by 29 percent from 2015, and focused on Domain Name System (DNS) servers rather than Hypertext Transfer Protocol (HTTP) services. In addition, the report stated that 50 percent of enterprises firewalls failed due to successful DDoS attacks.
Source: <http://www.securityweek.com/blended-ddos-attacks-grow-size-complexity-frequency-report>
22. *January 26, Softpedia* – (International) **NanoLocker ransomware can be cracked, but only under certain conditions.** A Canadian security researcher discovered a flaw in the NanoLocker ransomware’s operations that can halt the ransomware’s encryption

by restarting a victim's personal computer (PC) or entering the PC into sleep mode, which stops the encryption process and leaves the configuration file in an uncompleted encryption stage. While in the uncompleted encryption state, the Canadian security researcher created a decrypter to restore encrypted files from the ransomware, which can be downloaded from GitHub or from Google Drive.

Source: <http://news.softpedia.com/news/nanolocker-ransomware-can-be-cracked-but-only-under-certain-conditions-499455.shtml>

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

Communications Sector

Nothing to report

Commercial Facilities Sector

23. *January 27, Associated Press* – (Louisiana) **No injuries as fire closes New Orleans' historic Canal St.** A six-alarm fire in a downtown New Orleans building halted all streetcar lines and closed the historic Canal Street, which contains several restaurants and businesses, after the blaze began in a four-story building and spread to an adjacent building January 27. No injuries were reported and the cause of the incident is under investigation.
Source: <http://wkcr.com/2016/01/27/new-orleans-firefighters-battling-fire-on-canal-street/>
24. *January 27, St. Louis Post-Dispatch* – (Missouri) **Cooking blamed for two-alarm fire that destroys St. Louis church.** An unattended cooking fire January 27 at the St. Louis Metropolitan Church of Christ heavily damaged the building and prompted eight residents to evacuate from surroundings homes while fire crews extinguished the blaze for about 3 hours. No injuries were reported.
Source: http://www.stltoday.com/news/local/crime-and-courts/cooking-blamed-for-two-alarm-fire-that-destroys-st-louis/article_ba4c1c9a-cae0-5554-b40e-4205df68de00.html
25. *January 27, WANE 15 Fort Wayne* – (Ohio) **Family owned grocery store destroyed by fire.** The River Street Market in Antwerp, Ohio, sustained extensive damage January 26 after a fire began in the breakroom of the facility and spread to the entire building, prompting eight fire departments to contain the incident. No injuries were reported and an investigation is ongoing to determine the cause of the blaze.
Source: <http://wane.com/2016/01/26/grocery-store-fully-engulfed-in-flames/>
26. *January 26, U.S. Department of Labor* – (Connecticut) **Lake Compounce Theme**

Park employees exposed to chemical, fire, other hazards: OSHA. The Occupational Safety and Health Administration cited the Lake Compounce Family Theme Park in Bristol, Connecticut, for 18 serious violations of workplace safety standards January 15 following an investigation which determined that the company exposed employees working with caustic chemicals in the park's paint room to chemical, burn, and respirator hazards. Proposed penalties total \$70,200.

Source:

https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=29457

27. *January 26, KRDO 13 Colorado Springs* – (Colorado) **Fire damages more than a dozen storage facilities on Springs' east side.** A Colorado Springs Fire official reported that at least 14 storage units were damaged at the Citadel Self Storage facility January 26 after a fire began in a unit. Officials are investigating the cause of the incident.

Source: <http://www.krdo.com/news/fire-burning-in-apartment-storage-units-on-springs-east-side/37652568>

For another story, see item [9](#)

Dams Sector

Nothing to report



Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

Contact Information

Content and Suggestions:	Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the DHS Daily Open Source Infrastructure Report and follow instructions to Get e-mail updates when this information changes .
Removal from Distribution List:	Send mail to support@govdelivery.com .

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.