



## Daily Open Source Infrastructure Report 23 June 2016

### Top Stories

- Pacific Gas and Electric Co. agreed June 21 to close the Diablo Canyon Power Plant in California by 2025 and replace the nuclear plant with solar power and other energy sources. – *Associated Press* (See item [3](#))
- U.S. officials announced June 21 that Analogic Corp., and its Danish subsidiary, BK Medical ApS, agreed to pay nearly \$15 million to settle parallel civil and criminal actions involving Foreign Corrupt Practices Act (FCPA) violations. – *U.S. Securities and Exchange Commission* (See item [19](#))
- The governor of Michigan signed a \$617 million bailout and restructuring plan June 21 for Detroit Public Schools which will split the district in two July 1. – *Associated Press* (See item [21](#))
- Florida officials announced June 20 that Florida Power & Light will have 10 years to clean up a large underground plume of saltwater threatening drinking water well fields near its Turkey Point plant. – *Miami Herald* (See item [32](#))

---

### Fast Jump Menu

#### PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

#### SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

#### SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

#### FEDERAL and STATE

- [Government Facilities](#)
- [Emergency Services](#)

## Energy Sector

1. *June 21, Associated Press* – (North Dakota) **OSHA: North Dakota oil worker killed in crane accident.** The Occupational Safety and Health Administration announced June 21 that it is investigating an incident where a worker was killed in a crane accident at an Advance Energy oil well site in Mountrail County June 20. The worker was struck and killed by the crane's boom as it was being lowered into the ground to remove and replace a pipe.  
Source: [http://www.tulsaworld.com/osha-north-dakota-oil-worker-killed-in-crane-accident/article\\_46d1afc9-33ab-5d32-bcb0-7a1ed534c0c0.html](http://www.tulsaworld.com/osha-north-dakota-oil-worker-killed-in-crane-accident/article_46d1afc9-33ab-5d32-bcb0-7a1ed534c0c0.html)
2. *June 21, Ocean City Patch* – (New Jersey) **Atlantic City Electric working to restore power; NWS may send crews to Cape May County.** Utility crews worked June 21 to restore power after approximately 36,000 customers lost service due to a severe storm that moved through New Jersey.  
Source: <http://patch.com/new-jersey/oceancity/numerous-reports-tornadoes-middle-township-police>

## Chemical Industry Sector

Nothing to report

## Nuclear Reactors, Materials, and Waste Sector

3. *June 21, Associated Press* – (California) **California closing last nuclear plant after 3 decades.** Pacific Gas and Electric Co., and several environmental groups agreed June 21 to close the Diablo Canyon Power Plant in San Luis Obispo County by 2025 and replace the nuclear plant with solar power and other energy sources that do not produce climate-changing greenhouse gases. The closure will ensure that earthquakes will not fracture the facility as the plant sits 650 yards from the nearest fault line.  
Source: <http://abc7.com/news/california-closing-last-nuclear-plant-after-3-decades/1394704/>
4. *June 21, Chattanooga Times Free Press* – (Tennessee) **Watts bar nuclear plant shuts down for second time in three weeks.** A Tennessee Valley Authority spokesperson reported June 21 that its Watts Bar Unit 2 nuclear reactor in Spring City was shut down after the unit experienced issues in its auxiliary feed water system which tripped the reactor during a full power output June 20. Officials believe the unit will be back online around June 24.  
Source:  
<http://www.timesfreepress.com/news/business/aroundregion/story/2016/jun/21/watts-bar-nuclear-plant-shuts-down-second-time-three-weeks/372227/>

## Critical Manufacturing Sector

Nothing to report

## Defense Industrial Base Sector

Nothing to report

## Financial Services Sector

5. *June 21, U.S. Securities and Exchange Commission* – (California) **SEC halts scheme defrauding pro athletes.** The U.S. Securities and Exchange Commission unsealed a complaint June 21 charging and freezing the assets of The Ticket Reserve Inc., its chief executive officer, a chief operating officer, and a managing director from RGT Capital Management after the group allegedly siphoned more than \$33 million from professional athletes' bank accounts without their authorization in order to invest the money into The Ticket Reserve, make Ponzi-like payments to existing investors using money from new investors, and falsify documents, among other illicit actions in order to conceal the scheme. The charges also allege that the managing director received nearly \$2 million in hidden compensation from the company, failed to disclose to investors that he was a member of The Ticket Reserve's board of directions, and falsely claimed to be a certified public accountant (CPA).

Source: <https://www.sec.gov/news/pressrelease/2016-124.html>

## Transportation Systems Sector

6. *June 22, Washington Post* – (Washington, D.C.) **Cleveland Park Metro station reopens after flooding turns it into a waterfall.** The Washington Metropolitan Area Transit Authority's Cleveland Park Metro Station in Washington, D.C. was closed for nearly 2 hours June 21 due to flash flooding caused by heavy rainfall. The water did not cause damage to the tracks or third rail.  
Source: <https://www.washingtonpost.com/news/dr-gridlock/wp/2016/06/21/metro-trains-bypassing-cleveland-park-due-to-flooding/>
7. *June 22, WOAI 4 San Antonio* – (Texas) **Car flips after being rear-ended on Highway 281, driver injured.** A two-vehicle crash closed the northbound lanes of Highway 281 in San Antonio for approximately 3 hours June 22 and sent one person to an area hospital.  
Source: <http://news4sanantonio.com/news/local/car-flips-after-being-rear-ended-on-highway-281-driver-injured>
8. *June 22, Tampa Bay Times* – (Florida) **Highway patrol looking for another driver in fatal I-4 pileup.** Interstate 4 in Lakeland was closed for approximately 5 hours June 21 due to an accident involving at least seven vehicles that left four people dead when an eastbound vehicle lost control and crossed the highway median into westbound lanes.  
Source: <http://web.tampabay.com/news/publicsafety/accidents/highway-patrol-looking-for-another-driver-in-fatal-i-4-pileup/2282653>
9. *June 21, KFSN 30 Fresno* – (California) **CHP officer seriously injured in Highway 180 collision.** Eastbound lanes of Highway 180 in Fresno were shut down for several hours following a June 21 crash involving a California Highway Patrol officer on a

motorcycle and another vehicle. The officer was transported to an area hospital with major injuries.

Source: <http://abc30.com/news/chp-officer-seriously-injured-in-highway-180-collision/1395831/>

10. *June 21, KOMO 4 Bellevue* – (Washington) **Police: motorcyclist dies after being hit by car in Renton.** A crash involving a motorcycle and two other vehicles left one driver dead and closed Maple Valley Highway in Renton, Washington, for 3 hours June 21 while authorities investigated.

Source: <http://komonews.com/news/local/renton-police-investigate-fatal-motorcycle-crash>

## **Food and Agriculture Sector**

11. *June 22, Food Safety News* – (National) **Sardine products recalled because of botulism concerns.** Greenland Trading Corporation issued a recall June 22 for its AI Rasheed Sardine products after sampling and analysis revealed that the products have the potential to be contaminated with Clostridium botulinum bacteria. No illnesses have been reported and the products were distributed to retail stores in seven States.

Source: <http://www.foodsafetynews.com/2016/06/sardine-products-recalled-because-of-botulism-concerns>

12. *June 21, U.S. Food and Drug Administration* – (Michigan) **Dutch Treat Foods recalls Sweet Pea Pasta Salad because of potential health risk.** Dutch Treat Foods, Inc., issued a voluntary recall June 21 for 3,087 pounds of its Sweet Pea Pasta Salad products due to potential Listeria monocytogenes contamination after one of the company's suppliers, J.R. Simplot Co., recalled an ingredient used in the salad products due to Listeria. No illnesses have been reported and the products were shipped to two distributors, and sold at the company's facility and retail stores in Michigan.

Source: <http://www.fda.gov/Safety/Recalls/ucm507885.htm>

13. *June 21, U.S. Food and Drug Administration* – (National) **Marin Foods Specialties, Inc. recalls raw macadamia nuts sold at Whole Foods Market stores in CA, NV, OR, and WA due to possible health risk.** Marin Foods Specialties, Inc., issued a recall June 21 for its "Whole Foods Market Raw Macadamia Nuts" products sold in 6-ounce packages due to potential Salmonella contamination after the products tested positive for Salmonella during routine testing. No illnesses have been reported and the products were distributed to Whole Foods Market Inc. stores in California, Nevada, Oregon, and Washington.

Source: <http://www.fda.gov/Safety/Recalls/ucm508045.htm>

14. *June 21, U.S. Department of Labor* – (Missouri) **OSHA finds absence of proper safety guards led two workers to suffer amputation injuries at Piedmont food manufacturer.** The Occupational Safety and Health Administration cited Ajinomoto Windsor Inc., with two repeated, eight serious, and three other-than-serious safety violations June 15 after two incidences in December 2015 and January 2016 caused two workers to incur amputation injuries and prompted an investigation at the

Piedmont, Missouri facility which revealed that the company failed to install adequate safety guards, among other violations. Proposed penalties total \$140,000.

Source:

[https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_table=NEWS\\_RELEASES&p\\_id=32679](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=32679)

15. *June 21, U.S. Department of Labor* – (Ohio) **Non-GMO food additive manufacturer faces \$180K in fines after explosion, fire injures 4 workers at Ohio facility.** The Occupational Safety and Health Administration cited Arboris LLC with 35 serious, 1 willful, and 5 other-than serious safety violations June 17 after a December 2015 explosion at the Newark, Ohio facility injured 4 workers and prompted an investigation at the facility which revealed that the company violated process safety management procedures for handling hazardous materials, failed to develop emergency shut-down procedures, failed to implement processes to prevent inadvertent startup or release of stored energy, and failed to designate sufficient exit routes, among other violations. Proposed penalties total \$180,180.

Source:

[https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_table=NEWS\\_RELEASES&p\\_id=32676](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=32676)

16. *June 21, U.S. Food and Drug Administration* – (National) **Pinnacle Foods Inc. voluntarily recalls limited quantity of C&W Early Harvest Petite Peas and C&W Petite Peas due to possible Listeria contamination.** Pinnacle Foods Inc., issued a voluntary recall June 21 for select lots of its C&W Early Harvest Petite Peas and C&W Petite Peas products due to potential *Listeria monocytogenes* contamination after the company's contract packer, National Frozen Foods, notified the firm that the products may be contaminated with *Listeria*. No illnesses have been reported and the products were distributed nationwide and via the Internet.

Source: <http://www.fda.gov/Safety/Recalls/ucm508001.htm>

## **Water and Wastewater Systems Sector**

17. *June 21, WSB 2 Atlanta* – (Georgia) **More than 4,000 gallons of raw sewage spills in creek.** Approximately 4,600 gallons of raw sewage spilled into the Utoy Creek in southwest Atlanta June 14 due to a collapsed sewer line. Crews sealed the line and officials stated that the pipe will be routinely inspected.

Source: <http://www.wsbtv.com/news/local/atlanta/more-than-4000-gallons-of-raw-sewage-spills-in-creek/355359055>

18. *June 20, WFLA 8 Tampa* – (Florida) **Precautionary boil water notice issued for Belleair.** A water main break in Belleair, Florida, prompted the Belleair Water Department to issue a boil water advisory June 20. The advisory will remain in effect until test results confirm the absence of contamination.

Source: <http://wfla.com/2016/06/20/precautionary-boil-water-notice-issued-for-belleair/>

For another story, see item [32](#)

## Healthcare and Public Health Sector

19. *June 21, U.S. Securities and Exchange Commission* – (International) **SEC charges medical device manufacturer with FCPA violations.** The U.S. Securities and Exchange Commission announced June 21 that Analogic Corp., and its Danish subsidiary, BK Medical ApS, agreed to pay nearly \$15 million to settle parallel civil and criminal actions involving Foreign Corrupt Practices Act (FCPA) violations after the Danish subsidiary engaged in hundreds of sham transactions with distributors that funneled about \$20 million to third parties, while Analogic Corp., reportedly failed to keep accurate books and records and maintain adequate internal accounting controls. Source: <https://www.sec.gov/news/pressrelease/2016-126.html>

## Government Facilities Sector

20. *June 22, KDVR 31 Denver* – (Colorado) **Northwest Colorado fire grows to 3,800 acres.** Crews worked June 22 to contain the Beaver Creek Fire which has burned 3,800 acres in Routt National Forest in Colorado, and prompted mandatory evacuations for surrounding areas June 21. Source: <http://kdvr.com/2016/06/21/evacuations-ordered-for-northwest-colorado-wildfire/>
21. *June 21, Associated Press* – (Michigan) **Michigan governor signs \$617M Detroit schools bailout.** The governor of Michigan signed a \$617 million bailout and restructuring plan June 21 for Detroit Public Schools which will split the district in two July 1. A new school board is set to be elected in November and a commission of State appointees that oversee city budgets will review the schools' finances. Source: <http://www.freep.com/story/news/education/2016/06/21/michigan-governor-rick-snyder-signs-617m-detroit-schools-bailout/86202378/>
22. *June 21, Los Angeles Times* – (California) **Raging fires in Azusa and Duarte now 4,900 acres.** Fire crews reached 10 percent containment June 21 of the 4,900-acre San Gabriel Complex Fire burning in Angeles National Forest in California. The fires forced the evacuation of at least 770 homes and authorities urged residents to be prepared to evacuate as the fires grow. Source: <http://www.latimes.com/local/lanow/la-me-ln-canyon-fire-heat-20160621-snap-story.html>

## Emergency Services Sector

23. *June 21, KWQC 6 Davenport* – (Illinois) **9-1-1 outage in Henry County, Ill.** Residents in Galva, Kewanee, and Elmira were unable to dial 9-1-1 via landlines June 21 due to a cut fiber cable. Frontier Communications crews worked to repair the line with no estimated time for restoration of services. Source: <http://kwqc.com/2016/06/21/9-1-1-outage-in-henry-county-ill/>

## Information Technology Sector

24. *June 22, SecurityWeek* – (International) **Over a dozen flaws patched in Pidgin chat client.** Pidgin chat client released Pidgin 2.11.0 patching 16 information disclosure flaws, denial-of-service (DoS) flaws, directory traversal, and buffer overflow flaws after a security researcher from Cisco Talos discovered the vulnerabilities could allow a man-in-the-middle (MitM) attacker to overwrite arbitrary files on the system, among other actions.  
Source: <http://www.securityweek.com/over-dozen-flaws-patched-pidgin-chat-client>
25. *June 22, Softpedia* – (International) **Carbonite online backup service resets all users passwords after cyber-attack.** Carbonite, the online backup software for Apple Mac and Microsoft Window products, reported that it issued a service-wide password reset for all of its users June 21 after the company discovered an ongoing, large account takeover (ATO) or Identify Testing Attacks in its systems. The company stated the third-party attack did not compromise any users' accounts and initiated the password reset as a precautionary measure.  
Source: <http://news.softpedia.com/news/carbonite-online-backup-service-resets-all-users-passwords-after-cyber-attack-505512.shtml>
26. *June 22, Softpedia* – (International) **WordPress 4.5.3 fixes bug that allowed password change via stolen cookies.** WordPress released its newest version WordPress 4.5.3 fixing 8 security bugs and 17 maintenance issues including simple cross-site scripting (XSS) flaws, a denial-of-service (DoS) flaw, and an insecure input filtering flaw after a company security researcher discovered that one of the flaws could allow attackers to change a user's password by leveraging stolen cookies.  
Source: <http://news.softpedia.com/news/wordpress-4-5-3-fixes-bug-that-allowed-password-change-via-stolen-cookies-505508.shtml>
27. *June 21, SecurityWeek* – (International) **Several vulnerabilities patched in Libarchive library.** Libarchive released a new version for its open-source library, Libarchive 3.2.1 after a security researcher from Cisco Talos discovered three severe flaws in the system, including a stack-based buffer overflow flaw and a heap corruption flaw that can lead to arbitrary code execution, as well as an integer overflow flaw that could allow an attacker to execute arbitrary code using specially crafted 7-Zip files.  
Source: <http://www.securityweek.com/several-vulnerabilities-patched-libarchive-library>

For another story, see item [28](#)

### **Internet Alert Dashboard**

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

## Communications Sector

28. *June 21, IDG News Service* – (International) **New Android malware can secretly root your phone and install programs.** Security researchers from Trend Micro reported that a new Android malware dubbed Godless is targeting devices running Android 5.1 and earlier versions to root the operating system (OS) on a device and allow unauthorized apps to be installed, opening the software to potential spyware installation.  
Source: [http://www.computerworld.com/article/3087003/security/new-android-malware-can-secretly-root-your-phone-and-install-programs.html#tk.rss\\_security](http://www.computerworld.com/article/3087003/security/new-android-malware-can-secretly-root-your-phone-and-install-programs.html#tk.rss_security)

## Commercial Facilities Sector

29. *June 21, Orange County Register* – (California) **Senior living complex in Orange evacuated after irritated eyes, coughing.** HAZMAT and fire crews were dispatched to the Triangle Terrace senior living facility in Orange, California, June 21 after residents at the facility reported an unusual smell, prompting officials to evacuate 35 residents. One person was treated for respiratory irritation and officials discovered that a resident inadvertently triggered a chemical reaction when handling cleaning supplies.  
Source: <http://www.ocregister.com/articles/stefano-720028-residents-complaints.html>
30. *June 21, WLKY 32 Louisville* – (Kentucky) **Arson investigators determine cause of University Park Apartments fire.** A June 20 fire at the University Park Apartments in Louisville displaced 33 residents and damaged eight apartment units. Officials determined that the fire was caused by a malfunctioning electrical outlet on the second floor.  
Source: <http://www.wlky.com/news/crews-battling-apartment-fire-near-preston-street-eastern-parkway/40142504>
31. *June 21, Boston Globe* – (Massachusetts) **13 displaced in east Boston apartment fire.** A two-alarm fire June 20 at an east Boston apartment complex caused an estimated \$150,000 in damages and displaced 13 people. Fire crews extinguished the blaze and officials are investigating the cause of the fire.  
Source: <https://www.bostonglobe.com/metro/2016/06/21/displaced-east-boston-apartment-fire/aWnwdpK6CkhJHhU2zHPI2O/story.html>

## Dams Sector

32. *June 21, Miami Herald* – (Florida) **Florida gives FPL 10 years to clean up cooling canals.** The Florida Department of Environmental Protection announced June 20 that Florida Power & Light will have 10 years to clean up a large underground plume of saltwater threatening drinking water well fields near its Turkey Point plant, which will include freshening and improving the efficiency of the 5,900-acre loop of canals used to cool two nuclear reactors at the plant, and the installation of a network of extraction wells to halt and ultimately shrink the plume, among other plans.  
Source: <http://www.miamiherald.com/news/local/environment/article85104132.html>



**Department of Homeland Security (DHS)**  
**DHS Daily Open Source Infrastructure Report Contact Information**

**About the reports** - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

**Contact Information**

Content and Suggestions:	Send mail to <a href="mailto:cikr.productfeedback@hq.dhs.gov">cikr.productfeedback@hq.dhs.gov</a> or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the <a href="#">DHS Daily Open Source Infrastructure Report</a> and follow instructions to <a href="#">Get e-mail updates when this information changes</a> .
Removal from Distribution List:	Send mail to <a href="mailto:support@govdelivery.com">support@govdelivery.com</a> .

---

**Contact DHS**

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at [nicc@hq.dhs.gov](mailto:nicc@hq.dhs.gov) or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web page at [www.us-cert.gov](http://www.us-cert.gov).

**Department of Homeland Security Disclaimer**

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.