



Daily Open Source Infrastructure Report 25 July 2016

Top Stories

- General Motors issued a recall July 21 for nearly 308,000 of its model years 2009 – 2010 Chevrolet Impala vehicles sold in the U.S. due to faulty wiring that could prevent the passenger air bags from inflating in the event of a crash. – *USA Today* (See item [1](#))
- Mitsubishi Motors Corporation issued a recall July 21 for 174,382 of its model years 2002 – 2013 vehicles in select makes sold in the U.S. due to a corrosion problem affecting the front lower control arms that can cause the driver to lose control of the vehicle. – *TheCarConnection.com* (See item [3](#))
- The FBI is searching July 21 for a man dubbed the “Midday Bandit” who is suspected of robbing 15 banks in the Chicago area since 2014, including a South Central Bank branch July 21. – *Chicago Sun-Times* (See item [4](#))
- Passengers on American Airlines flight 1822 were forced to make an emergency evacuation at Palm Beach International Airport July 21 due to a hydraulic fluid leak that caused a burning odor in the cabin. – *WPBF 25 Tequesta* (See item [6](#))

Fast Jump Menu

PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

FEDERAL and STATE

- [Government Facilities](#)
- [Emergency Services](#)

Energy Sector

Nothing to report

Chemical Industry Sector

Nothing to report

Nuclear Reactors, Materials, and Waste Sector

Nothing to report

Critical Manufacturing Sector

1. *July 21, USA Today* – (National) **308,000 Chevrolet Impalas recalled for faulty airbags.** General Motors issued a recall July 21 for nearly 308,000 of its model years 2009 – 2010 Chevrolet Impala vehicles sold in the U.S. due to potentially faulty wiring that could prevent the vehicle from detecting when the passenger seat is occupied, thereby preventing the passenger air bags from inflating in the event of a crash.
Source: <http://www.usatoday.com/story/money/cars/2016/07/21/308000-chevrolet-impalas-recalled-faulty-airbags/87414082/>
2. *July 21, U.S. Department of Labor* – (Georgia) **Workplace safety inspection finds Georgia’s Chaparral Boats exposing employees to serious hazards; OSHA proposes \$47K in fines.** The Occupational Safety and Health Administration cited Chaparral Boats Inc., with one repeat and two serious safety violations July 18 after an investigation at the Nashville, Georgia facility revealed that the employer failed to provide medical evaluations to employees, and exposed employees to dust particulates above the permissible exposure limit, among other violations. Proposed penalties total \$47,000.
Source:
https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=32823
3. *July 21, TheCarConnection.com* – (National) **Mitsubishi Lancer, Lancer Evolution, Outlander recalled for corrosion.** Mitsubishi Motors Corporation issued a recall July 21 for 174,382 of its model years 2002 – 2013 vehicles in select makes sold in the U.S. due to a corrosion problem affecting the front lower control arms that can cause the arms to detach, thereby causing the driver to lose control of the vehicle and increasing the risk of a crash.
Source: http://www.thecarconnection.com/news/1105118_mitsubishi-lancer-lancer-evolution-outlander-recalled-for-corrosion?preview=true

Defense Industrial Base Sector

Nothing to report

Financial Services Sector

4. *July 21, Chicago Sun-Times* – (Illinois) **‘Midday Bandit’ tries to rob West Town bank.** The FBI is searching July 21 for a man dubbed the “Midday Bandit” who is suspected of robbing 15 banks in the Chicago area since 2014, including a South Central Bank branch July 21.
Source: <http://chicago.suntimes.com/news/attempted-bank-robbery-reported-in-west-town/>

Transportation Systems Sector

5. *July 22, KVEO 23 Rio Grande Valley* – (Texas) **Train derailment in Harlingen.** The Harlingen Police Department and the Texas Rail Road Commission are investigating a two-car train derailment that blocked several roads in Harlingen, Texas, for several hours July 22.
Source: <http://www.rgvproud.com/news/local-news/train-derailment-in-harlingen>
6. *July 22, WPBF 25 Tequesta* – (Florida) **24 passengers taken to hospital following American Airlines evacuation.** Passengers on American Airlines flight 1822 en route to Philadelphia from West Palm Beach, Florida were forced to make an emergency evacuation at Palm Beach International Airport July 21 due to a hydraulic fluid leak that caused a burning odor in the cabin. Twenty-four passengers were transported to an area hospital with minor injuries.
Source: <http://www.wpbf.com/news/emergency-incident-at-palm-beach-international-airport/40821448>

Food and Agriculture Sector

7. *July 21, U.S. Food and Drug Administration* – (National) **Hy-Vee voluntarily recalls a limited quantity of its No-Salt-Added Black Beans due to potential presence of foreign material.** Hy-Vee, Inc., issued a voluntary recall July 20 for a limited quantity of its Hy-Vee No-Salt-Added Black Beans products sold in 15-ounce packages due to potential contamination with plastic and metal fragments after the company’s supplier, Fairbault Foods, Inc., recalled the products after receiving a consumer complaint stating that a pen was found in the products. No illnesses have been reported and the products were distributed to Hy-Vee stores in eight States.
Source: <http://www.fda.gov/Safety/Recalls/ucm512511.htm>
8. *July 21, U.S. Department of Agriculture* – (Washington) **Kapowsin Meats Inc., recalls pork products due to possible Salmonella contamination.** Kapowsin Meats Inc., issued a recall July 21 for approximately 11,658 pounds of its Whole Hogs for Barbecue products due to potential Salmonella contamination after the U.S. Department of Agriculture’s Food Safety and Inspection Service was notified of a Salmonella outbreak in connection to the pork products. The products were shipped to individual consumers, retail locations, institutions, and distributors in Washington.
Source: <http://www.fsis.usda.gov/wps/portal/fsis/topics/recalls-and-public-health-alerts/recall-case-archive/archive/2016/recall-062-2016-release>

Water and Wastewater Systems Sector

9. *July 21, WCNC 36 Charlotte*– (North Carolina) **Officials: 20,000 gallons of raw sewage spilled into Lake Norman.** The Lincoln County Department of Public Works announced July 21 that approximately 20,000 gallons of untreated wastewater spilled into Lake Norman after the wastewater collection system experienced a discharge.
Source: <http://www.wcnc.com/news/local/20000-gallons-of-raw-sewage-spilled-into-lake-norman/279039284>
10. *July 21, KBJR 6 Duluth/KDLH 3 Duluth* – (Minnesota) **Duluth officials ask citizens to conserve water.** Duluth city officials issued a water advisory July 21 asking residents to conserve water due to power outages at most lift stations and the main pumping station in the Lakewood area.
Source: <http://www.northlandsnewscenter.com/news/local/Duluth-officials-ask-citizens-to-conserve-water-387793011.html>

Healthcare and Public Health Sector

Nothing to report

Government Facilities Sector

11. *July 21, KTVB 7 Boise* – (Idaho) **Fire near Idaho City doubles in size to 1,300 acres.** Crews reached 20 percent containment July 21 of the more than 1,300-acre fire burning near Idaho City, Idaho.
Source: <http://www.ktvb.com/news/local/fire-near-idaho-city-doubles-in-size/279310435>
12. *July 20, KCPQ 13 Tacoma* – (Washington) **2 girls hospitalized, 70 possibly exposed to E. coli infection at Monroe school.** The Snohomish Health District closed the Monroe Montessori School in Monroe, Washington, until further notice July 20 following an E.coli outbreak that hospitalized 2 children and potentially exposed 70 other students and staff members. Officials were sanitizing the facility and providing testing to all students who were in the facility since July 11.
Source: <http://q13fox.com/2016/07/20/60-students-exposed-2-hospitalized-following-monroe-e-coli-outbreak/>

For another story, see item [16](#)

Emergency Services Sector

Nothing to report

Information Technology Sector

13. *July 22, Softpedia* – (International) **Decrypter available for ODCODC ransomware.**

Security researchers from BloodyDolly released a decrypter for the ODCODC ransomware that circumvents ODCODC's RSA-2048 encryption to recover the victim's files without paying the ransom.

Source: <http://news.softpedia.com/news/decrypter-available-for-odcodc-ransomware-506528.shtml>

14. *July 21, SecurityWeek* – (International) **Persistent XSS patched in WooCommerce WordPress plugin.** WooCommerce released version 2.6.3 of its ecommerce plugin for WordPress addressing a persistent cross-site scripting (XSS) vulnerability after a researcher from Securify discovered an attacker could exploit the flaw to steal session tokens or a victim's login credentials by creating a special image file containing malicious JavaScript code in the metadata that injects the code into a targeted Website when an administrator uploads the malicious image as a product image or gallery item. Source: <http://www.securityweek.com/persistent-xss-patched-woocommerce-wordpress-plugin>

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

Communications Sector

Nothing to report

Commercial Facilities Sector

15. *July 22, WABC 7 New York* – (New York) **5-alarm fire guts 2 buildings in Queens, spreads to 3rd.** A 5-alarm fire in the College Point section of Queens, New York, destroyed 3 buildings, displaced 22 residents, and left 160 customers in the area without power. The cause of the fire remains under investigation. Source: <http://abc7ny.com/news/cause-of-5-alarm-fire-in-queens-undetermined/1438026/>
16. *July 22, KOMO 4 Seattle* – (Washington) **Evacuations, destruction as massive fire roars through historic downtown Bothell.** A three-alarm in downtown Bothell, Washington, July 22 destroyed multiple businesses, shut down surrounding streets and highways, and prompted the closure of the Cascadia College campus due to power outages. Crews were working to contain the blaze and the cause of the fire remains under investigation. Source: <http://komonews.com/news/local/evacuations-destruction-as-massive-fire-roars-through-historic-downtown-bothell>
17. *July 21, WBZ 4 Boston* – (Massachusetts) **Massive fire damages multiple buildings in Charlestown.** Authorities are investigating the cause of a 6-alarm fire on Bunker Hill

Avenue in Charlestown, Massachusetts, July 21 that destroyed at least 13 apartment units and caused substantial damage to multiple other buildings. Officials estimated the fire caused millions of dollars in damages.

Source: <http://boston.cbslocal.com/2016/07/21/fire-buildings-bunker-hill-charlestown/>

Dams Sector

18. *July 20, U.S. Army Corps of Engineers* – (Tennessee) **Maintenance team repairs dewatered Chickamauga Lock.** The U.S. Army Corps of Engineers Nashville District announced July 20 the Chickamauga Lock in Chattanooga, Tennessee, is closed to navigation July 11 – August 11 while maintenance crews work to make repairs on the gates, valves, bushings, and other components.

Source: [http://www.lrn.usace.army.mil/Media/News-](http://www.lrn.usace.army.mil/Media/News-Stories/Article/852407/maintenance-team-repairs-dewatered-chickamauga-lock/)

[Stories/Article/852407/maintenance-team-repairs-dewatered-chickamauga-lock/](http://www.lrn.usace.army.mil/Media/News-Stories/Article/852407/maintenance-team-repairs-dewatered-chickamauga-lock/)



Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

Contact Information

Content and Suggestions:	Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the DHS Daily Open Source Infrastructure Report and follow instructions to Get e-mail updates when this information changes .
Removal from Distribution List:	Send mail to support@govdelivery.com .

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.