



## Daily Open Source Infrastructure Report 09 September 2016

### Top Stories

- Mazda Motor Corporation issued a recall September 8 for more than 759,000 of its model years 2010 – 2016 vehicles in select makes due to a problem affecting the vehicles' rear hatches where the hatch lift supports can corrode and break, thereby increasing the risk of injury. – *TheCarConnection.com* (See item [2](#))
- Four people were arrested in Brooklyn, New York, September 7 after authorities discovered 2,433 blank credit cards and other illicit materials while executing a search warrant at the group's apartment. – *WNBC 4 New York* (See item [3](#))
- Missouri officials lifted a precautionary boil water advisory for approximately 85,000 customers in St. Louis County September 7 that was issued after the company's water treatment plant temporarily lost power. – *St. Louis Post-Dispatch* (See item [12](#))
- Florida officials announced September 6 that the Albert Whitted plant in St. Petersburg released nearly 20 million gallons of partially treated sewage September 5 due to heavy rains from Hurricane Hermine. – *WTSP 10 St. Petersburg* (See item [13](#))

---

### Fast Jump Menu

#### PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

#### SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

#### SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

#### FEDERAL and STATE

- [Government Facilities](#)
- [Emergency Services](#)

## Energy Sector

1. *September 8, Associated Press* – (Alaska) **Richardson Highway tank spill totals more than 3,500 gallons.** Officials from the Alaska Department of Environmental Conservation continued working September 7 to clear more than 3,500 gallons of fuel that spilled onto Richardson Highway and into a nearby pond and marshlands after a Big State Logistics Inc. fuel tank experienced an equipment failure and overturned near Birch Lake, Alaska, September 5.  
Source: [http://www.dailyprogress.com/richardson-highway-tank-spill-totals-more-than-gallons/article\\_5775dc12-25f0-590b-91ac-106e2a620b5b.html](http://www.dailyprogress.com/richardson-highway-tank-spill-totals-more-than-gallons/article_5775dc12-25f0-590b-91ac-106e2a620b5b.html)

## Chemical Industry Sector

See item [18](#)

## Nuclear Reactors, Materials, and Waste Sector

Nothing to report

## Critical Manufacturing Sector

2. *September 8, TheCarConnection.com* – (International) **Mazda recalls 2010-2013 Mazda3, 2012-2015 Mazda5, 2013-2016 CX-5, 2016 CX-3: 2.2 million affected.** Mazda Motor Corporation issued a recall September 8 for more than 759,000 of its model years 2010 – 2016 vehicles in select makes sold in the U.S. and Canada due to a problem affecting the vehicles' rear hatches where the protective coating applied to the hatch lift supports does not protect the supports from water intrusion, which can lead to corrosion and cause the supports to break, thereby increasing the risk of injury.  
Source:  
[http://www.thecarconnection.com/news/1106005\\_mazda-recalls-2010-2013-mazda3-2012-2015-mazda5-2013-2016-cx-5-2016-cx-3-2-2-million-affected](http://www.thecarconnection.com/news/1106005_mazda-recalls-2010-2013-mazda3-2012-2015-mazda5-2013-2016-cx-5-2016-cx-3-2-2-million-affected)

## Defense Industrial Base Sector

Nothing to report

## Financial Services Sector

3. *September 8, WNBC 4 New York* – (New York) **4 arrested, guns and thousands of blank credit cards seized in Brooklyn: NYPD.** Four people were arrested in Bedford-Stuyvesant in Brooklyn, New York, September 7 after authorities discovered 2,433 blank credit cards, 2 credit card embossing machines, and 3 credit card skimmers, among other illicit materials, while executing a search warrant at the group's apartment.  
Source: <http://www.nbcnewyork.com/news/local/NYC-4-Arrested-Guns-Thousands-Fake-Credit-Cards-Seized-Forgery-392697211.html>

4. *September 7, SecurityWeek* – (International) **Gugi banking trojan can bypass Android 6 protection.** Kaspersky security researchers discovered a variant of the Gugi mobile banking trojan can bypass two security features in Google’s Android 6.0, including the permission-based app overlays and the dynamic permission requirement for dangerous in-app activities like calls or short message service (SMS) in order to overlay applications and steal mobile banking credentials from its victims, and found the trojan is being distributed via SMS spam that tricks victims into accessing phishing Websites, which downloads the malware onto the device. Researchers advised users to reboot the infected device in safe mood and attempt to uninstall the trojan.  
Source: <http://www.securityweek.com/gugi-banking-trojan-can-bypass-android-6-protection>

## **Transportation Systems Sector**

5. *September 8, WTXF 29 Philadelphia* – (Delaware) **One lane open but heavy traffic, 10 hours after truck flipped, spilled pennies.** All northbound lanes of Interstate 95 in New Castle, Delaware, were closed for several hours September 8 after a semi-truck crashed into a barrier and spilled 40,000 pounds of blank pennies on the road.  
Source: <http://www.fox29.com/news/203434619-story>
6. *September 8, WTTG 5 Washington, D.C.* – (Virginia) **Woman struck by vehicle in Centreville.** Northbound Lee Highway between Centrewood Drive and Trinity Parkway in Centreville, Virginia, was closed for several hours September 8 while officials investigated the scene after a pedestrian was struck by a vehicle. The pedestrian was transported to an area hospital with severe injuries.  
Source: <http://www.fox5dc.com/news/203444455-story>
7. *September 7, WCBS 2 New York* – (New Jersey) **Elderly woman causes violent crash on Route 3 after going wrong way, police say.** Hackensack River Bridge on Route 3 in Secaucus, New Jersey, was closed for more than 2 hours September 7 after a vehicle traveling the wrong way in the westbound lanes struck another vehicle head-on, injuring two people.  
Source: <http://newyork.cbslocal.com/2016/09/07/route-3-wrong-way-crash/>
8. *September 7, San Francisco Bay City News* – (California) **Overtaken cement truck in Healdsburg snarls traffic.** The northbound lane of U.S. Highway 101 near central Healdsburg, California, was closed for several hours September 7 while crews worked to clear the wreckage from an overturned cement truck. The cause of the crash is under investigation.  
Source: <http://www.ktvu.com/news/203247083-story>
9. *September 7, KNIA 1320 AM Knoxville/KRLS 92.1 FM Pella* – (Iowa) **Mahaska County accident closed Highway 92 for 2 hours.** Iowa officials closed Highway 92 in Mahaska County for approximately 2 hours September 6 while they investigated the scene of a five-vehicle crash involving a semi-truck and four other vehicles that sent one person to an area hospital.  
Source: <http://kniakrls.com/2016/09/mahaska-county-accident-closed-highway-92-for->

[2-hours/](#)

10. *September 7, Associated Press* – (Florida) **Investigator: No immediate clues in Florida helicopter crash.** The National Transportation Safety Board is investigating September 7 after a military-style helicopter crashed in Palm Bay, Florida, while returning to Orlando Melbourne International Airport following a post-maintenance test flight September 6. Three people were killed.  
Source: <http://www.fireengineering.com/ap-news/2016/09/07/investigator-no-immediate-clues-in-florida-helicopter-crash.html>

## **Food and Agriculture Sector**

11. *September 7, U.S. Food and Drug Administration* – (National) **Island Soups Company, Inc. recalls six varieties of Island Soups brand products because of possible contamination with Clostridium botulinum.** Island Soups Company, Inc. issued a recall September 7 for its soup products sold in six variations due potential Clostridium botulinum contamination. There have been no confirmed reports of adverse reactions and the products were distributed through internet Website purchases.  
Source:  
<http://www.fda.gov/Safety/Recalls/ucm519531.htm>

## **Water and Wastewater Systems Sector**

12. *September 7, St. Louis Post-Dispatch* – (Missouri) **Boil advisory reportedly triggered by car accident.** Missouri American Water officials lifted a precautionary boil water advisory for approximately 85,000 customers in St. Louis County September 7 that was issued September 6 after the company's water treatment plant on Hog Hollow Road temporarily lost power when a vehicle reportedly hit an electric pole at Pritchard Farm and Creve Coeur Mill Roads. Officials stated water quality tests confirmed the water is safe to consume.  
Source: [http://www.stltoday.com/news/local/metro/boil-advisory-reportedly-triggered-by-car-accident/article\\_cea97122-a9c8-5391-bf0d-f80ada404094.html](http://www.stltoday.com/news/local/metro/boil-advisory-reportedly-triggered-by-car-accident/article_cea97122-a9c8-5391-bf0d-f80ada404094.html)
13. *September 6, WTSP 10 St. Petersburg* – (Florida) **Hermine overwhelmed sewer facilities around Bay area.** The Florida Department of Environmental Protection announced September 6 that the Albert Whitted plant in St.Petersburg released nearly 20 million gallons of partially treated sewage September 5 and 2,000 gallon of raw sewage August 31 due to heavy rains from Hurricane Hermine. Officials also announced that millions of gallons of sewage mixed with storm water spilled near the Marshall Street wastewater treatment plant in Clearwater, Florida, August 31 after the plant received more than 20 million gallons of wastewater per day during the storm.  
Source: <http://www.wtsp.com/news/hermine-overwhelmed-sewer-facilities-around-bay-area/314610723>

## **Healthcare and Public Health Sector**

14. *September 7, U.S. Food and Drug Administration* – (National) **United Exchange**

**Corp. issues voluntary nationwide recall of eye wash/eye irrigating solutions distributed by Major Pharmaceuticals and Rugby Laboratories due to microbial contamination.** United Exchange Corp. issued a voluntary recall September 6 for its Rugby brand Eye Irrigating Solution and Major Pharmaceuticals brand Eye Wash due to microbial contamination after the company received a consumer complaint regarding the products. The products were distributed to wholesalers and retail facilities including hospitals and pharmacies nationwide.

Source: <http://www.fda.gov/Safety/Recalls/ucm519517.htm>

15. *September 7, U.S. Food and Drug Administration* – (National) **United Exchange Corp issues voluntary nationwide recall of Family Care brand Eye Wash due to microbial contamination.** United Exchange Corp. issued a voluntary recall September 7 for its Family Care brand Eye Wash products sold in 4-ounce packages due to microbial contamination after the company received a consumer complaint regarding the product. No illnesses have been reported and the products were distributed to wholesalers and retail facilities nationwide.

Source: <http://www.fda.gov/Safety/Recalls/ucm519583.htm>

## **Government Facilities Sector**

16. *September 8, Newtown Patch* – (Pennsylvania) **No new clues in search for missing woman at Tyler Park, officials say.** Officials closed Tyler State Park in Newton, Pennsylvania, September 8 to continue their search for a woman who went missing in the park September 6. Officials stated the park will remain closed until the search is complete.

Source: <http://patch.com/pennsylvania/newtown-pa/tyler-park-remains-closed-search-21-year-old-bensalem-woman-continues>

17. *September 8, KMOV 4 St. Louis* – (Missouri) **Riverview Gardens cancels classes Thursday after suspicious package is found at school.** The Riverview Gardens School District in St. Louis, Missouri, canceled all classes September 8 after a suspicious package was found at Moline Elementary School in northern St. Louis County September 7, prompting officials to evacuate the school and nearby neighborhoods. No injuries were reported.

Source: <http://www.kmov.com/story/33041089/suspicious-package-found-at-elementary-school>

18. *September 8, KTNV 13 Las Vegas* – (Nevada) **Students allowed to leave Johnson after hazmat situation.** Classes at Walter Johnson Junior High School in Las Vegas, Nevada, were canceled September 8 after students were quarantined for several hours September 7 – September 8 due to a mercury contamination incident at the school. U.S. Environmental Protection Agency officials screened the students and officials stated up to 7 students were exposed to the chemical.

Source: <http://www.ktnv.com/news/hazmat-situation-at-walter-johnson-jr-high>

19. *September 7, WSAV 3 Savannah* – (Georgia) **City municipal building back open after strange odor led to evacuation.** The Savannah Municipal Building in Savannah,

Georgia, was evacuated for several hours September 7 while crews investigated the source of an odor in the facility. Officials deemed the area safe after finding the smell was caused by improper use of cleaning supplies and no injuries were reported.

Source: <http://wsav.com/2016/09/07/city-municipal-building-closed-due-to-unknown-irritant/>

20. *September 7, WITI 6 Milwaukee* – (Wisconsin) **2 Mayville schools evacuated due to rising water, volunteers fill sandbags.** St. John's Lutheran School and Parkview Elementary School in Mayville, Wisconsin, were evacuated and closed until further notice September 7 following heavy rains and localized flooding. Volunteers were working to install sand bags to protect the schools and surrounding streets from the rising water.

Source: <http://fox6now.com/2016/09/07/mayville-fire-dept-calls-on-volunteers-to-fill-sandbags-due-to-heavy-rain/>

## **Emergency Services Sector**

21. *September 7, KOMO 4 Seattle* – (Washington) **Former Bothell police technician charged with stealing money from evidence room.** A former evidence technician at the Bothell Police Department in Bothell, Washington, was charged September 7 after he allegedly stole more than \$51,000 from the department's evidence room and used the money for personal expenses.

Source: <http://komonews.com/news/komo-4-investigators/former-bothell-police-technician-charged-with-stealing-money-from-evidence-room>

## **Information Technology Sector**

22. *September 8, Softpedia* – (International) **WordPress 4.6.1 security update is out, time to update peeps.** WordPress released version 4.6.1 of its WordPress Content Management System (CMS) resolving a path traversal vulnerability and a cross-site scripting (XSS) flaw affecting the admin panel that can be exploited via image metadata and allow a malicious actor to take over the affected Website. The update also patches 15 other bugs related to the underlying CMS codebase.

Source: <http://news.softpedia.com/news/wordpress-4-6-1-security-update-is-out-time-to-update-peeps-508089.shtml>

23. *September 8, Help Net Security* – (International) **Flaws in Network Management Systems open enterprise networks to attacks.** Rapid7 researchers and an independent researcher discovered over 12 vulnerabilities plaguing 9 different Network Management Systems (NMSs) products that could be exploited via cross-site scripting (XSS) attacks over Simple Network Management Protocol (SNMP) agent-provided data, which could allow a local attacker to add a malicious device to the network, XSS attacks over SNMP trap alert messages, and format string processing on the NMS Web management console that can be carried out via specially crafted trap alert messages. Researchers reported that all the flaws have received patches.

Source: <https://www.helpnetsecurity.com/2016/09/08/flaws-network-management-systems/>

24. *September 7, SecurityWeek* – (International) **Google patches QuadRouter, other critical Android vulnerabilities.** Google released its September 2016 Android Security Bulletin resolving 55 vulnerabilities, including 2 critical remote code execution (RCE) flaws in LibUtils and Mediaserver, a high risk RCE in MediaMuxer, and 2 issues in QuadRouter that impacted over 900 million Android devices using Qualcomm chipsets, among other vulnerabilities.  
Source: <http://www.securityweek.com/google-patches-quadrouter-other-critical-android-vulnerabilities>
25. *September 7, SecurityWeek* – (International) **Siemens fixes several flaws in SIPROTEC products.** Siemens released firmware updates addressing vulnerabilities in its SIPROTEC 4 and SIPROTEC Compact devices after Kaspersky Lab researchers found the devices were plagued with a flaw that an attacker with network access could exploit to bypass authentication mechanisms and carry out administrative operations, and a flaw that could allow an attacker with network access to perform those actions while a legitimate user is logged in to the Web interface. Siemens advised customers to use network segmentation, virtual private networks (VPNs), and firewalls to protect their systems against attacks.  
Source: <http://www.securityweek.com/siemens-fixes-several-flaws-siprotec-products>

For another story, see item [4](#)

### Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

## Communications Sector

See items [4](#) and [24](#)

## Commercial Facilities Sector

26. *September 7, Spokane Spokesman-Review* – (Washington) **Two dead, firefighter badly hurt in north Spokane fire.** A 2-alarm fire at the Rosewood Club Apartments in north Spokane, Washington, September 7 damaged 24 units, killed 2 residents, and sent a firefighter to an area hospital with severe burns after a resident's oxygen tank reportedly exploded. The American Red Cross was assisting those displaced by the fire.  
Source: <http://www.spokesman.com/stories/2016/sep/07/firefighters-battle-two-alarm-blaze-at-north-spoka/>

## Dams Sector

Nothing to report



**Department of Homeland Security (DHS)**  
**DHS Daily Open Source Infrastructure Report Contact Information**

**About the reports** - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

**Contact Information**

Content and Suggestions:	Send mail to <a href="mailto:cikr.productfeedback@hq.dhs.gov">cikr.productfeedback@hq.dhs.gov</a> or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the <a href="#">DHS Daily Open Source Infrastructure Report</a> and follow instructions to <a href="#">Get e-mail updates when this information changes</a> .
Removal from Distribution List:	Send mail to <a href="mailto:support@govdelivery.com">support@govdelivery.com</a> .

---

**Contact DHS**

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at [nicc@hq.dhs.gov](mailto:nicc@hq.dhs.gov) or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web page at [www.us-cert.gov](http://www.us-cert.gov).

**Department of Homeland Security Disclaimer**

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.