



Daily Open Source Infrastructure Report 16 September 2016

Top Stories

- The U.S. Environmental Protection Agency announced September 13 that General Petroleum Corporation agreed to pay \$15,500 to resolve allegations that the company violated Federal regulations. – *Southern California City News Service* (See item [1](#))
- Northbound lanes of Interstate 295 in Jacksonville, Florida, were closed for several hours September 14 following a 6-vehicle crash involving a semi-truck hauling 2,800 gallons of fuel. – *WTLV 12 Jacksonville* (See item [7](#))
- ClixSense confirmed that the details of over 6.6 million users were stolen after hackers gained access to the company’s database server by accessing an old server still connected to the database. – *SecurityWeek* (See item [18](#))
- Up to 100 people were evacuated from a 3-story office building in Parsippany, New Jersey, for 4 hours September 14 following a chlorine leak in the pump room of a nearby parking garage. – *Morris County Daily Record* (See item [22](#))

Fast Jump Menu

PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

FEDERAL and STATE

- [Government Facilities](#)
- [Emergency Services](#)

Energy Sector

1. *September 13, Southern California City News Service* – (California) **Petroleum company pays \$15K for violating federal regulations.** The U.S. Environmental Protection Agency announced September 13 that General Petroleum Corporation agreed to pay \$15,500 to resolve allegations that the company violated Federal regulations that require on shore oil production facilities at risk of discharging oil into nearby waterways to prepare and implement a spill prevention plan after an April 2015 investigation at the company's Terminal Island, California facility revealed that the company failed to provide adequate secondary containment around tanks in order to keep spilled oil from leaving the site and entering surrounding waterways.
Source: <http://mynews1a.com/crime/2016/09/13/petroleum-company-pays-15k-for-violating-federal-regulations/>

For another story, see item [7](#)

Chemical Industry Sector

Nothing to report

Nuclear Reactors, Materials, and Waste Sector

2. *September 14, Cape Cod Times* – (Massachusetts) **New mechanical issue keeps Pilgrim nuclear plant offline.** U.S. Nuclear Regulatory Commission officials reported September 14 that Entergy Corp.'s Pilgrim Nuclear Generating Station in Plymouth, Massachusetts, was shut down September 13 after a turning gear that spins the turbine and keeps it in proper balance malfunctioned while the plant was powering up following a September 6 shutdown due to an unrelated mechanical issue.
Source: <http://www.patriotledger.com/news/20160914/new-mechanical-issue-keeps-pilgrim-nuclear-plant-offline>

Critical Manufacturing Sector

Nothing to report

Defense Industrial Base Sector

Nothing to report

Financial Services Sector

Nothing to report

Transportation Systems Sector

3. *September 15, WTVB 1590 AM Coldwater* – (Indiana) **Yogurt spill closes down Indiana highway.** A portion of U.S. 20 in Steuben County, Indiana, was closed for

several hours September 15 while officials worked to clear the wreckage after a semi-truck transporting yogurt struck a guard rail and overturned.

Source: <http://wtvbam.com/news/articles/2016/sep/15/yogurt-spill-closes-down-indiana-highway/>

4. *September 15, WFMZ 69 Allentown* – (Pennsylvania) **Coroner IDs 5-year-old boy killed in crash on Interstate 78.** Interstate 78 in Northampton County, Pennsylvania, was closed for several hours September 14 while officials investigated the scene of 3 vehicle crash that killed 1 person and sent 3 others to an area hospital.
Source: <http://www.wfmz.com/news/news-regional-lehighvalley/5yearold-killed-in-i78-crash-identified/41666876>
5. *September 14, WEAU 13 Eau Claire* – (Wisconsin) **Milk tanker crashes near Bloomer; driver ends up with minor injuries.** Highway 40 in Chippewa County, Wisconsin, was closed for more than 3 hours September 13 after a semi-truck transporting milk overturned, spilling more than 1,000 gallons of milk across the roadway. The driver was transported to an area hospital with minor injuries.
Source: <http://www.weau.com/content/news/Milk-tanker-crashes-near-Bloomer-driver-ends-up-with-minor-injuries-393437071.html>
6. *September 14, New Orleans Times-Picayune* – (Louisiana) **Driver pulled from submerged 18-wheeler off I-10, condition uncertain; I-10 east closed.** All eastbound lanes and 1 westbound lane of Interstate 10 in New Orleans were closed for several hours September 14 after a semi-truck veered off the road and into a nearby canal.
Source: http://www.nola.com/traffic/index.ssf/2016/09/driver_extracted_from_submerge.html
7. *September 14, WTLV 12 Jacksonville* – (Florida) **I-295 at Wilson northbound shut down due to six vehicle crash.** Northbound lanes of Interstate 295 in Jacksonville, Florida, at Wilson Boulevard were closed for several hours September 14 following a 6-vehicle crash involving a semi-truck hauling 2,800 gallons of fuel. Four people were sent to an area hospital.
Source: <http://www.firstcoastnews.com/traffic/i-295-at-wilson-shut-in-both-directions-due-to-accident/318855338>
8. *September 14, WXII 12 Winston-Salem* – (North Carolina) **Man killed in crash that closed Highway 68 in Guilford County.** Highway 68 near Oak Ridge, North Carolina, was closed for several hours September 14 while crews worked to clear the wreckage from a 3-vehicle crash that killed 1 person. The crash remains under investigation.
Source: <http://www.wxii12.com/news/1-dead-in-crash-that-closed-highway-68-in-guilford-county/41666970>
9. *September 14, KOMO 4 Bellevue* – (Washington) **Wrong-way driver dies after multi-car crash on Hwy. 18 near Covington.** Highway 18 in Covington, Washington, was closed for more than 3 hours while officials investigated a multi-vehicle crash that injured 5 people and killed 1 driver.

Source: <http://komonews.com/news/local/wrong-way-driver-dies-after-multi-car-crash-on-hwy-18-near-covington>

10. *September 14, Lancaster News* – (South Carolina) **Pageland Highway wreck kills woman, injures two, closes road.** Pageland Highway in Lancaster, South Carolina was closed for several hours September 14 while officials investigated the scene of a 3-vehicle crash that killed 1 person and injured 2 others.
Source: <http://www.thelancasternews.com/content/pageland-highway-wreck-kills-woman-injures-two-closes-road>

Food and Agriculture Sector

11. *September 14, U.S. Food and Drug Administration* – (Oregon; Washington; California) **New Seasons Market issues allergy alert on undeclared peanuts in Creamy Almond Butter.** New Seasons Market issued a voluntary recall September 13 for its New Seasons Market Creamy Almond Butter products sold in 16-ounce packages due to misbranding and undeclared peanuts discovered during a routine stock rotation check. No illnesses have been reported and the products were distributed to 19 New Seasons locations Oregon, Washington, and California.
Source: <http://www.fda.gov/Safety/Recalls/ucm520746.htm>
12. *September 14, U.S. Food and Drug Administration* – (National) **Drew’s, LLC issues allergy alert on undeclared milk and egg in one lot of Field Day Organic Ranch Dressing.** Drew’s, LLC issued a voluntary recall September 14 for 1 lot of its Field Day Organic Ranch Dressing products sold in 8-ounce packages due to misbranding and undeclared milk and eggs after the company’s supplier, Field Day notified the firm that the products contained an incorrect back label that failed to declare the presence of milk and eggs. No illnesses have been reported and the products were distributed nationwide.
Source: <http://www.fda.gov/Safety/Recalls/ucm520835.htm>
13. *September 14, U.S. Department of Labor* – (Pennsylvania) **OSHA fines Pennsylvania chicken processing company \$317K for exposing workers to health and safety hazards following employee amputation.** The Occupational Safety and Health Administration cited Birdsboro Kosher Farms Corporation with two willful and eight serious safety and health violations September 2 following an incident where an employee suffered an amputation while operating a mixing machine, prompting an investigation at the Birdsboro, Pennsylvania facility which revealed that the company failed to implement a system to protect workers from unexpected machine start-ups, failed to implement a hearing conservation program, and failed to secure compressed gas cylinders, among other violations. Proposed penalties total \$317,477.
Source:
https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=33126

Water and Wastewater Systems Sector

Nothing to report

Healthcare and Public Health Sector

14. *September 14, U.S. Food and Drug Administration* – (National) **Virtus Pharmaceuticals Opco II, LLC issues voluntary nationwide recall of Hyoscyamine sulfate due to superpotent and subpotent results.** Virtus Pharmaceuticals Opco II, LLC issued a voluntary recall September 14 for 7 batches of its Hyoscyamine sulfate products due to superpotent and subpotent test results. Three adverse reactions have been reported and the products were shipped to distributors, hospitals, and retail pharmacies nationwide and in Puerto Rico.
Source: <http://www.fda.gov/Safety/Recalls/ucm520847.htm>

Government Facilities Sector

15. *September 14, Tuolumne County Union Democrat* – (California) **Old Fire 50 percent contained.** Crews reached 50 percent containment September 14 of the roughly 150-acre Old Fire burning in the Stanislaus National Forest in California, which threatens 5 structures.
Source: <http://www.uniondemocrat.com/localnews/4659950-151/update-fire-25-percent-contained?referrer=fpblob>
16. *September 14, Houston Chronicle* – (Texas) **Possible gas leak forces evacuation of two HISD schools.** Lawson Middle School and Grissom Elementary in Houston were evacuated for about 3 hours September 14 after staff members detected a possible gas leak. The cause of the potential leak remains under investigation.
Source: <http://www.chron.com/news/houston-texas/article/Possible-gas-leak-forces-evacuation-of-2-HISD-9222109.php>
17. *September 14, WXIX 19 Newport* – (Ohio) **Amelia schools evacuated due to threat.** Amelia High School and Amelia Middle School in Batavia, Ohio, were evacuated and closed for the remainder of the day September 14 after the high school received a threat. Glen Este High School and Glen Este Middle in Cincinnati were placed on a brief lockdown September 14 due to a threat that placed 5 other area schools on a 1 hour delay.
Source: <http://www.fox19.com/story/33093026/amelia-schools-evacuated-due-to-threat>

Emergency Services Sector

Nothing to report

Information Technology Sector

18. *September 15, SecurityWeek* – (International) **6.6 million users affected by ClixSense breach.** ClixSense confirmed that the details of over 6.6 million users were stolen after

hackers gained access to the company's database server after accessing an old server still connected to the database. ClixSense reported the vulnerable server has been shut down and restored user balances, forum, and account names, and reset user passwords, among other measures.

Source: <http://www.securityweek.com/66-million-users-affected-clixsense-breach>

19. *September 14, Softpedia* – (International) **Sixth Linux DDoS trojan discovered in the last 30 days.** Dr. Web security researchers discovered a trojan affecting Linux machines via the Shellshock vulnerability that launches 25 child processes that carry out a distributed denial-of-service (DDoS) attack on a targeted device when the attacker in control of the trojan botnet issues an attack command. Researchers stated the trojan can start Transmission Control Protocol (TCP) floods, User Datagram Protocol (UDP) floods, and Hypertext Transfer Protocol (HTTP) floods, as well as update itself, terminate its process, and delete itself, among other capabilities.

Source: <http://news.softpedia.com/news/sixth-linux-ddos-trojan-discovered-in-the-last-30-days-508309.shtml>

20. *September 14, SecurityWeek* – (International) **Apple patches 7 flaws with release of iOS 10.** Apple Inc., released version 10 of its operating system (iOS), Xcode version 8, and watchOS version 3 patching a total of seven vulnerabilities, including a flaw in iOS that can be exploited by a man-in-the-middle (MitM) attacker to prevent a device from receiving updates, an information disclosure vulnerability in iOS and watchOS that can be exploited by malicious applications to access an user's location data, and a flaw in Xcode that could allow a local attacker to execute arbitrary code or crash an application, among other flaws.

Source: <http://www.securityweek.com/apple-patches-7-flaws-release-ios-10>

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

Communications Sector

Nothing to report

Commercial Facilities Sector

21. *September 15, WGCL 46 Atlanta* – (Georgia) **2-alarm fire forces evacuation at Atlanta apartment complex.** The Ansley Forest Apartments complex in Atlanta was destroyed September 14 following a 2-alarm fire that displaced 40 residents. Officials believe the fire started when a resident failed to fully put out a cigarette and no injuries were reported.

Source: <http://www.wtvm.com/story/33098837/2-alarm-fire-forces-evacuation-at-atlanta-apartment-complex>

22. *September 14, Morris County Daily Record* – (New Jersey) **Chlorine fumes evacuate Parsippany building.** Up to 100 people were evacuated from a 3-story office building in Parsippany, New Jersey, for 4 hours September 14 following a chlorine leak in the pump room of a nearby parking garage that serviced a water fountain. HAZMAT crews contained the leak and no injuries were reported.

Source: <http://www.dailyrecord.com/story/news/2016/09/14/chlorine-fumes-evacuate-parsippany-building/90354072/>

Dams Sector

Nothing to report



Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

Contact Information

Content and Suggestions:	Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the DHS Daily Open Source Infrastructure Report and follow instructions to Get e-mail updates when this information changes .
Removal from Distribution List:	Send mail to support@govdelivery.com .

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.