



## Daily Open Source Infrastructure Report 19 September 2016

### Top Stories

- Fiat Chrysler Automobiles issued a recall September 15 for 1.4 million of its model years 2010 – 2014 vehicles in select makes due to faulty airbags and seatbelt pretensioners that may not deploy in the event of a crash – *TheCarConnection.com* (See item [3](#))
- A Queens, New York resident was convicted September 14 after authorities discovered over 100 counterfeit Visa gift cards with the account numbers of customers from dozens of banks nationwide in his and co-conspirators' possession in 2014. – *U.S. Attorney's Office, Middle District of Pennsylvania* (See item [5](#))
- Crews worked for nearly 2 hours September 14 to clear a blockage in a sewage pump that caused between 10,000 and 100,000 gallons of sewage to spill into Black Warrior River in Northport, Alabama. – *WVTM 13 Birmingham* (See item [14](#))
- Officials from University Gastroenterology (UGI) in Rhode Island announced September 15 that about 14,000 patients' personal information may have been compromised after a July 2016 data breach. – *WJAR 10 Providence* (See item [16](#))

---

### Fast Jump Menu

#### PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

#### SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

#### SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)

- [Communications](#)

- [Commercial Facilities](#)

#### FEDERAL and STATE

- [Government Facilities](#)
  - [Emergency Services](#)
-

## Energy Sector

See item [1](#)

## Chemical Industry Sector

Nothing to report

## Nuclear Reactors, Materials, and Waste Sector

Nothing to report

## Critical Manufacturing Sector

1. *September 16, Help Net Security* – (International) **IoT Village uncovers 47 security vulnerabilities across 23 devices.** Security researchers at the internet of things (IoT) Village in Las Vegas reported that more than 47 vulnerabilities were plaguing 23 different devices used in home security and municipal power facilities, including a flaw that could allow an attacker to shut down a small to mid-sized power generation facility by accessing the vulnerability in Tigro Energy’s solar panels, as well as vulnerabilities affecting August smart locks where anyone signed in a guest via a user’s smart lock system could enter a victim’s home without authorization, among other vulnerabilities. Source: <https://www.helpnetsecurity.com/2016/09/16/iot-village-def-con/>
2. *September 15, U.S. Consumer Product Safety Commission* – (National) **Polaris recalls Ranger recreational off-highway vehicles due to fire and burn hazards.** Polaris Industries issued a recall September 15 for about 42,500 of its model year 2014 Polaris Ranger XP 900, XP 900 EPS, and CREW 900 recreational off-highway vehicles (ROVs) sold in the U.S. due to fire and burn hazards after it was discovered the heat shields can fall off the vehicle. Polaris has received 36 reports of the ROVs overheating and catching fire. Source: [http://www.cpsc.gov/en/Recalls/2016/Polaris-Recalls-Ranger-Recreational-Off-Highway-Vehicles/?utm\\_source=feedly&utm\\_medium=rss&utm\\_campaign=Recalls+RSS](http://www.cpsc.gov/en/Recalls/2016/Polaris-Recalls-Ranger-Recreational-Off-Highway-Vehicles/?utm_source=feedly&utm_medium=rss&utm_campaign=Recalls+RSS)
3. *September 15, TheCarConnection.com* – (International) **1.9 million Jeep, Dodge, and Chrysler vehicles recalled for airbag problem.** Fiat Chrysler Automobiles issued a recall September 15 for 1.4 million of its model years 2010 – 2014 vehicles in select makes equipped with specific front impact sensors and occupant restraint control modules sold in the U.S. due to a problem affecting the vehicles’ airbags and seatbelts where the airbags and seatbelt pretensioners may not deploy in the event of a crash, thereby increasing the risk of injury. The recall also affects 142,959 vehicles sold in Canada, 81,901 in Mexico, and 284,051 elsewhere. Source: [http://www.thecarconnection.com/news/1106148\\_1-9-million-jeep-dodge-and-chrysler-vehicles-recalled-for-airbag-problem](http://www.thecarconnection.com/news/1106148_1-9-million-jeep-dodge-and-chrysler-vehicles-recalled-for-airbag-problem)
4. *September 15, TheCarConnection.com* – (National) **2016 Hyundai Tucson recalled**

**for software problem: 41,000 U.S. vehicles affected.** Hyundai Motor Company issued a recall September 15 for 41,000 of its model year 2016 Hyundai Tucson vehicles equipped with a 7-speed EcoShift Dual Clutch Transmission sold in the U.S. due to a software problem in the transmission control module, supplied by Dymos Incorporated, which could disable the vehicle's acceleration when exposed to warm temperatures, thereby increasing the risk of an accident.

Source: [http://www.thecarconnection.com/news/1106130\\_2016-hyundai-tucson-recalled-for-software-problem-41000-u-s-vehicles-affected](http://www.thecarconnection.com/news/1106130_2016-hyundai-tucson-recalled-for-software-problem-41000-u-s-vehicles-affected)

## **Defense Industrial Base Sector**

Nothing to report

## **Financial Services Sector**

5. *September 15, U.S. Attorney's Office, Middle District of Pennsylvania* – (National) **New York man convicted in federal court for his role in counterfeit gift card shopping spree.** A Queens, New York resident was convicted September 14 of Federal charges after authorities discovered over 100 counterfeit Visa gift cards with the account numbers of customers from dozens of banks nationwide in his and co-conspirators' possession in 2014. Officials stated the group attempted to or made purchases at more than 6 Pennsylvania stores using the fraudulent cards.

Source: <https://www.justice.gov/usao-mdpa/pr/new-york-man-convicted-federal-court-his-role-counterfeit-gift-card-shopping-spre>

For additional stories, see items [21](#) and [22](#)

## **Transportation Systems Sector**

6. *September 16, KPRC 2 Houston*– (Texas) **Wrong-way driver kills one in fiery crash on Highway 225, police say.** Highway 225 in Houston, Texas, was closed for nearly 5 hours September 16 while crews worked to clear the wreckage following a head-on collision that killed 1 person and sent another to an area hospital with injuries.  
Source: <http://www.click2houston.com/news/deadly-crash-shuts-down-225-in-both-directions>
7. *September 16, Hagerstown Herald-Mail* – (Maryland) **Tractor-trailer driver injured in I-70 crash near Big Pool.** Interstate 70 westbound near Big Pool, Maryland, was reduced to 1 lane for several hours September 13 while crews work clear the wreckage after a semi-truck lost control and crashed into a patch of trees. The driver was taken to an area hospital.  
Source: [http://www.heraldmillmedia.com/news/breaking/tractor-trailer-driver-injured-in-i--crash-near-big/article\\_c9269c0c-7a7d-11e6-bac9-2bb5ff279e39.html](http://www.heraldmillmedia.com/news/breaking/tractor-trailer-driver-injured-in-i--crash-near-big/article_c9269c0c-7a7d-11e6-bac9-2bb5ff279e39.html)
8. *September 15, Athens Banner-Herald* – (Georgia) **Bishop trucker killed in two-truck crash in Oconee County on Highway 441.** U.S. Highway 441 near Tappan Spur Road in Oconee County, Georgia, was closed for approximately 6 hours September 15 while

Georgia State Patrol investigated the scene after 2 semi-trucks collided, killing 1 person.

Source: <http://onlineathens.com/mobile/2016-09-15/bishop-trucker-killed-two-truck-crash-oconee-county-highway-441#>

9. *September 15, KTXL 40 Sacramento* – (California) **Traffic diverted in Folsom due to deadly head-on collision.** Scott Road in Folsom, California, was closed for several hours September 15 while officials investigated the scene of a 3-vehicle crash that killed 1 driver and sent another to an area hospital with moderate injuries.  
Source: <http://fox40.com/2016/09/15/traffic-diverted-in-folsom-due-to-deadly-head-on-collision/>

## **Food and Agriculture Sector**

10. *September 15, U.S. Food and Drug Administration* – (New York; New Jersey) **SM Fish Corp recalls select Ossie's ready to eat salads because of possible health risk.** SM Fish Corp. issued a voluntary recall September 15 for its Ossie's brand ready-to-eat salads products sold in 19 variations due to potential *Listeria monocytogenes* contamination after Federal inspections and sampling activities revealed the presence of *Listeria* in multiple areas of the company's facility. No illnesses have been reported and the products were sold at the company's retail stores in New York and New Jersey.  
Source: <http://www.fda.gov/Safety/Recalls/ucm520911.htm>
11. *September 15, WXYZ 7 Detroit* – (Michigan) **Fire shuts down operations at Kars Nuts plant in Madison Heights.** Operations were suspended at the Kar's Nuts plant in Madison Heights, Michigan, until further notice September 15 following a fire that forced the evacuation of over 60 employees. Authorities were working to assess the damage.  
Source: <http://www.wxyz.com/news/region/oakland-county/fire-shuts-down-operations-at-kars-nuts-plant-in-madison-heights>
12. *September 13, Kennewick Tri-City Herald* – (Washington) **Fire shuts down Tyson plant in Wallula.** The Tyson Foods plant in Wallula, Washington, was shut down until at least September 14 following a large grease fire in the animal rendering area of the facility September 13 that damaged the roof of the plant and prompted officials to shut off gas and electricity in most of the building. No injuries were reported.  
Source: <http://www.tri-cityherald.com/news/local/article101536887.html>

## **Water and Wastewater Systems Sector**

13. *September 15, Youngstown Vindicator* – (Ohio) **Power outage shut off water for customers on the East Side.** A power outage in Youngstown, Ohio, knocked out power to the Youngstown Water Department pump station September 15, prompting officials to issue a 2-day boil water advisory for residents on the east side of Youngstown.  
Source: <http://www.vindy.com/news/2016/sep/15/power-outage-shut-water-customers-east-side/?newswatch>

14. *September 15, WVTM 13 Birmingham* – (Alabama) **Diapers, rags blamed for sewage pump blockage.** Crews worked for nearly 2 hours September 14 to clear a blockage in a sewage pump that caused between 10,000 and 100,000 gallons of sewage to spill into Black Warrior River in Northport, Alabama. Officials advised people to avoid contact with the water.  
Source: <http://www.wvtm13.com/news/diapers-rags-blamed-for-sewage-pump-blockage/41688278>
15. *September 15, WCHL 97.9 FM Chapel Hill* – (North Carolina) **2,300 gallons of wastewater overflow in Chapel Hill.** Orange Water and Sewer Authority (OWASA) crews worked September 14 to clear nearly 2,300 gallons of untreated wastewater that overflowed from a sewer on Eastowne Drive near Providence Road in Chapel Hill, North Carolina, an area that drains to Booker Creek, after a contractor damaged the sewer. OWASA crews flushed the spill area with water.  
Source: <http://chapelboro.com/news/safety/2300-gallons-of-wastewater-overflow-in-chapel-hill>

## **Healthcare and Public Health Sector**

16. *September 15, WJAR 10 Providence* – (Rhode Island) **Information compromised for 14,000 patients of University Gastroenterology.** Officials from University Gastroenterology (UGI) in Rhode Island announced September 15 that about 14,000 patients' personal information, including names, birth dates, and Social Security numbers may have been compromised after a July 2016 data breach where an attacker hacked UGI's computer system and encrypted a file containing the information.  
Source: <http://turnto10.com/i-team/consumer-advocate/nbc-10-i-team-information-compromised-for-14000-patients-of-university-gastroenterology>

## **Government Facilities Sector**

17. *September 15, Lansing State Journal* – (Michigan) **Power outage forces early school closings in Haslett.** Haslett High School and Haslett Middle School in Haslett, Michigan, were dismissed several hours early September 15 following a power outage that knocked out power to both schools' kitchens and left 206 Consumers Energy customers without power due to a problem in an underground line.  
Source: <http://www.lansingstatejournal.com/story/news/local/2016/09/15/power-outage-forces-early-school-closings-haslett/90404834/>
18. *September 15, Milwaukee Journal Sentinel* – (Wisconsin) **2 accused in \$3 million food assistance fraud.** An Oak Creek, Wisconsin resident and her son were charged in an indictment released September 14 for their roles in a \$3 million fraudulent U.S. Department of Agriculture Supplemental Nutrition Assistance Program (SNAP) scheme operated through the Family Super Saver store in Milwaukee, Wisconsin, where the duo used the business to exchange customers' SNAP benefit cards for cash and redeemed the benefits with the U.S. Department of Agriculture for more money than the customers received from 2009 – 2014.  
Source: <http://www.jsonline.com/story/news/local/milwaukee/2016/09/15/mother-son->

[accused-3-million-federal-food-stamp-fraud/90378832/](http://www.us-cert.gov/accused-3-million-federal-food-stamp-fraud/90378832/)

## **Emergency Services Sector**

19. *September 15, KREM 2 Spokane* – (Washington) **Spokane Co. radio dispatch goes down for several hours.** Authorities are investigating the cause of a radio dispatch system outage that left emergency crews in Spokane County, Washington, unable to communicate with each other for about 3 hours September 15. Officials rebooted the system and stated 9-1-1 calls at the dispatch center were not affected during the outage. Source: <http://www.nwcn.com/news/local/spokane-county/spokane-co-radio-dispatch-goes-down-for-several-hours/319221723>

## **Information Technology Sector**

20. *September 15, SecurityWeek* – (International) **SAP patches serious flaws in database management product.** SAP released a security update resolving 19 vulnerabilities, including a denial-of-service (DoS) flaw in Business Objects BI Launchpad, information disclosure bugs, cross-site scripting (XSS) issues, and Structured Query Language (SQL) injection issues that could allow an attacker to create and execute a stored procedure with SQL commands, thereby enabling the attacker to elevate their privileges, modify database objects, or execute commands without authorization. Source: <http://www.securityweek.com/sap-patches-serious-flaws-database-management-product>

### **Internet Alert Dashboard**

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

## **Communications Sector**

See item [19](#)

## **Commercial Facilities Sector**

21. *September 15, WBAY 2 Green Bay; WKOW 27 Madison; WISN 12 Milwaukee* – (Wisconsin) **Two arrested in connection to credit card skimmer ring.** Two Florida residents were arrested at an Open Pantry gas station in Brookfield, Wisconsin, September 14 for their roles in a credit card skimming scheme where the group allegedly installed internal skimming devices on about 15 pumps at gas stations across Wisconsin since August after the duo stole a master key to the pumps. Officials stated the locks on all the affected pumps have been replaced. Source: <http://wbay.com/2016/09/15/report-two-arrested-in-connection-to-credit-card-skimmer-ring/>

22. *September 14, New York Daily News* – (New York) **Stolen credit card info used for \$400G in purchases at Bloomingdale’s, three arrested including employee.** A former employee at Bloomingdale’s in New York and 2 co-conspirators were charged September 14 after the trio allegedly stole customers’ credit card information and made at least 40 fraudulent purchases at the department store totaling \$400,000.  
Source: <http://www.nydailynews.com/new-york/nyc-crime/arrested-400g-bloomingdale-credit-card-scam-article-1.2792942>

## **Dams Sector**

23. *September 15, Price Sun Advocate* – (Utah) **Scofield Dam to close gates for needed repairs.** The Carbon Water Conservancy District announced the week of September 12 that the operators of the Scofield Dam in Carbon County, Utah, will shut off the water from the Scofield Reservoir in October in order to complete \$500,000 in repairs led by the U.S. Bureau of Reclamation. The renovations include replacing the dam’s crib wall, replacing concrete over the outlet and spillway wall, and installing a walkway to the upstream staff gauge, among other improvements.  
Source: <http://www.sunad.com/news/2016/09/scofield-dam-close-gates-needed-repairs/>



**Department of Homeland Security (DHS)**  
**DHS Daily Open Source Infrastructure Report Contact Information**

**About the reports** - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

**Contact Information**

Content and Suggestions:	Send mail to <a href="mailto:cikr.productfeedback@hq.dhs.gov">cikr.productfeedback@hq.dhs.gov</a> or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the <a href="#">DHS Daily Open Source Infrastructure Report</a> and follow instructions to <a href="#">Get e-mail updates when this information changes</a> .
Removal from Distribution List:	Send mail to <a href="mailto:support@govdelivery.com">support@govdelivery.com</a> .

---

**Contact DHS**

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at [nicc@hq.dhs.gov](mailto:nicc@hq.dhs.gov) or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web page at [www.us-cert.gov](http://www.us-cert.gov).

**Department of Homeland Security Disclaimer**

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.