



Daily Open Source Infrastructure Report 19 October 2016

Top Stories

- Crews from the Los Angeles Department of Water and Power worked October 17 to restore power to 23,000 customers who lost power following a severe rainstorm in Los Angeles. – *KABC 7 Los Angeles* (See item [1](#))
- Hyundai Motor Company issued a recall October 18 for roughly 84,500 of its model years 2010 – 2016 Genesis Coupe vehicles due to a faulty wiring harness connector associated with the vehicle’s occupant classification system (OCS), which could prevent the second-stage airbag from deploying in the event of a crash. – *TheCarConnection.com* (See item [3](#))
- City officials in Powers, Oregon, reported that an intake pump failure caused roughly 11,000 gallons of raw sewage to spill into the south fork of the Coquille River October 16. – *KCBY 11 Coos Bay* (See item [10](#))
- About 91 people were displaced following a fire at the Founders Hill apartment complex in Manhattan, Kansas, October 17. – *KSNT 27 Topeka* (See item [18](#))

Fast Jump Menu

PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

FEDERAL and STATE

- [Government Facilities](#)
- [Emergency Services](#)

Energy Sector

1. *October 17, KABC 7 Los Angeles* – (California) **23,000 LA area customers without power due to SoCal rainstorm, LADWP says.** Crews from the Los Angeles Department of Water and Power worked October 17 to restore power to 23,000 customers who lost power following a severe rainstorm in Los Angeles.
Source: <http://abc7.com/weather/23k-la-area-customers-without-power-due-to-rainstorm-ladwp-says/1559062/>

Chemical Industry Sector

2. *October 18, U.S. Environmental Protection Agency* – (Delaware) **EPA settles with Dana Container for alleged violations at Wilmington, Del. facility.** The U.S. Environmental Protection Agency (EPA) announced October 18 that it reached a \$12,000 settlement with Wilmington, Delaware-based Dana Container, Inc. to resolve alleged violations of the Federal Resource Conservation and Recovery Act and Delaware's hazardous waste storage requirements after the EPA found that the company improperly stored benzene, vinyl acetate, and waste solvent, neglected to ship wastes offsite in a timely manner, and failed to maintain a sufficient contingency plan, among other violations.
Source: <https://www.epa.gov/newsreleases/epa-settles-dana-container-alleged-violations-wilmington-del-facility>

For another story, see item [14](#)

Nuclear Reactors, Materials, and Waste Sector

Nothing to report

Critical Manufacturing Sector

3. *October 18, TheCarConnection.com* – (National) **2010-2016 Genesis Coupe recalled to fix airbag issue.** Hyundai Motor Company issued a recall October 18 for roughly 84,500 of its model years 2010 – 2016 Genesis Coupe vehicles sold in the U.S. due to a faulty wiring harness connector associated with the vehicle's occupant classification system (OCS), which could become dislodged when objects placed under the front passenger seat contact the OCS electrical connector, thereby causing the air bag to inflate when a child is in the seat or preventing the second-stage airbag from deploying in the event of a crash and increasing the risk of injury.
Source: http://www.thecarconnection.com/news/1106741_2010-2016-genesis-coupe-recalled-to-fix-airbag-issue

Defense Industrial Base Sector

Nothing to report

Financial Services Sector

Nothing to report

Transportation Systems Sector

4. *October 17, Siskiyou Daily News* – (California) **Three injured in head-on crash on Highway 166.** Highway 166 near New Cuyama, California, was closed for roughly 2 hours October 16 after a vehicle traveling eastbound crossed the center line and struck another vehicle head-on, injuring 3 people.
Source: <http://www.siskiyoudaily.com/article/20161017/NEWS/161019733>
5. *October 17, WPLG 10 Miami* – (Florida) **Overtaken utility truck spills load on Florida's Turnpike.** The southbound lanes of the Florida Turnpike in Plantation were closed for several hours October 17 after a utility truck carrying wooden power poles overturned, spilling the poles across the roadway.
Source: <http://www.local10.com/traffic/overtaken-truck-closes-southbound-lanes-of-floridas-turnpike>
6. *October 17, Miami County Republic* – (Kansas) **Train derailment closes crossings.** Eleven cars on a southbound Union Pacific train derailed in Paola, Kansas, October 16, spilling grain and damaging portions of the track. Officials closed the 303rd Street railroad crossing and the crossing at Hedge Lane and 295th Street until at least October 17 while crews install roughly 1,000 feet of new track.
Source: http://www.republic-online.com/breaking_news/train-derailment-closes-crossings/article_50e2364d-c219-5b22-9e6c-2e589c18c39a.html
7. *October 17, Tulsa World* – (Oklahoma) **Former TU and NY Jets player, killed in crash north of Claremore.** Oklahoma State Highway 88 north of Claremore was closed for more than 5 hours October 15 after a vehicle traveling northbound crossed the center line and struck another vehicle, killing 1 person and injuring 2 others.
Source: http://www.tulsaworld.com/staff/mikeaverill/update-dennis-byrd-former-tu-and-ny-jets-player-killed/article_f73f4b24-1a50-58c2-9e9e-51c9b3a634dd.html
8. *October 17, WHNT 19 Huntsville* – (Alabama) **Fatal wreck: Police identify woman who died in fiery crash on Hwy 72 east.** Eastbound lanes of Highway 72 in Huntsville, Alabama, were closed for more than 4 hours October 17 after a vehicle veered off the roadway and struck a utility pole, causing the vehicle to catch fire. One person was killed and another was injured.
Source: <http://whnt.com/2016/10/17/one-female-dead-another-man-in-serious-condition-after-wreck-on-highway-72-east/>

For another story, see item [2](#)

Food and Agriculture Sector

9. *October 17, U.S. Food and Drug Administration* – (National) **Voluntary recall notice**

of McCormick 24 oz. Club Size Original Taco Seasoning Mix due to unlabeled milk allergen. McCormick & Company, Inc. issued a voluntary recall October 5 for its Club Size McCormick Original Taco Seasoning Mix products sold in 24-ounce containers due to mislabeling and an undeclared milk allergen after it was discovered the dairy free seasoning mix bottles were inadvertently filled with Original Taco Seasoning containing whey. The company received one notice of an allergic reaction in connection with the products which were distributed nationwide.
Source: <http://www.fda.gov/Safety/Recalls/ucm525450.htm>

Water and Wastewater Systems Sector

10. *October 17, KCBY 11 Coos Bay* – (Oregon) **Nearly 11,000 gallons of raw sewage spills into Coquille River after intake pump failure.** City officials in Powers, Oregon, reported that an intake pump failure caused roughly 11,000 gallons of raw sewage to spill into the south fork of the Coquille River October 16.
Source: <http://kcbv.com/news/local/nearly-11000-gallons-of-raw-sewage-winds-up-in-coquille-river-due-to-intake-pump-failure>

Healthcare and Public Health Sector

11. *October 17, U.S. Food and Drug Administration* – (International) **Medtronic announces voluntary recall of its Pipeline embolization device, Alligator retrieval device, X-Celerator hydrophilic guidewire, Ultraflow and Marathon flow directed micro catheters.** Medtronic issued a voluntary recall October 14 for 84,278 of its Pipeline embolization devices, Alligator retrieval devices, X-Celerator hydrophilic guidewires, and stylets containing UltraFlow and Marathon flow directed micro catheter products due to potential separation and detachment of the polytetrafluoroethylene (PTFE) coating on parts of these devices, which could allow the PTFE to enter the bloodstream of the patient. No patient injuries have been reported and the products were distributed internationally.
Source: <http://www.fda.gov/Safety/Recalls/ucm525582.htm>

Government Facilities Sector

12. *October 18, KKTV 11 Colorado Springs* – (Colorado) **Junkins Fire still 0 percent contained; weather conditions expected to improve.** Crews worked October 18 to contain the 15,751-acre Junkins Fire burning in Custer and Pueblo counties, which has destroyed 2 homes and 5 other structures.
Source: <http://www.kktv.com/content/news/Crews-working-fire-in-Custer-County-397287101.html>
13. *October 17, KRNV 4 Reno; KRXI 11 Reno* – (Nevada) **Officials: Little Valley Fire at 2,290 acres; crews reach 90% containment.** Crews reached 90 percent containment October 17 of the roughly 2,290-acre Little Valley Fire burning in Washoe Valley, Nevada, which has destroyed 23 homes, 17 outbuildings, and 7 barns.
Source: <http://mynews4.com/news/local/officials-little-valley-fire-at-2290-acres-90-containment>

Emergency Services Sector

14. *October 18, Savannah Morning News* – (Georgia) **Hazardous gas evacuates Savannah-Chatham police precinct, sends 2 to hospital.** The Chatham County Annex and Savannah-Chatham Metropolitan Police Department, West Chatham Precinct building in Savannah, Georgia, was evacuated for more than 7 hours October 17 after a gas used to extinguish electrical fires leaked. Officials stated 9-1-1 service was not interrupted during the evacuation and two people were sent to an area hospital for treatment.

Source: <http://savannahnow.com/news/2016-10-17/hazardous-gas-evacuates-savannah-chatham-police-precinct-sends-2-hospital>

Information Technology Sector

15. *October 18, Softpedia* – (International) **WordPress sites under attack via security flaw in unmaintained plugin.** Security researchers from White Fir Design discovered the WordPress Marketplace plugin was plagued with an arbitrary file upload vulnerability that could allow an attacker to upload arbitrary files on Websites with the plugin installed and potentially take over a site's underlying server. The researchers discovered the flaw after detecting scans for the plugin's Cascading Style Sheets (CSS) file on multiple Websites.

Source: <http://news.softpedia.com/news/wordpress-sites-under-attack-via-security-flaw-in-unmaintained-plugin-509387.shtml>

For another story, see item [16](#)

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

Communications Sector

Nothing to report

Commercial Facilities Sector

16. *October 18, SecurityWeek* – (International) **Magento malware hides stolen card data in image files.** Sucuri researchers discovered malicious actors were using real image files related to an online store's products to plant payment card-swiping malware on Websites running the Magento ecommerce platform in order to exfiltrate stolen card data via email or by including it in a file that the attacker later retrieves. Sucuri advised online stores to keep all their software updated in order to protect their Websites from the malware.

Source: <http://www.securityweek.com/magento-malware-hides-stolen-card-data-image->

[files](#)

17. *October 18, KNSD 39 San Diego* – (California) **Chula Vista fire investigation points to possible explosives involved: PD.** A fire at the Seawind Apartments in Chula Vista, California, displaced 24 people and injured 2 others October 17. Officials believe the fire was potentially started by explosive devices in one of the apartment units.
Source: <http://www.nbcsandiego.com/news/local/Fire-Reported-at-Chula-Vista-Apartment-Complex-397363371.html>
18. *October 17, KSNT 27 Topeka* – (Kansas) **Nearly 100 people affected by Manhattan apartment fire.** About 91 people, including many Kansas State University students, were displaced following a fire at the Founders Hill apartment complex in Manhattan, Kansas, October 17. No injuries were reported and the cause of the fire remains under investigation.
Source: <http://ksnt.com/2016/10/17/fire-forces-evacuation-of-apartments-near-k-state/>

Dams Sector

Nothing to report



Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

Contact Information

Content and Suggestions:	Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the DHS Daily Open Source Infrastructure Report and follow instructions to Get e-mail updates when this information changes .
Removal from Distribution List:	Send mail to support@govdelivery.com .

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.