



Daily Open Source Infrastructure Report 18 January 2013

Top Stories

- About 13 passengers were transported to a hospital with minor injuries after a Greyhound bus collided with a truck while heading eastbound on Interstate 90 in Erie County. – *Erie Times-News* (See item [5](#))
- The Federal Aviation Administration issued a directive to ground all Boeing 787 Dreamliner airplanes after a series of recent incidents highlighted some safety issues, most recently an emergency landing in Japan January 16. – *Los Angeles Times* (See item [7](#))
- A Government Accountability Office report stated Federal Government-issued mobile devices are susceptible to hacking due to their lack of password protection. Out of half of all Federal employees, one in three is not protected and 85 percent contain downloaded unrestricted apps that make the devices more vulnerable to attacks. – *Help Net Security* (See item [12](#))
- The Matteson Hall dorms at the State University College at Oneonta in New York went up in a blaze after a fire started in one of the rooms. About 177 students were displaced after the fire left a considerable amount of damage. – *Oneonta Daily Star* (See item [14](#))

Fast Jump Menu

PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

SUSTENANCE and HEALTH

- [Agriculture and Food](#)
- [Water](#)
- [Public Health and Healthcare](#)

SERVICE INDUSTRIES

- [Banking and Finance](#)
- [Transportation](#)
- [Postal and Shipping](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

FEDERAL and STATE

- [Government Facilities](#)
 - [Emergency Services](#)
 - [National Monuments and Icons](#)
-

Energy Sector

1. *January 17, WATE 6 Knoxville* – (Tennessee) **Fire burns under 1,000 gallon propane tank in Metro Center.** Nashville fire investigators found that poor plumbing under a 1,000-gallon propane tank caused a large blaze in Nashville. Officials evacuated nearby buildings as a precaution.
Source: <http://www.wate.com/story/20610832/great-circle-road-fire>

[\[Return to top\]](#)

Chemical Industry Sector

2. *January 17, WTVJ 6 Miami* – (Florida) **Dangerous chemical leak in Opa-Locka sends two to hospital.** About a dozen workers claimed to have respiratory problems and two were rushed to the hospital after a hydrogen sulfide leak at an Opa-Locka metal recovery warehouse.
Source: <http://www.nbcmiami.com/news/Dangerous-Chemical-Leak-in-Opa-Locka-Sends-Two-to-Hospital-187261411.html>

[\[Return to top\]](#)

Nuclear Reactors, Materials, and Waste Sector

Nothing to report

[\[Return to top\]](#)

Critical Manufacturing Sector

3. *January 16, U.S. Department of Labor* – (Illinois) **U.S. Department of Labor's OSHA cites Guardian West for failing to protect workers from exposure to hazardous materials at Illinois plant.** The Occupational Safety and Health Administration cited Flex-N-Gate Corp (operating as Guardian West) for six serious safety violations at its Urbana plant. Proposed fines totaled \$41,200.
Source:
http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=23538

[\[Return to top\]](#)

Defense Industrial Base Sector

Nothing to report

[\[Return to top\]](#)

Banking and Finance Sector

4. *January 17, Bloomberg News* – (New York) **SEC sues broker alleging insider trades tied to Galleon.** The U.S. Securities and Exchange Commission alleged that a former Incremental Capital broker made illegal profits of \$207,000 by trading on inside information prior to the 2007 acquisition of 3Com.
Source: <http://www.bloomberg.com/news/2013-01-16/sec-sues-broker-alleging-insider-trades-tied-to-galleon.html>

For another story, see item [17](#)

[\[Return to top\]](#)

Transportation Sector

5. *January 17, Erie Times-News* – (Pennsylvania) **Greyhound bus passengers taken to hospitals, area church after I-90 crash.** About 13 passengers were transported to a hospital with minor injuries after a Greyhound bus collided with a truck while heading eastbound on Interstate 90 in Erie County.
Source: [http://www.goerie.com/article/20130117/NEWS02/301179881/Greyhound-bus-emptied-of-passengers-after-I-90-crash-\(Updated:-8:49-am\)](http://www.goerie.com/article/20130117/NEWS02/301179881/Greyhound-bus-emptied-of-passengers-after-I-90-crash-(Updated:-8:49-am))
6. *January 16, WGCL 46 Atlanta* – (Georgia) **Students injured in Atlanta school bus hit-and-run.** An Atlanta high school bus collided with a truck January 16 leaving about 30 students injured.
Source: <http://www.cbsatlanta.com/story/20605870/children-injured-in-northwest-atlanta-school-bus-accident>
7. *January 16, Los Angeles Times* – (California) **FAA regulators ground all Boeing 787 Dreamliners.** The Federal Aviation Administration issued a directive to ground all Boeing 787 Dreamliner airplanes after a series of recent incidents highlighted some safety issues, most recently an emergency landing in Japan January 16.
Source: <http://www.latimes.com/business/money/la-fi-mo-faa-regulators-ground-all-boeing-787-dreamliners-20130116,0,915540.story>

For another story, see item [22](#)

[\[Return to top\]](#)

Postal and Shipping Sector

8. *January 17, KXTV 10 Sacramento* – (California) **Neighborhood mailbox stolen in Ripon.** A man was arrested after stealing a Ripon neighborhood mailbox and attempting to cash a check he found in the mailbox.
Source: <http://www.news10.net/news/article/225380/2/Neighborhood-mailbox-stolen-in-Ripon>

[\[Return to top\]](#)

Agriculture and Food Sector

9. *January 16, U.S. Department of Labor* – (Massachusetts) **US Labor Department’s OSHA cites Massachusetts wholesale food manufacturer/distributor for energy control, ammonia and other hazards.** Progressive Gourmet Inc. was found to be in violation of two repeat and three serious safety violations by the U.S. Department of Labor’s Occupational Safety and Health Administration.
Source: http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=23532
10. *January 16, Associated Press* – (International) **Ireland recalls 10M burgers on horsemeat fears.** Ireland’s Silvercrest Foods recalled 10 million burger patties January 16 when government DNA tests confirmed that horse meat was found in their beef supply.
Source: http://www.wivb.com/dpps/health/healthy_living/ireland-recalls-10m-burgers-on-horsemeat-fears_5352813

[\[Return to top\]](#)

Water Sector

Nothing to report

[\[Return to top\]](#)

Public Health and Healthcare Sector

11. *January 16, Salt Lake Tribune* – (Utah) **Utah’s Medicaid loses control of patient records, again.** Around 6,000 Medicaid subscribers were being notified by the Utah Department of Health that their personal information has been compromised due a third-party contractor misplacing an unencrypted thumb drive that contained their records.
Source: <http://www.sltrib.com/sltrib/news/55643506-78/health-medicaid-data-goold.html.csp>

[\[Return to top\]](#)

Government Facilities Sector

12. *January 17, Help Net Security* – (National) **Many Fed smartphones have zero password protection.** A Government Accountability Office report stated Federal Government-issued mobile devices are susceptible to hacking due to their lack of password protection. Out of half of all Federal employees, one in three is not protected and 85 percent contain downloaded unrestricted apps that make the devices more

vulnerable to attacks.

Source: <http://www.net-security.org/secworld.php?id=14254>

13. *January 17, Associated Press* – (Mississippi) **Fire guts courthouse in Webster County.** A Webster County courthouse was destroyed in a fire January 17. The courthouse was vacant at the time and fire authorities determined the building was a total loss.
Source: <http://www.sunherald.com/2013/01/17/4411780/fire-guts-courthouse-in-webster.html>
14. *January 16, Oneonta Daily Star* – (New York) **Fire damages Matteson Hall dormitory at SUNY Oneonta.** The Matteson Hall dorms at the State University College at Oneonta in New York went up in a blaze after a fire started in one of the rooms. About 177 students were displaced after the fire left a considerable amount of damage.
Source: <http://thedailystar.com/local/x1303520564/Fire-damages-Matteson-Hall-dormitory-at-SUNY-Oneonta>
15. *January 16, WTMJ 4 Milwaukee* – (Wisconsin) **Kettle Moraine High School investigates bomb threat.** Classes at Kettle Moraine High School and Wales Elementary in Wisconsin were cancelled January 16 and January 17 as a result of a bomb threat that authorities were looking into.
Source: <http://www.todaystmj4.com/news/local/187186621.html>

For another story, see item [6](#)

[\[Return to top\]](#)

Emergency Services Sector

16. *January 16, Associated Press* – (Arkansas) **Ark. woman dies after 911 call not put in system.** A woman died and her five-year-old son was in serious condition after a 9-1-1 dispatcher did not follow proper protocol and may have caused a delay in response to the victims.
Source: http://www.stltoday.com/news/national/ark-woman-dies-after-call-not-put-in-system/article_6ba9efe4-dea5-5504-8b93-419e26e36c6a.html

[\[Return to top\]](#)

Information Technology Sector

17. *January 17, Threatpost* – (International) **New version of Shylock malware spreading through Skype.** A new version of the Shylock malware capable of spreading through Skype instant messages has been identified. The malware looks specifically for online banking credentials and can also perform code-injection attacks.
Source: http://threatpost.com/en_us/blogs/new-version-shylock-malware-spreading-through-skype-011713

18. *January 17, IDG News Service* – (International) **Foxit patches critical vulnerability in PDF viewer browser plug-in.** A new version of the Foxit Reader browser plugin was released, which patches a critical remote code execution vulnerability.
Source: http://www.networkworld.com/news/2013/011713-foxit-patches-critical-vulnerability-in-265915.html?source=nww_rss
19. *January 17, Softpedia* – (International) **Drupal 7.19 and 6.28 released to address XSS, access bypass flaws.** The developers of Drupal released Drupal 7.19 and Drupal 6.28, which address a cross-site scripting vulnerability and several access bypass vulnerabilities present in older versions.
Source: <http://news.softpedia.com/news/Drupal-7-19-and-6-28-Released-to-Address-XSS-Access-Bypass-Flaws-321861.shtml>
20. *January 16, Softpedia* – (International) **Expert finds security holes in sites of Microsoft, Twilio and ProActive CMS.** A security researcher discovered vulnerabilities in Web sites belonging to Microsoft and Twilio, as well as issues in ProActive content management system (CMS). Twilio and Microsoft addressed their respective cross-site request forgery and cross-site scripting vulnerabilities, while the ProActive CMS vulnerabilities remained unaddressed.
Source: <http://news.softpedia.com/news/Expert-Finds-Security-Holes-in-Sites-of-Microsoft-Twilio-and-ProActive-CMS-321774.shtml>

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <https://www.it-isac.org>

[\[Return to top\]](#)

Communications Sector

21. *January 17, Lihue Garden Island* – (Hawaii) **Hawaiian Telcom fiber optic cable repair is complete.** Telephone, Internet, and cable service was restored to roughly 10,000 Hawaiian Telecom customers January 15 after an underwater fiber optic cable was damaged in a fire earlier in the day.
Source: http://thegardenisland.com/news/local/hawaiian-telcom-fiber-optic-cable-repair-is-complete/article_47ed2508-6081-11e2-b97e-001a4bcf887a.html?comment_form=true

[\[Return to top\]](#)

Commercial Facilities Sector

22. *January 17, Detroit News* – (Michigan) **Firefighters injured battling Fraser motel fire.** A motel in Detroit is a total loss after a blaze January 17 that injured two

firefighters and closed down a nearby roadway for several hours. Officials were investigating the cause of the fire.

Source:

<http://www.detroitnews.com/article/20130117/METRO03/301170409/1361/Firefighters-injured-battling-Fraser-motel-fire>

23. *January 16, St. Louis Post-Dispatch* – (Missouri) **Four injured in Missouri apt. building fire.** A Christmas-tree fire destroyed an apartment building in Highland, displacing about 30 residents and sending 4 to a hospital.
Source: <http://www.firehouse.com/news/10853900/four-injured-in-missouri-apt-building-fire>
24. *January 15, Chippewa Herald* – (Wisconsin) **Gas explosion levels rural church.** A gas-tank leak and subsequent explosion leveled a historic church in Dunn County. A fire official determined there was no suspicious activity linked to the incident.
Source: http://chippewa.com/news/local/gas-explosion-levels-rural-church/article_a8d25592-5eaa-11e2-a87d-0019bb2963f4.html

For another story, see item [1](#)

[\[Return to top\]](#)

National Monuments and Icons Sector

25. *January 16, National Parks Traveler* – (Tennessee) **Landslide closes Newfound Gap Road across Great Smoky Mountains National Park.** One of the main routes into Great Smoky Mountains National Park was closed since January 13 due to a landslide caused by heavy rains.
Source: <http://www.nationalparkstraveler.com/2013/01/updated-landslide-closes-newfound-gap-road-across-great-smoky-mountains-national-park22691>

[\[Return to top\]](#)

Dams Sector

26. *January 16, Associated Press; Maryville Daily Times* – (Tennessee) **Fort Loudoun Dam navigation lock closed.** The navigation lock at Fort Loudoun Dam was closed to commercial traffic by the Tennessee Valley Authority due to unsafe conditions caused by heavy rains that necessitated an increase in the dam's water discharge rate.
Source: http://www.thedailytimes.com/Local_News/story/HIDDEN-Fort-Loudoun-Dam-navigation-lock-closed-id-031990
27. *January 15, New Orleans Times-Picayune* – (Louisiana) **Corps to strengthen substandard segment of New Orleans lakefront levee with sheet piling.** An earthen levee along Lake Pontchartrain will be reinforced with steel sheet piling after post-Hurricane Katrina improvements were found to be insufficient.
Source:

http://www.nola.com/environment/index.ssf/2013/01/corps_to_strengthen_substandar.html

[[Return to top](#)]



Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

Contact Information

Content and Suggestions:	Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703)387-2341
Subscribe to the Distribution List:	Visit the DHS Daily Open Source Infrastructure Report and follow instructions to Get e-mail updates when this information changes .
Removal from Distribution List:	Send mail to support@govdelivery.com .

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.