



## Daily Open Source Infrastructure Report 09 June 2015

### Top Stories

- Eastbound Interstate 70 in Ohio was shut down for approximately 9 hours June 7 due to a 2-vehicle accident in a construction zone that killed a worker. – *Dayton Daily News* (See item [6](#))
- Alabama Highway 171 was closed for several hours June 7 after a semi-truck overturned and spilled hundreds of gallons of fuel onto the roadway, prompting the evacuation of the nearby area. – *WIAT 42 Birmingham* (See item [7](#))
- Officials issued Federal arrest warrants June 7 for two convicted felons who escaped the Clinton Correctional Facility in New York after they cut through a wall using power tools and followed tunnels that led to a manhole outside the prison gates.– *CNN* (See item [21](#))
- The National Institute of Standards and Technology released the second revision of its “Guide to Industrial Control Systems (ICS) Security,” which includes updated sections for vulnerabilities, risk management, security architectures, recommended practices, and security capabilities and tools.– *Securityweek* (See item [24](#))

---

### Fast Jump Menu

#### PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

#### SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

#### SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

#### FEDERAL and STATE

- [Government Facilities](#)
- [Emergency Services](#)

## Energy Sector

1. *June 6, AL.com* – (Alabama) **Baldwin County suffers massive power outage.** More than 25,000 Baldwin County, Alabama residents were without power for over 5 hours June 6 while crews from Riviera Utilities worked to repair a burned Alabama Power transmission line switch.

Source:

[http://www.al.com/news/mobile/index.ssf/2015/06/baldwin\\_county\\_loses\\_power\\_hug.html](http://www.al.com/news/mobile/index.ssf/2015/06/baldwin_county_loses_power_hug.html)

For another story, see item [24](#)

[\[Return to top\]](#)

## Chemical Industry Sector

2. *June 8, Associated Press* – (Pennsylvania) **Fire at chemical plant in Adams County.** Pennsylvania officials reported June 8 that a four-hour chemical fire at Miller Chemical Fertilizer in Conewago prompted residents within a mile radius of the warehouse to shelter-in-place, as the fire was considered a “major HAZMAT incident.” Officials stated the smoke from the chemical plant was non-toxic.

Source: <http://www.washingtontimes.com/news/2015/jun/8/fire-at-chemical-plant-in-adams-county/>

3. *June 8, Associated Press; WTAE 4 Pittsburgh* – (Pennsylvania) **Eastman Chemicals: processing unit explosion caused fire in plant.** A June 6 fire at Eastman Chemical Resins in Jefferson Hills, Pennsylvania, prompted a shelter-in-place order to surrounding areas after a small explosion sparked the fire in one of the plant’s processing units. The order was lifted June 7 while the cause of the explosion remains under investigation.

Source: <http://www.wtae.com/news/shelter-in-place-order-for-elizabeth-borough-residents/33445820>

For another story see item [24](#)

[\[Return to top\]](#)

## Nuclear Reactors, Materials, and Waste Sector

4. *June 7, Associated Press* – (Minnesota) **Operators shut down Unit 2 at Prairie Island nuclear plant.** Xcel Energy Inc., officials reported that operators shut down Prairie Island’s Unit 2 June 7 in response to a turbine trip caused by low oil pressure. The company reported no risk to the public or employees and plans to repair the unit are ongoing.

Source: <http://www.kare11.com/story/news/local/2015/06/07/operators-shut-down-unit-2-at-prairie-island-nuclear-plant/28655059/>

[\[Return to top\]](#)

## **Critical Manufacturing Sector**

See item [24](#)

[\[Return to top\]](#)

## **Defense Industrial Base Sector**

Nothing to report

[\[Return to top\]](#)

## **Financial Services Sector**

5. *June 7, WLWT 5 Cincinnati* – (Ohio) **‘Sock hat bandit’ strikes again, allegedly robs bank No. 8.** Authorities are searching for a suspect dubbed the “Sock hat bandit” after he allegedly robbed a PNC Bank in Hamilton Township June 6, and has been connected to seven other bank robberies in Bellevue, Queensgate, Columbus, and Green Township.  
Source: <http://www.wlwt.com/news/sock-hat-bandit-strikes-again-allegedly-robs-bank-no-8/33443610>

[\[Return to top\]](#)

## **Transportation Systems Sector**

6. *June 7, Dayton Daily News* – (Ohio) **ODOT issues statement on construction zone death.** Eastbound Interstate 70 in Englewood was shut down for approximately 9 hours June 7 after a dump truck crashed into a semi-truck in a construction zone and killed a construction worker. The cause of the accident remains under investigation.  
Source: <http://www.daytondailynews.com/news/news/traffic/semi-crash-shuts-down-i-70-in-englewood/nmXnM/>
7. *June 7, WIAT 42 Birmingham* – (Alabama) **Fuel spill closes highway, prompts evacuation.** Alabama Highway 171 at mile marker 5 in Northport was closed for several hours June 7 while crews cleaned up an accident involving a semi-truck hauling fuel that spilled hundreds of gallons of gasoline and diesel onto the roadway and prompted the evacuation of the nearby area. The remaining fuel was off-loaded into another tanker and 1 person was injured.  
Source: <http://wiat.com/2015/06/07/fuel-spill-closes-highway-prompts-evacuation/>
8. *June 6, KABC 7 Los Angeles* – (California) **Pacific Coast Highway in Malibu shut down after 2 crashes.** All lanes of Pacific Coast Highway in Malibu were closed for several hours June 6 due to two separate accidents that injured two people.

Source: <http://abc7.com/news/pacific-coast-highway-in-malibu-shut-down-after-2-crashes/770495/>

9. *June 6, WMAQ 5 Chicago* – (Illinois) **Amtrak train collides with truck full of bacon.** An Amtrak train headed to Chicago collided with a semi-truck hauling 70,000 pounds of bacon while passing through Wilmington and spilled its contents onto the tracks June 6. There were no injuries reported.  
Source: <http://www.nbcchicago.com/news/local/amtrak-crash-306324891.html>
10. *June 6, KVUE 24 Austin* – (Texas) **Tractor trailers fire creates plume of smoke near COTA.** Southbound lanes of South Highway 130 near Austin was closed for several hours June 6 while crews cleared the roadway after a semi-truck hauling rubber automotive door seals in plastic crates caught on fire. No injuries were reported.  
Source: <http://www.kvue.com/story/news/local/2015/06/06/tractor-trailer-fire-creates-plume-of-smoke-near-cota/28616157/>
11. *June 6, Michigan Live* – (Michigan) **Fire caused by gas leak in Flint out, roads remain closed.** Interstate 69 and Dort Highway in Flint reopened June 6 after being closed for several hours while crews responded to a fire ignited by a gas leak after construction crews struck an underground gas main. Two motorists were injured and transported to local hospitals.  
Source:  
[http://www.mlive.com/news/flint/index.ssf/2015/06/fire\\_caused\\_by\\_gas\\_leak\\_in\\_fli.html](http://www.mlive.com/news/flint/index.ssf/2015/06/fire_caused_by_gas_leak_in_fli.html)
12. *June 5, Associated Press* – (Wyoming) **2-vehicle collision in Converse County kills Colorado man; closes highway for 6 hours.** Highway 59 between Douglas and Wright in Converse County was closed for about 6 hours June 5 due to a 2-vehicle collision that killed 1 person and injured 5 others.  
Source: [http://trib.com/news/state-and-regional/vehicle-collision-in-converse-county-kills-colorado-man-closes-highway/article\\_d8249653-29f5-55d8-9bff-ced50dfc5e2d.html](http://trib.com/news/state-and-regional/vehicle-collision-in-converse-county-kills-colorado-man-closes-highway/article_d8249653-29f5-55d8-9bff-ced50dfc5e2d.html)
13. *June 5, KUSA 9 Denver* – (Colorado) **1 dead in plane crash at Eagle County Airport.** One person was killed and another seriously injured after a small plane at Eagle County Regional Airport crashed into a hangar while attempting to land June 5. The U.S. National Transportation Safety Board and Federal Aviation Administration are investigating the crash.  
Source: <http://www.9news.com/story/news/local/2015/06/05/1-dead-in-plane-crash-at-eagle-county-airport/28575349/>

[\[Return to top\]](#)

## **Food and Agriculture Sector**

14. *June 6, U.S. Department of Agriculture* – (California) **Benedetti Farms, Inc. recalls chicken and turkey sausage products due to misbranding.** The U.S. Department of

Agriculture reported June 6 that Sonoma-based Benedetti Farms, Inc., is recalling approximately 11,670 pounds of chicken and turkey sausage products due to hog and sheep misbranding. The products were produced from December 2014 – June 2015 and shipped to wholesale and institutional locations in California.

Source: <http://www.fsis.usda.gov/wps/portal/fsis/topics/recalls-and-public-health-alerts/recall-case-archive/archive/2015/recall-088-2015-release>

For another story, see item [24](#)

[\[Return to top\]](#)

## **Water and Wastewater Systems Sector**

15. *June 8, Associated Press* – (Vermont) **10,000 gallons of raw sewage flows into river.** A June 5 inspection of all 19 pump stations at Shelburne wastewater showed that the station experienced a power failure which caused 10,000 gallons of raw sewage to spill into the LaPlatte River.

Source: <http://www.burlingtonfreepress.com/story/news/2015/06/08/raw-sewage-flows-into-river/28673413/>

16. *June 7, KIRO 7 Seattle* – (Washington) **Boil water advisory for hundreds in Pierce County after E.coli found.** The Washington Water Service Company issued a boil-water advisory June 6 for more than 600 homes in Pierce County after 1 of 3 monthly water samples tested positive for E.coli June 3. Officials added chlorine to the system to clean the water and plan to lift the order June 9.

Source: <http://www.kirotv.com/news/news/boil-water-advisory-hundreds-pierce-county-after-e/nmXwn/>

For another story, see item [24](#)

[\[Return to top\]](#)

## **Healthcare and Public Health Sector**

17. *June 8, Times of Northwest Indiana* – (Indiana) **Dumped: Crown Point medical lab leaves patient information exposed.** Over 170 medical records belonging to My Fast Lab, a medical testing business, were found in a dumpster in Crown Point, Indiana. The records, which included Social Security numbers and other identifiable information as well as testing records, were given to the Indiana Attorney General's office.

Source: [http://www.nwitimes.com/business/healthcare/dumped-crown-point-medical-lab-leaves-patient-information-exposed/article\\_76006497-a972-5923-a2a5-3a081bd0eb90.html](http://www.nwitimes.com/business/healthcare/dumped-crown-point-medical-lab-leaves-patient-information-exposed/article_76006497-a972-5923-a2a5-3a081bd0eb90.html)

18. *June 5, Securityweek* – (National) **Medical devices used as pivot point in hospital attacks: report.** Findings from a May 7 report issued by TrapX Security detailed an attack vector known as “MedJack,” which targets outdated and vulnerable software of medical devices. TrapX Security warned that a majority of hospitals are at risk of being

infected with malware that has remained undetected. The report included case studies in which networks were breached via blood gas analyzers, a picture archive and communications system (PACS), and an X-Ray system.

Source: <http://www.securityweek.com/medical-devices-used-pivot-point-hospital-attacks-report>

For another story, see item [24](#)

[\[Return to top\]](#)

## **Government Facilities Sector**

19. *June 8, Washington Post* – (Washington, D.C.) **Water main break on Alabama Avenue SE causes school closure, traffic.** Turner Elementary School was closed June 8 after a large water main break at the intersection of Alabama Avenue and Stanton Road SE in Washington, D.C. resulted in high standing water. Crews shut off water to the affected pipe and are investigating the cause of the break.

Source: <http://www.washingtonpost.com/blogs/dr-gridlock/wp/2015/06/08/water-on-the-road-on-alabama-avenue-se/>

20. *June 6, Dickinson Press* – (North Dakota) **Spring rains damage Theodore Roosevelt National Park roads.** Roads in the North and South Units of Theodore Roosevelt National Park were closed June 6 after damage due to heavy rain caused a drainage culvert to fail and large sections of the road to be undercut by erosion.

Source: <http://www.thedickinsonpress.com/news/local/3761070-spring-rains-damage-theodore-roosevelt-national-park-roads>

[\[Return to top\]](#)

## **Emergency Services Sector**

21. *June 8, CNN* – (New York) **Manhunt: escaped killers ‘could literally be anywhere.’** The U.S. Marshalls Service issued federal arrest warrants June 7 for two convicted felons who escaped the Clinton Correctional Facility in Dannemora, New York after the inmates cut through a steel wall using power tools, and followed a series of tunnels that led to a manhole outside the prison gates. Authorities are currently searching for the escapees and are offering a \$100,000 reward for information leading to their capture.

Source: <http://www.cnn.com/2015/06/07/us/new-york-escapees/>

[\[Return to top\]](#)

## **Information Technology Sector**

23. *June 8, Securityweek* – (International) **MalumPOS malware targets Oracle Micros PoS systems.** Security researchers at Trend Micro discovered a new point-of-sale (PoS) malware dubbed MalumPOS that is targeting Oracle’s Micros and other PoS platforms

via files disguised as display drivers before targeting up to 100 running processes to scrape payment card information.

Source: <http://www.securityweek.com/malumpos-malware-targets-oracle-micros-pos-systems>

24. *June 8, Securityweek* – (International) **NIST updates ICS cyber security guide.** The National Institute of Standards and Technology (NIST) released the second revision of its “Guide to Industrial Control Systems (ICS) Security,” which includes updated sections for vulnerabilities and other threats, risk management, security architectures, recommended practices, and security capabilities and tools as well as guidance on how to adapt traditional cybersecurity controls to ICS requirements.

Source: <http://www.securityweek.com/nist-updates-ics-cyber-security-guide>

For additional stories, see items [18](#) and [30](#)

### Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

[\[Return to top\]](#)

## Communications Sector

Nothing to report

[\[Return to top\]](#)

## Commercial Facilities Sector

25. *June 8, KSTP 5 Saint Paul* – (Minnesota) **Bloomington Hotel remains closed after siding panels fall off building.** The La Quinta Inn & Suites in Bloomington, Minnesota, remains closed June 8 after four pieces of the building’s siding fell on the entryway of the hotel and prompted guests to evacuate. No injuries were reported and the cause of the collapse is under investigation.

Source: <http://kstp.com/article/stories/s3819334.shtml>

26. *June 8, Associated Press; WJLA 7 Washington* – (Virginia) **Fire hits 150-year-old diner, 59-year-old jewelry store, apt. bldg. in historic downtown Leesburg.** Loudon County Fire and Rescue reported that 3 apartments and 7 businesses were extensively damaged following a June 6 fire in Leesburg, Virginia, that began in a second floor apartment and spread to surrounding buildings. An investigation is ongoing to determine the exact cause of the incident and damages total to about \$500,000.

Source: <http://www.wjla.com/articles/2015/06/fire-hits-historic-leesburg-jewelry-store->

[apt-bldg-several-dogs-cats-killed-114580.html](http://kstp.com/article/stories/S3819444.shtml?cat=12196)

27. *June 8, KSTP 5 Saint Paul* – (Minnesota) **Fire displaces residents of Hastings apartment building.** Dozens of residents at the Guardian Angels Apartments in Hastings, Kansas were displaced due to a June 7 fire that started in the attic of the building, causing all 26 units to be evacuated. Crews remained on site for several hours to dispatch the fire.  
Source: <http://kstp.com/article/stories/S3819444.shtml?cat=12196>
28. *June 8, WABC 7 New York* – (New York) **Queens Center Mall to reopen after water leak prompts evacuation.** The Queens Center Mall of New York will reopen June 8 after a store water pipe burst June 7, flooding surrounding stores and causing an early mall closure. Dozens of customers were evacuated so workers could repair and clean up the leak.  
Source: <http://7online.com/news/queens-center-mall-to-reopen-after-water-leak-prompts-evacuation/771929/>
29. *June 7, Forum of Fargo-Moorhead* – (North Dakota) **Large propane tank fire causes evacuation of north Fargo apartment building.** A large June 7 fire prompted the partial evacuation of the 10-story New Horizons Manor apartment building in Fargo, North Dakota after propane tanks, used for building’s auxiliary energy, overheated behind the complex. The cause of the fire is under investigation.  
Source: <http://www.inforum.com/news/3761465-large-propane-tank-fire-causes-evacuation-north-fargo-apartment-building>
30. *June 6, Softpedia* – (New York) **Eataly New York customers affected by the card breach.** Eataly’s New York City Retail Marketplace reported that their point-of-sale (PoS) system was compromised from January – April after an unknown actor accessed customer names, payment card account numbers, expiration dates, and card verification value codes. To mitigate future breaches, the company plans to introduce encrypted swiping machines and implement a solution for better system monitoring.  
Source: <http://news.softpedia.com/news/Eataly-New-York-Customers-Affected-by-Card-Breach-483517.shtml>

For another story, see item [23](#)

[\[Return to top\]](#)

## **Dams Sector**

See item [24](#)

[\[Return to top\]](#)



**Department of Homeland Security (DHS)**  
**DHS Daily Open Source Infrastructure Report Contact Information**

**About the reports** - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

**Contact Information**

Content and Suggestions:	Send mail to <a href="mailto:cikr.productfeedback@hq.dhs.gov">cikr.productfeedback@hq.dhs.gov</a> or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the <a href="#">DHS Daily Open Source Infrastructure Report</a> and follow instructions to <a href="#">Get e-mail updates when this information changes</a> .
Removal from Distribution List:	Send mail to <a href="mailto:support@govdelivery.com">support@govdelivery.com</a> .

---

**Contact DHS**

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at [nicc@hq.dhs.gov](mailto:nicc@hq.dhs.gov) or (202) 282-9201.  
To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web page at [www.us-cert.gov](http://www.us-cert.gov).

**Department of Homeland Security Disclaimer**

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.