



Daily Open Source Infrastructure Report 17 June 2015

Top Stories

- Honda Motor Co., expanded recalls June 15 to include 1.39 million model year 2001 – 2005 Honda Civic and model year 2003 – 2007 Honda Accord vehicles due to ongoing issues with airbag inflators manufactured by the Takata Corporation. – *Detroit News* (See item [3](#))
- Officials reported June 15 that a tornado warning in Illinois prompted the cancellation of more than 815 flights at O’Hare International Airport and the cancellation of 25 flights at Midway International Airport. – *Associated Press* (See item [9](#))
- Parks Highway in Alaska was closed June 15 for an unspecified amount of time due to a wind shift that sent the Sockeye Fire towards the highway and prompted a 15-mile evacuation.– *Alaska Dispatch News* (See item [10](#))
- Officials reported June 14 that a water main ruptured in Philadelphia and spilled approximately 12.5 million gallons of water onto the roadways. – *WCAU 10 Philadelphia* (See item [16](#))

Fast Jump Menu

PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

FEDERAL and STATE

- [Government Facilities](#)
 - [Emergency Services](#)
-

Energy Sector

See item [16](#)

[\[Return to top\]](#)

Chemical Industry Sector

1. *June 16, Associated Press* – (Pennsylvania) **Company: circuit glitch likely caused chemical plant fire.** Miller Chemical and Fertilizer in Hanover, Pennsylvania, reported June 15 that preliminary testing revealed an electrical circuit malfunction may have caused the 12-hour plant fire June 8. To prevent water from entering Slagle Run and Conewago Creek, the company installed a large above-ground tank.
Source: <http://www.wtrf.com/story/29329990/company-circuit-glitch-likely-caused-chemical-plant-fire>

[\[Return to top\]](#)

Nuclear Reactors, Materials, and Waste Sector

2. *June 15, Associated Press* – (New York) **Reactor at NY nuke plant shut down.** Entergy Nuclear officials reported that Indian Point's Unit 3 in Buchanan, New York, automatically shut down June 15 following an electrical disturbance at a switch yard outside the plant. No release of radioactivity was reported.
Source: <http://www.ctpost.com/business/energy/article/Reactor-at-NY-nuke-plant-shut-down-6329231.php>

[\[Return to top\]](#)

Critical Manufacturing Sector

3. *June 15, Detroit News* – (National) **Honda expands Takata recall by 1.39 million vehicles.** Honda Motor Co., reported June 15 expanded recalls to include 1.39 million model year 2001 – 2005 Honda Civic and model year 2003 – 2007 Honda Accord vehicles due to ongoing issues with airbag inflators manufactured by the Takata Corporation in which airbags could prematurely inflate or explode.
Source: <http://www.detroitnews.com/story/business/autos/2015/06/15/honda-expands-takata-recall-million-vehicles/71270856/>
4. *June 16, Associated Press* – (Missouri) **Springfield manufacturer cited after worker's death at plant.** The U.S. Department of Labor Occupational Safety and Health Administration cited Springfield, Missouri-based Ridewell Corp., June 15 with a willful violation for failing to protect workers from operating parts of machinery following an investigation into a January incident that killed a worker. Proposed fines total \$71,000.
Source: <http://www.washingtontimes.com/news/2015/jun/16/springfield-manufacturer->

[cited-after-workers-death/](#)

5. *June 15, Joplin Globe* – (Missouri) **Authorities determine cause of Neosho explosion.** Federal and State authorities are investigating after determining that a June 15 explosion at USA Metal Recycling in Neosho, Missouri, that killed 1 and injured another was caused by an explosive device stored among empty military shell casings. The building sustained minimal damage.
Source: http://www.joplinglobe.com/news/updated-authorities-determine-cause-of-neosho-explosion/article_15d61960-13b9-11e5-813c-034fadee1382.html

[\[Return to top\]](#)

Defense Industrial Base Sector

Nothing to report

[\[Return to top\]](#)

Financial Services Sector

6. *June 15, U.S. Department of the Treasury* – (West Virginia) **FinCEN penalizes West Virginia bank for serious BSA violations and actions by a branch manager that assisted criminal activity.** The Financial Crimes Enforcement Network announced June 15 a \$4.5 million civil money penalty against Bank of Mingo in Williamson, West Virginia, following the bank's willful violation of the Bank Secrecy Act by staff and a former branch manager who failed to implement and maintain an effective anti-money laundering program from 2008 – 2013, specifically regarding a customer that conducted over \$9 million of structured transactions.
Source: http://www.fincen.gov/news_room/nr/html/20150615.html
7. *June 15, USA Today* – (International) **Former oil exec pleads guilty in Colombian bribery case.** A former co-CEO of PetroTiger pleaded guilty June 15 to violating the Foreign Corrupt Practices Act by conspiring with several company officials to bribe an employee of Colombian Ecopetrol with \$333,500 in exchange for help in winning a \$45 million contract. Two co-conspirators and a general counsel previously pleaded guilty in connection to the scheme.
Source: <http://www.usatoday.com/story/money/2015/06/15/colombia-oil-bribery-joseph-sigelman-foreign-corrupt-practices-act-fcpa/71255332/>

[\[Return to top\]](#)

Transportation Systems Sector

8. *June 16, Wisconsin Rapid Daily Tribune Media* – (Wisconsin) **Highway closed after fuel tanker crash.** A portion of County Highway A in Wood, Wisconsin, will be closed until further notice June 16 while crews clean up after a fuel tanker overturned. No injuries were reported.

Source: <http://www.wisconsinrapidtribune.com/story/news/local/2015/06/16/highway-closed-fuel-tanker-crash/28798559/>

9. *June 15, Associated Press* – (Illinois) **Wind, rain cause flooding, Chicago flight cancellations.** The Chicago Department of Aviation reported June 15 that storms sweeping across northern Illinois prompted a tornado warning that caused the cancellation of more than 815 flights and delays of 2 or more hours at O’Hare International Airport, as well as the cancellation of 25 flights at Midway International Airport.
Source: http://www.stltoday.com/news/national/wind-rain-cause-flooding-chicago-flight-cancellations/article_c31cb6d7-81d8-5e36-bd17-15ed649f953b.html
10. *June 15, Alaska Dispatch News* – (Alaska) **Unpredictable Sockeye wildfire appears to shift directions, moves north.** Parks Highway from mile marker 71 to Hatcher Pass was closed June 15 for an unspecified amount of time due to a wind shift that sent the Sockeye Fire towards the highway and prompted a 15-mile evacuation of the area while crews responded to the scene.
Source: <http://www.adn.com/article/20150615/parks-highway-shuts-down-again-sockeye-wildfire-continues-burning>
11. *June 15, River Falls Journal* – (Wisconsin) **Too-tall load strikes I-94 overpass, causes freeway shutdown.** The Interstate 94 overpass near Woodville was closed for several hours June 15 while crews inspected and cleared the scene of a crash after a semi-trucks body disconnected and overturned across the median. No injuries were reported.
Source: <http://www.riverfallsjournal.com/news/accidents/3766499-too-tall-load-strikes-i-94-overpass-causes-freeway-shutdown>
12. *June 15, Easton Star Democrat* – (Maryland) **1 dead, 3 hurt in Dorchester crash.** Route 307 in Williamsburg was shut down for several hours June 15 while crews cleared the scene of a 3-vehicle accident that involved a semi-truck and killed 1 person and injured 3 others.
Source: http://www.stardem.com/news/local_news/article_507269df-00e9-5eec-9bb0-82297fac0e21.html

[\[Return to top\]](#)

Food and Agriculture Sector

13. *June 16, Food Safety News* – (Ohio) **Salmonella outbreak hits Ohio care center.** The Ohio Department of Health reported June 16 that a salmonella outbreak at the Heritage Corner Health Campus in Bowling Green, Ohio, sickened 18 people. An investigation is ongoing to determine the cause of the incident and officials have advised the health center to close common room areas and thoroughly sanitize the facility.
Source: <http://www.foodsafetynews.com/2015/06/salmonella-outbreak-hits-ohio-care-center/#.VYAOzvlVhBc>

14. *June 15, ConsumerAffairs.com* – (New York; Pennsylvania) **Larry’s Custom Meats recalls beef tongue products.** Larry’s Custom Meats of Hartwick, New York, is recalling approximately 529 pounds of beef tongue products after lingual tonsils were found still attached to the meat June 15. The item was shipped to retail locations in New York and Pennsylvania.
Source: <http://www.consumeraffairs.com/news/larrys-custom-meats-recalls-beef-tongue-product-061515.html>
15. *June 15, KION 32 Salinas* – (California) **Fresca Italia pork products recalled in San Francisco bay area.** The Food Safety and Inspection Service reported June 15 that Fresca Italia is recalling approximately 36 pounds of prosciutto pork products produced in Italy that missed U.S. inspection upon entry into the country. The items were shipped to retail locations throughout San Francisco, California.
Source: <http://www.kionrightnow.com/news/local-news/fresca-italia-pork-products-recalled-in-san-francisco-bay-area/33594968>

[\[Return to top\]](#)

Water and Wastewater Systems Sector

16. *June 15, WCAU 10 Philadelphia* – (Pennsylvania) **Millions of gallons of water flow after water main break in West Philly.** The Philadelphia Water Department reported June 14 that a 36-inch water main ruptured in West Philadelphia, spilling approximately 12.5 million gallons of water, prompting the evacuation of 14 people from nearby homes, and submerging a car into a sinkhole located near a gas main that crews had to shut off while responding to the incident. The cause of the rupture remains under investigation
Source: <http://www.nbcphiladelphia.com/news/local/Water-Main-Break-West-Philadelphia-Water-Department-52nd-Street-307289801.html>
17. *June 15, WCHS 8 Charleston/Huntington* – (West Virginia) **Boil water advisory issued for about 400 customers along Route 10 in Huntington.** West Virginia American Water issued a precautionary boil water advisory June 15 for about 400 customers in Huntington following a water main break.
Source: <http://www.wchstv.com/news/features/eyewitness-news/stories/Boil-Water-Advisory-Issued-For-About-400-Customers-Along-Route-10-In-Huntington-149863.shtml#.VYA76fIViko>
18. *June 15, WPBF 16 Tequesta* – (Florida) **Shark sightings shut down St. Lucie County beaches.** St. Lucie County announced June 15 a county-wide beach closing after reports of sharks were scene along the shoreline.
Source: <http://www.wpbf.com/news/shark-sightings-shut-down-st-lucie-county-beaches/33595254>

[\[Return to top\]](#)

Healthcare and Public Health Sector

19. *June 15, WFTS 28 Tampa* – (Florida) **Tampa doctor arrested on fraud charges.** A chiropractor with offices in South Tampa and Auburndale, Florida, was arrested June 15 on charges of insurance fraud and patient brokering. The doctor allegedly enlisted three accomplices to pay patients and file false insurance claims with the two clinics. Source: <http://www.abcactionnews.com/money/consumer/taking-action-for-you/tampa-doctor-arrested-on-fraud-charges>

[\[Return to top\]](#)

Government Facilities Sector

20. *June 16, Muncie Star Press* – (Indiana) **Search continues for Randolph jail escapee.** An inmate at Randolph County Jail in Winchester, Indiana escaped by foot June 15 while cleaning the jail lobby. Jail officials plan to change procedures to prevent similar escapes in the future, and detectives are interviewing the friends and family of the inmate to determine his possible whereabouts. Source: <http://www.thestarpress.com/story/news/crime/2015/06/15/authorities-searching-for-randolph-county-jail-escapee/71241772/>
21. *June 15, Associated Press* – (Texas) **The latest on severe weather: tropical storm prompts school closings in Houston-Galveston area.** Galveston and southern Houston area schools were closed June 16 due to tropical storm warnings and flood watches from Tropical Storm Bill. Source: <http://www.usnews.com/news/us/articles/2015/06/15/the-latest-local-state-governments-prepare-for-gulf-storm>
22. *June 15, Associated Press* – (Arkansas) **Little Rock Air Force Base guards critically wound rifle-carrying man trying to enter.** A suspected gunman was shot and critically wounded by guards at Little Rock Air Force Base in Arkansas after allegedly attempting to force his way through the front gate and emerging from his vehicle armed with a rifle June 15. The base was placed on lockdown for three hours while a bomb squad investigated the suspect's vehicle and home, and law enforcement is now investigating the incident to determine a possible motive. Source: http://www.oregonlive.com/today/index.ssf/2015/06/air_force_base_guards_in_littl.html

For another story, see item [10](#)

[\[Return to top\]](#)

Emergency Services Sector

Nothing to report

Information Technology Sector

23. *June 16, Infosecurity Magazine* – (International) **Stegoloader malware hides in images on legit sites.** Security researchers from Dell SecureWorks released findings from a report warning of potential new trend in which malware uses digital steganography to evade detection and steal information from affected users via various configurable modules.
Source: <http://www.infosecurity-magazine.com/news/stegoloader-malware-hides-in/>
24. *June 16, Softpedia* – (International) **LastPass has been hacked, change your master password now.** Officials from LastPass advised that users change their master passwords after the company discovered that their system was compromised June 12. No user accounts were reported to have been accessed, and encrypted vault data was reportedly not tampered with.
Source: <http://news.softpedia.com/news/LastPass-Has-Been-Hacked-Change-Your-Master-Password-Now-484422.shtml>
25. *June 16, Securityweek* – (International) **Canonical patches privilege escalation vulnerability in Ubuntu.** Canonical released updates for Ubuntu fixing a local root privilege escalation vulnerability related to the OverlayFS Linux file system's permissions in which an attacker could gain administrative privileges on the affected system.
Source: <http://www.securityweek.com/canonical-patches-privilege-escalation-vulnerability-ubuntu>
26. *June 15, Securityweek* – (International) **Duqu 2.0 used stolen digital certificate in attacks: Kaspersky Lab.** Security researchers at Kaspersky Lab reported that the attackers behind the Duqu 2.0 malware identified in worldwide attacks in June used a stolen valid digital signature from Hon Hai Precision Industry Co., LTD/Foxcon Technology Group to sign a driver that masked command-and-control (C&C) traffic and ensured the persistence of the malware. The attackers reportedly installed the malicious drivers on firewalls, gateways, and servers with direct internet access as well as corporate network access.
Source: <http://www.securityweek.com/duqu-20-used-stolen-digital-certificate-attacks-kaspersky-lab>
27. *June 15, Securityweek* – (International) **Cisco fixes DoS vulnerability affecting carrier routing systems.** Cisco released updates for IOS XR Software installed on CRS-3 Carrier Routing Systems addressing a medium severity vulnerability in which an attacker could cause the line card to reload by sending specially crafted packets to the vulnerable device, causing an extended denial-of-service (DoS) condition.
Source: <http://www.securityweek.com/cisco-fixes-dos-vulnerability-affecting-carrier-routing-systems>

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

[\[Return to top\]](#)

Communications Sector

Nothing to report

[\[Return to top\]](#)

Commercial Facilities Sector

28. *June 16, USA Today* – (California) **6 die in Calif. Balcony collapse; victims were Irish.** The Berkeley Police Department in California reported June 16 that 6 people were killed and at least 7 others injured after an apartment building balcony collapsed. Officers are investigating the cause of the fallen infrastructure.
Source: <http://www.usatoday.com/story/news/nation/2015/06/16/berkeley-balcony-collapse/28797145/>
29. *June 16, Jersey Journal* – (New Jersey) **40 displaced after rain pours into Jersey City apartments through ‘unrepaired’ roof.** The Jersey City Fire Department evacuated 40 residents at a 4-story apartment building June 15 after water from a rainstorm poured through an unrepaired roof and into the building. City officials are assessing the damage and pursuing safety violations against the building owner for hazardous living conditions.
Source: http://www.nj.com/jjournal-news/index.ssf/2015/06/40_displaced_after_rain_water.html
30. *June 16, Delaware County Daily Times* – (Delaware) **Fire damages buildings on Church Street in West Chester.** A 2-alarm fire at an office building in West Chester, Delaware prompted the response of multiple fire departments after the blaze began in the attic of the building. No injuries were reported.
Source: <http://www.delcotimes.com/general-news/20150616/fire-damages-building-on-church-street-in-west-chester>
31. *June 15, WFIE 4 Evansville* – (Indiana) **Gas tank blamed for fire at AAA Auto Parts.** AAA Auto Parts in Evansville, Indiana, sustained extensive damaged following a 3-alarm fire that began after a fallen gas tank ignited June 13. Fire crews contained the incident and no injuries were reported.
Source: <http://www.14news.com/story/29324931/gas-tank-blamed-for-fire-at-aaa-auto-parts>

32. *June 15, Smithtown Patch* – (New York) **Commack fire shuts strip center**. A June 14 fire in Commack, New York prompted the evacuation of adjoining store businesses and caused a power outage for several hours that began from a malfunctioning air conditioning unit. Multiple fire crews responded to the incident and contained the fire. Source: <http://patch.com/new-york/smithtown/commack-fire-shuts-strip-center-0>

For another story, see item [13](#)

[\[Return to top\]](#)

Dams Sector

Nothing to report

[\[Return to top\]](#)



Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

Contact Information

Content and Suggestions:

Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703) 942-8590

Subscribe to the Distribution List:

Visit the [DHS Daily Open Source Infrastructure Report](#) and follow instructions to [Get e-mail updates when this information changes](#).

Removal from Distribution List:

Send mail to support@govdelivery.com.

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.